



# Advanced protection from a leader in Safety. The 3M\*\* brand is innovation and tecl at the leading edge protection because the ground. We under the ground of different to the ground of the g







We design and produce hard hats, faceshields, combination systems and accessories to meet a diverse spectrum of needs. We're committed to producing consistently reliable, user-friendly products - and that commitment is demonstrated by each offering in our varied catalog.

Our head and face products help deliver protection, comfort and performance.



#### **3M Hard Hats**

Engineered for extended comfort and durability, cap-style brim and full-brim hard hats work as hard as the people who wear them.

#### 3M Faceshields



Designed for industries requiring face coverage, our faceshields offer reliable protection with versatile features.

#### **3M Combination Systems**



3M combination systems blend head and face protection in one meticulously engineered system for reliable protection and convenience.



Lightweight design.

Heavy-duty
protection.

#### 3M<sup>™</sup> H-700 Series Hard Hat

The 3M H-700 Series Hard Hat offers a potent blend of protection and wearability. The short-brim design safeguards wearers without weighing them down. A 4-point ratchet or pinlock suspension system with brow pad, height adjustment and optional ventilation delivers comfort through the longest shift.

The trusted 3M name and our adherence to rigorous safety standards mean that this versatile hard hat is designed to give you superior protection.

#### 3M™ H-800 Series Hard Hat

With quality materials and robust features, the 3M H-800 Series Hard Hats are tough. These full-brim hard hats highlight engineering advancements in suspension design, sitting lower on the head to reduce pressure and increase security.

A smooth, easy-turning four-point ratchet suspension system makes the H-800 a comfortable hard hat option, and an optional patented UV indicator delivers an easy way of alerting wearers when the hard hat needs replacement due to UV exposure.

All H-700 and H-800 Series Hard Hats can be customized with a logo of your choice.



# **Features and Options**



Optional integrated eyewear attaches to suspension for convenient, retractable eye protection



Customized logo options



Optional 3M™
Scotchlite™ Reflective
Material for
enhanced visibility



Replaceable brow pad



4- and 6-point suspension combinations



Vented hard hat option



Slots for accessory attachment



Optional earmuffs easily snap into integrated receptors on the hard hat



**3M**<sup>™</sup> **Uvicator**<sup>™</sup> **Sensor** Optional Uvicator<sup>™</sup> sensor lets wearer know when to replace hard hat due to UV exposure.

# Compatible Headgear and Visors Versatile.

Adaptable.

Durable.

The 3M<sup>™</sup> line of headgear and visors are the first line of head and eye defense against heat, debris and chemicals. We designed innovative headgear and visors to be durable and comfortable.

The line features several interchangeable pieces for customization. Available features include ratchet suspension, anti-fog coating, multiple faceshield tint and material options, and easy assembly. All of our faceshields feature the reliability and performance you expect from 3M.





#### 3M<sup>™</sup> Faceshields

3M created faceshields for various work applications and environments. Select your headgear, and pair it with a variety of visor-and-faceshield options.

#### Choose from a range of headgear and visor combinations to build a faceshield that fits your needs.

#### 3M Headgear



#### Rachet Headgear H8A

Mix and match this ratchet headgear with any 3M faceshield. Adjustable ratchet suspension and five-position crown strap provide comfort, while high-strength thermoplastic crown offers impact resistance. Meets ANSI Z87.1-2010 requirements. Requires protective eyewear, sold separately.



#### High Heat Headgear H8A-S

Heat-reflective, aluminum-infused headgear provides extended protection in high-heat applications. Unique system enables rapid window replacement. Developed especially for use in steel mills, foundries, and smelters. Meets ANSI Z87.1-2010 requirements. Requires protective eyewear, sold separately.



#### Cap Mount Hard Hat Headgear H18

Versatile headgear assembly can be combined with any 3M faceshield for face protection. High-strength thermoplastic crown provides impact resistance. Meets ANSI Z87.1-2010 requirements. Requires protective eyewear, sold separately.



#### Ratchet Headgear with Crown Extender H10

Ratchet headgear with high-strength thermoplastic crown and crown extender for added coverage. Versatile piece works with any 3M faceshield and features adjustable ratchet suspension and five-position crown strap for comfort. Meets ANSI Z87.1-2010 requirements. Requires protective eyewear, sold separately.



#### High Heat Cap Mount Headgear H18-S

Heat-reflective, aluminum-infused headgear provides extended protection in high-heat applications. Unique system enables rapid window replacement. Meets ANSI Z87.1-2010 requirements. Requires protective eyewear, sold separately.



#### Universal Headgear for Hard Hat H24M

Headgear assembly is designed to fit most hard hats and can be combined with any 3M faceshield. Durable, versatile, and does not interfere with most cap-mounted earmuffs. Meets ANSI Z87.1-2010 requirements. Requires protective eyewear, sold separately.





# Ratchet Headgear H8A, with Clear Propionate Faceshield W96

Complete headgear and faceshield safety system featuring high-strength thermoplastic headgear and propionate faceshield for durable impact and chemical resistance. Adjustable ratchet suspension and five-position crown strap for comfort. Meets ANSI Z87.1-2010 requirements. Requires protective eyewear, sold separately.

# Ratchet Headgear H8A, with Clear Polycarbonate Faceshield WP96

Combination headgear and faceshield safety system with molded polycarbonate faceshield for high impact and high-heat protection.

Adjustable ratchet suspension and five-position crown strap for comfort. Meets

ANSI Z87.1-2010 requirements. Requires protective eyewear, sold separately.



#### Ratchet Headgear, with Clear Chin Protector HCP8

High-strength ratchet headgear with five-position crown strap and clear polycarbonate chin protector for comfortable, extended protection. Requires WP98 faceshield, sold separately. Meets ANSI Z87.1-2010 requirements. Requires protective eyewear, sold separately.

6




Choose the visor that is appropriate for your application or environment.

| 3M <sup>™</sup> and Peltor <sup>™</sup> Face Protection |                 |                |  |   |                |                    |                        |                          |  |  |  |  |
|---|-----------------|----------------|--|---|----------------|--------------------|------------------------|--------------------------|--|--|--|--|
|   | Product ID      | 3M ID          | Faceshield Material                    | Included<br>Components                                  | High<br>Impact | Heat<br>Resistance | Chemical<br>Resistance | Size                     |  |  |  |  |
| <b>O</b>  | V1A-10P         | XA-0077-0409-2 | Black Metal Mesh                       | V010 Linkage  |                |                    |                        | 6.5" x 11.5"             |  |  |  |  |
| 0   | V1B-10P         | XA-0077-0410-0 | Black Nylon Mesh                       | V010 Linkage  |                |                    |                        | 6.5" x 11.5"             |  |  |  |  |
|   | V2A-10P         | XA-0077-0411-8 | Clear Acetate                          | V010 Linkage  |                | 200°               |                        | 8.25" x 12.125" x 0.04"  |  |  |  |  |
|   | V2B-10P         | XA-0077-0412-6 | Green Polycarbonate<br>Anti-glare      | V010 Linkage  |                | 266°               |                        | 8.25" x 12.125" x 0.04"  |  |  |  |  |
|   | V2C-10P         | XA-0077-0413-4 | Clear Polycarbonate                    | V010 Linkage  |                | 266°               |                        | 8.25" x 12.125" x 0.04"  |  |  |  |  |
|   | V3C-10P         | XA-0077-0414-2 | Clear Polycarbonate,<br>short          | V010 Linkage  |                | 266°               |                        | 6.125" x 12.125" x 0.04" |  |  |  |  |
| 4   | V3F-10P         | XA-0077-0415-9 | Clear Acetate with<br>Nose Cutout      | V010 Linkage  |                | 200°               |                        | 5.5" x 12.125" x 0.04"   |  |  |  |  |
| 0   | <b>V</b> 4A-10P | XA-0077-0416-7 | Black Metal Mesh                       | V43 Visor Peak<br>Frame and V412<br>Linkage             |                |                    |                        | 6.5" x 11.8"             |  |  |  |  |
|   | V4D-10P         | XA-0077-0417-5 | Clear Acetate with<br>Anti-Fog Coating | V43 Visor Peak<br>Frame and V412<br>Linkage             |                | 200°               |                        | 7" x 11.8" X 0.04"       |  |  |  |  |
|   | V4F-10P         | XA-0077-0418-3 | Clear Polycarbonate                    | V43 Visor Peak<br>Frame and V412<br>Linkage             |                | 266°               |                        | 7" x 11.8" X 0.04"       |  |  |  |  |
| Y   | P3EV/2-10P      | XA-0077-0471-2 |  | Adapters for use in hard hat slots without Peltor muffs |                |                    |                        |                          |  |  |  |  |

## **3M<sup>™</sup> Face Protection**

| Visor               | Faceshield                                     | Material                       | High<br>Impact | Heat<br>Resistance | Chemical<br>Resistance | Anti-Glare | Size                  |
|---------------------|--|--------------------------------|----------------|--------------------|------------------------|------------|-----------------------|
| <b>W96</b> 82700-00 | 0000 Clear Propi                               | onate                          |                | 210°               |                        |            | 9" x 14.5" x 0.08"    |
| <b>WP96</b> 82701-0 | 00000 Clear Polyc                              | arbonate                       |                | 266°               |                        |            | 9" x 14.5" x 0.08"    |
| <b>WP96X</b> 82582  | -00000 Clear Polyc                             | arbonate, wide                 |                | 266°               |                        |            | 9" x 18.25" x 0.04"   |
| <b>WE96X</b> 82581  | -00000 Clear PETG                              | , wide                         |                | 176°               | _                      |            | 9" x 18.25" x 0.04"   |
| <b>WE96S</b> 82580  | -00000 Clear PETG                              | , short                        | <br>           | 176°               | _                      |            | 7.5" x 14.5" x 0.04"  |
| <b>WP96B</b> 82525  | -00000 Med Green                               | Polycarbonate                  |                | 266°               |                        |            | 9" x 14.5" x 0.08"    |
| <b>WP96C</b> 82702  | -00000 Dark Green                              | Polycarbonate                  |                | 266°               |                        |            | 9" x 14.5" x 0.08"    |
| <b>WP96AL</b> 8250  | 4-00000 Clear Alumi<br>Polycarbon              |                                |                | 266°               |                        |            | 9" x 14.5" x 0.08"    |
| <b>WP96BAL</b> 825  | 18-00000 Med Green<br>Polycarbon               |                                |                | 266°               |                        |            | 9" x 14.5" x 0.08"    |
| <b>WP96CAL</b> 825  | 09-00000 Dark Green<br>Polycarbon              |                                |                | 266°               |                        |            | 9" x 14.5" x 0.08"    |
| <b>WP96IR3</b> 8270 | 05-10000 IR Shade 3                            | 0 Polycarbonate                |                | 266°               |                        |            | 9" x 14.5" x 0.08"    |
| <b>WP96IR5</b> 8270 | 06-10000 IR Shade 5                            | .0 Polycarbonate               |                | 266°               |                        |            | 9" x 14.5" x 0.08"    |
| <b>WCP96</b> 82600  | -00000 Dual Coate<br>Polycarbon                |                                |                | 266°               |                        |            | 9" x 14.5" x 0.08" •  |
| <b>WCP96B</b> 8260  | 1-00000 Dual Coate<br>Polycarbon               | d Med Green<br>ate             |                | 266°               |                        |            | 9" x 14.5" x 0.08" •  |
| <b>WCP96G</b> 8260  | 2-00000 Dual Coate<br>Clear Polyc              | d Gold Plated<br>arbonate      |                | 266°               |                        |            | 9" x 14.5" x 0.08" •  |
| <b>WCP96BG</b> 826  |  | d Gold Plated<br>Polycarbonate |                | 266°               |                        |            | 9" x 14.5" x 0.08" •  |
| <b>WCP96CG</b> 826  | 04-00000 Dual Coate<br>Dark Green              | d Gold Plated<br>Polycarbonate |                | 266°               |                        |            | 9" x 14.5" x 0.08" •  |
| <b>WP98</b> 82543-0 | Clear Polyc<br>00000 for HCP8 of<br>any headge | r with CP8 in                  |                | 266°               |                        |            | 7.25" x 14.5" x 0.04" |
| <b>CP8</b> 82542-00 | 000 Clear Polyc<br>Chin Protec                 | arbonate<br>tor                |                | 266°               |                        |            |                       |
| <b>W96M</b> 82506-  | 00000 Steel Mesh                               | Screen                         |                |                    |                        |            | 9" x 14.5"            |
| <b>W96MW</b> 8251   |  | Screen with te Eyeshield       |                | <br>               |                        |            | 9" x 14.5"            |

Hard coat outside, anti-fog inside. High-heat headgear and aluminized or gold-plated faceshields reflect heat, with gold being the most reflective.



At 3M, we help employers deal with safety barriers between workers and the jobs that need to get done. That's the motivation behind our high-performance line of combination systems. These integrated systems provide multifaceted protection in one convenient package. Each component is designed for durability and ease of use — and together, they provide advanced protection from a leader in safety. Consider this system for workers who clear vegetation with power tools.

#### 3M<sup>™</sup> LumberJack<sup>™</sup> Hard Hat System

#### H-706PFK

A combination head, face and hearing protection solution. Includes a pinlock suspension hard hat, metal mesh visor, earmuff and visor seal. Requires protective eyewear, sold separately. Has NRR rating of 23.



#### **GR2B-10P** | Hard Hat Front Visor Seal

PVC-coated nylon front visor shields out water and debris, providing an additional layer of protection. Pliable, water-resistant construction is designed for use with  $3M^{TM}$  Peltor V1, V2 and V3 Series Visors.

#### H-706RFK-UV

A combination head, face and hearing protection solution. Includes a 6-point ratchet suspension hard hat with  $3M^{\text{TM}}$  Uvicator $^{\text{TM}}$  sensor, metal mesh visor, earmuff, rainshield and visor seal. Requires protective eyewear, sold separately. Has NRR rating of 23.



### 3M<sup>™</sup> Peltor<sup>™</sup> Brush Defender Visor System

#### V40AH9A-1P and V40AH31A-1P

The lightweight Peltor Brush Defender visor system was specifically designed for outdoor head and face protection. Requires protective eyewear, sold separately.



11

Model shown (H31A) has NRR rating of 24. Also available with H9A in yellow with NRR rating of 25.

10



# **WARNING**

3M Head and Face Products provide limited protection only. **Misuse or failure to follow warnings and User Instructions may result in serious personal injury or death**. For proper use, see supervisor, User Instructions, or call 3M Personal Safety Division Technical Assistance at 800-243-4630.



Personal Safety Division 3M Center, Building 235-2W-70 Saint Paul, MN 55144-1000 U.S.A. © 3M 2014. All rights reserved. 3M is a trademark and The Power to Protect Your World is a service mark of 3M Company, used under license in Canada. 70-0716-7134-4