



PRODUCT CATALOG



EPA 6H COMPLIANT EXHAUST MEDIA
INTAKE FILTERS & DIFFUSION MEDIA
PROTECTIVE WALL & FLOOR FILM
LIQUID MASK & BOOTH COATING
POCKET FILTERS & PREFILTERS
SPRAY BOOTH ACCESSORIES

Air Filtration Co., Inc.
1858 Hwy 14 N
Corydon, IA 50060
800.848.5859
www.afcfilters.com



Dear Customer,

Thank you for your interest in the **Air Filtration Co., Inc.** product line. Carl Hagan, Sr. founded **Air Filtration Co., Inc.** in 1967 after spending 20 years as a body man and painter. In the over 50 years since our founding, the spray booth filter industry has changed dramatically, yet one thing has remained constant: the same principles of quality products and outstanding customer service upon which Carl founded his business still apply to **Air Filtration** today. Now as a 3rd generation family company, our attention to customer satisfaction is not matched in the industry.

Our air filter products meet or exceed OEM standards for air flow and efficiency, are competitively priced, and readily available. We offer an extensive product line, constructed of high quality media and engineered for high efficiency, low air flow restriction, and maximum service life. Performance data, compiled by certified air filter testing laboratories is available on all our products, and can be found throughout this catalog. All of our intake filters were tested at the critical 5-10 micron particle range with a minimum airflow of 100 lineal feet per minute; in other words, under realistic shop conditions.

Over the past several years, we have seen some exciting changes to our product line and production processes that will increase customer confidence in our products while allowing us to be extremely price competitive. Performance and value have been seamlessly combined like never before.

This catalog gives a general overview of our air filter products and the types of applications for which they are designed to be used. If you do not see exactly what you are looking for, please contact us. We can supply you with any filter, any size, for any spray booth application. Let us show you why **Air Filtration Co., Inc.** has been the most trusted name in air filter products for over 50 years.

Sincerely,

Steve Hagan
President



Founder Carl Hagan, Sr with Richard Petty displaying Air Filtration Co., Inc. filters in his spray booth.



Table of Contents & Terms of Sale

Ceiling Diffusion Media and Intake Filters

Swiss Flow Series 600G Diffusion Media	4
L560 Series Diffusion Media	5
5000 Series Premium Intake	6
Custom Tacky (CT) Series Intake	7
300 Series Economy Grade Intake	7

Exhaust Filters

Paint Pockets Premium Exhaust Media	8
King Series Premium Exhaust Media	9
15 Gram Standard Grade Fiberglass Exhaust Media	10
22 Gram Super Duty Fiberglass Exhaust Media	10
Other Exhaust Options	11

Prefilters and Pocket Filters 12-13

Protective Coatings 14

Accessories & Miscellaneous 15

Returns: Only standard stock items are eligible for return. Items must be in saleable condition and a 15% restocking charge will apply to all returns. Advance notice is required. Customer is responsible for return freight.

Unlisted items: Consult factory for any item not listed.

Split cases: \$5.00 charge per case.

Note: The set quantities in this catalog reflect the number of filters per set. Some sets may be packed in 2 or more boxes for shipment.



Swiss Flow Diffusion Media





Air Filtration Co., Inc. is pleased to offer an ultra-premium 600G ceiling media. Our new Swiss Flow Series features an improved fiber and tack design to offer incredible performance for the most critical applications.

Product Specifications

- Actual thickness of 1"
- Temperature resistance up to 212° F, F1 rated
- Available in bulk rolls, cut blankets, and panels
- Exceeds UL900, DIN53438, and EN779 Standards

Performance Measure	Swiss Flow Diffusion Media*
Initial Resistance (100 fpm)	0.3 w.g.
Average Efficiency 5.5-7 Microns	99.8%
Average Efficiency 7-10 Microns	99.9%
Rating (100fpm)	MERV 9

* All data in above table is per ASHRAE Standard 52.2 Test #18-519-1



Part #	Description	Set Qty	Part #	Description	Set Qty
665HT2020	20"x20" Panel	20	665HT26120	26"x120"	9
665HT2025	20"x25" Panel	20	665HT26123	26"x123"	10
665HT2424	24"x24" Panel	20	665HT30115	30"x115"	6
665HT2048L	20"x48" Link Panel	10	665HT36108	36"x108"	1
665HT2050L	20"x50" Link Panel	10	665HT36144	36"x144"	8
665HT3345-18	33"x45.5"	18	665HT38102	38"x102"	7
665HT3345-20	33"x45.5"	20	665HT38108	38.5"x108"	7
665HT3345-24	33"x45.5"	24	665HT40100	40"x100"	4
665HT3598	35.5"x98"	6	665HT40120	40"x120"	3
665HT3654	36.75"x54"	12	665HT42168	42"x168"	12
665HT3654-14	36.75"x54"	14	665HT51128	51"x128"	6
665HT3745	37"x45"	21	665HT59148	59"x149"	4
665HT3745-18	37"x45"	18	665HT60120	60"x120"	2
665HT3764	37"x64"	8	665HT61149	61"x149"	4
665HT3867	38"x67.5"	14	665HT64120	64"x120"	2
665HT3939	39"x39"	14	665HT64129	64"x129"	2
665HT3959	39"x59"	3	665HT64149	64"x149"	4
665HT4450	44"x50"	10	665HT75119	75.5"x119"	2
665HT4866	48"x66"	6	665HT75149	75.5"x149"	2
665HT5055	50"x55"	4	665HT78246	78.5"x246"	1
665HT5858	58"x58"	3	665HT81144	81"x144"	4
665HT24125	24"x125"	12	665HT81X066	81"x66'	1



L560 Series Diffusion Media





The fiber structure and full-depth loaded adhesive provide an extremely efficient, yet low resistance media allowing for the ideal painting environment.

Product Specifications

- Actual thickness of 0.75"
- Temperature resistance up to 250° F
- Available in bulk rolls as well as cut blankets and pads of all sizes. Standards shown in table below.

Performance Measure	Air Filtration Co., Inc. L560 Media*
Initial Resistance (100 fpm)	0.22 w.g.
Average Efficiency 5.5-7 Microns	99.0%
Average Efficiency 7-10 Microns	99.9%
Rating (100 fpm)	MERV 9


*All data in above table is per ASHRAE Standard 52.2 Test #12-1394



Part #	Description	Set Qty	Part #	Description	Set Qty
L560-3345-18	33"x45" L560 Series Blanket	18	L560-36144	36"x144" L560 Series Blanket	8
L560-3345-20	33"x45" L560 Series Blanket	20	L560-38102	38"x102" L560 Series Blanket	7
L560-3345-24	33"x45" L560 Series Blanket	24	L560-38108	38.5"x108" L560 Series Blanket	7
L560-3598	33"x45" L560 Series Blanket	6	L560-40100	40"x100" L560 Series Blanket	4
L560-3654	36.75"x54" L560 Series Blanket	12	L560-40120	40"x120" L560 Series Blanket	3
L560-3654-14	36.75"x54" L560 Series Blanket	14	L560-42168	42"x168" L560 Series Blanket	12
L560-3745	37"x45" L560 Series Blanket	21	L560-51128	51"x128" L560 Series Blanket	6
L560-3745-18	37"x45" L560 Series Blanket	18	L560-59148	59"x149" L560 Series Blanket	4
L560-3764	37"x64" L560 Series Blanket	8	L560-60120	60"x120" L560 Series Blanket	2
L560-3867	38"x67.5" L560 Series Blanket	14	L560-61149	61"x149" L560 Series Blanket	4
L560-3939	39"x39" L560 Series Blanket	14	L560-64120	64"x120" L560 Series Blanket	2
L560-4450	44"x50" L560 Series Blanket	10	L560-64129	64"x129" L560 Series Blanket	2
L560-4866	48"x66" L560 Series Blanket	6	L560-64149	64"x149" L560 Series Blanket	4
L560-5055	50"x55" L560 Series Blanket	4	L560-75119	75.5"x119" L560 Series Blanket	2
L560-5858	58"x58" L560 Series Blanket	3	L560-75149	75.5"x149" L560 Series Blanket	2
L560-24125	24"x125" L560 Series Blanket	12	L560-78246	78.5"x246" L560 Series Blanket	1
L560-26120	26"x120" L560 Series Blanket	9	L560-81144	81"x144" L560 Series Blanket	4
L560-26123	26"x123" L560 Series Blanket	10	L560-37X065.5	37"x65.5' L560 Series Master Roll	1
L560-30115	30"x115" L560 Series Blanket	6	L560-64X065.5	64"x65.5' L560 Series Master Roll	1
L560-36108	36"x108" L560 Series Blanket	1	L560-81X065.5	81"x65.5' L560 Series Master Roll	1



5000 Series Intake Filter



Product Application

Use in downdraft applications which require a lower initial static pressure. Use in crossdraft applications to provide the ultimate protection.

Product Specifications

- 2" pure white, 3-ply, self-sealing, tackified polyester media with a scrim backing
- 97.3% efficient at the 5-10 micron range @ 100 fpm.
- 99.95% efficient at the > 10 micron range.

Part #	Description	Set Qty	Part #	Description	Set Qty
5-48x80	48"x80" 5000 Series Blanket Filter	Each	5032	24"x24" 5000 Series Panel Filter w/ frame	20
5010	4'x9' 5000 Series Blanket Filter	2	5068	50"x68" 5000 Series Filter	4
5011	2'x9' 5000 Series Blanket Filter	1	5101	4'x9' 5000 Series Blanket Filter Conversion Kit	2
5012	4.5'x9' 5000 Series Blanket Filter	2	5102	4.5'x9' 5000 Series Blanket Filter Conversion Kit	2
5014	4'x13.5' 5000 Series Blanket Filter	2	5104	4'x13.5' 5000 Series Blanket Filter Conversion Kit	2
5016	20"x25" 5000 Series Panel Filter w/ frame	20	5272	25"x72"x2" 5000 Series Filter	1
5018	20"x50" 5000 Series Panel Filter w/ frame	10	5354	36.75"x54" 5000 Series Filter	8
5018-12	20"x50" 5000 Series Panel Filter w/ frame	12	5354-2	36.75"x54" 5000 Series Filter	2
5020	20"x20" 5000 Series Panel Filter w/ frame	20	5364	37"x64.5" 5000 Series Filter	8
5020-24	20"x20" 5000 Series Panel Filter w/ frame	24	5370	37"x70" 5000 Series Filter	3
5024	20"x48" 5000 Series Panel Filter w/ frame	10	5410	40"x100" 5000 Series Filter	2
5024-12	20"x48" 5000 Series Panel Filter w/ frame	12	5448	48"x48" 5000 Series Filter	5
5026	16"x20" 5000 Series Panel Filter w/ frame	20	5858	58"x58" 5000 Series Filter	3
5028	16"x25" 5000 Series Panel Filter w/ frame	20	5896	58"x96" 5000 Series Filter	3
5030	20"x46" 5000 Series Panel Filter w/ frame	8			



CT & 300 Series Tacky Intake Filters



Custom Tacky Series

Product Application

Use in crossdraft applications. The industry favorite, the Custom Tacky® is a long-life filter that is a proven performer at a great price.

Product Specifications

- 2" blue, 2-ply, self-sealing, tackified polyester media. Panels are heat sealed around steel frame.
- Available in panels, pads, and blankets
- 94% efficient @ 5-10 micron range @ 100fpm.

Item #	Description	Set Qty
CT10	4'x9' Custom Tacky Blanket Filter	2
CT11	2'x9' Custom Tacky Blanket Filter	1
CT12	4.5'x9' Custom Tacky Blanket Filter	2
CT14	4'x13.5' Custom Tacky Blanket Filter	2
CT16	20"x25" Custom Tacky Panel Filter w/ frame	20
CT17	20"x25" Custom Tacky Panel Filter w/o frame	20
CT18	20"x50" Custom Tacky Panel Filter w/ frame	10
CT19	20"x50" Custom Tacky Panel Filter w/o frame	10
CT20	20"x20" Custom Tacky Panel Filter w/ frame	20
CT21	20"x20" Custom Tacky Panel Filter w/o frame	20
CT24	20"x48" Custom Tacky Panel Filter w/ frame	10
CT25	20"x48" Custom Tacky Panel Filter w/o frame	10
CT26	16"x20" Custom Tacky Panel Filter w/ frame	20
CT27	16"x20" Custom Tacky Panel Filter w/o frame	20
CT28	16"x25" Custom Tacky Panel Filter w/ frame	20
CT29	16"x25" Custom Tacky Panel Filter w/o frame	20
CT30	20"x46" Custom Tacky Panel Filter w/ frame	8
CT31	20"x46" Custom Tacky Panel Filter w/o frame	8
CT32	24"x24" Custom Tacky Panel Filter w/ frame	20
CT33	24"x24" Custom Tacky Panel Filter w/o frame	20



300 Series

Product Application

Use in crossdraft applications where the user requires a good basic filter and cost is a major consideration.

Product Specifications

- 1.5" green, 2-ply, self-sealing, tackified polyester media. Panels are heat sealed around steel frame.
- Available in panels, pads, and blankets
- 83% efficient @ 5-10 micron range @ 100fpm.

Item #	Description	Set Qty
310	4'x9' 300 Series Blanket Filter	2
312	4.5'x9' 300 Series Blanket Filter	2
314	4'x13.5' 300 Series Blanket Filter	2
316	20"x25" 300 Series Panel Filter w/ frame	20
318	20"x50" 300 Series Panel Filter w/ frame	10
320	20"x20" 300 Series Panel Filter w/ frame	20
324	20"x48" 300 Series Panel Filter w/ frame	10
326	16"x20" 300 Series Panel Filter w/ frame	20
328	16"x25" 300 Series Panel Filter w/ frame	20
330	20"x46" 300 Series Panel Filter w/ frame	8
330-14	20"x46" 300 Series Panel Filter w/ frame	14
332	24"x24" 300 Series Panel Filter w/ frame	20



Paint Pockets Exhaust Filters




Paint Pockets

Product Application


The best performing, single-stage overspray arrestor, bar none. Paint Pockets excels in arresting both liquid and powder coating overspray generated in industrial, automotive, and aerospace applications. **Compliant with EPA 6H law.**

Product Specifications

- 1.5" white, multi-layer polyester media with unique diamond pocket design.
- 99.83% efficient with a holding capacity of 6.9 pounds in 20x20 pad.



Item #	Description	Set Qty
PK2020	20"x20" Paint Pockets Arrestor	30
PK2025	20"x25" Paint Pockets Arrestor	30
PK205	20"x50' Paint Pockets Arrestor	1
PK245	24"x50' Paint Pockets Arrestor	1
PK305	30"x50' Paint Pockets Arrestor	1
PK365	36"x50' Paint Pockets Arrestor	1
PK405	40"x50' Paint Pockets Arrestor	1
PK455	45"x50' Paint Pockets Arrestor	1
PK485	48"x50' Paint Pockets Arrestor	1
PK605	60"x50' Paint Pockets Arrestor	1




Paint Pockets Green

Product Application

Offers many of the same great attributes of standard Paint Pockets at a more affordable price. **Compliant with EPA 6H law.**

Product Specifications

- 1" white & green, multi-layer polyester media with unique diamond pocket design.
- 99.43% efficient with a holding capacity of 6.4 pounds in 20x20 pad.



Item #	Description	Set Qty
PKG2020	20"x20" Paint Pockets Arrestor (Green)	40
PKG2025	20"x25" Paint Pockets Arrestor (Green)	40
PKG206	20"x60' Paint Pockets Arrestor (Green)	1
PKG306	30"x60' Paint Pockets Arrestor (Green)	1
PKG366	36"x60' Paint Pockets Arrestor (Green)	1
PKG486	48"x60' Paint Pockets Arrestor (Green)	1
PKG606	60"x60' Paint Pockets Arrestor (Green)	1



King Series Premium Exhaust Media



The King Series premium paint arrestor media has a fiber structure and tri-layer design to provide an extremely efficient and long-lasting media, creating an ideal painting environment with all paint types-including waterborne. **Compliant with EPA 6H law.**



Product Specifications:

- 3.5" purple tri-layer paint arrestor. 2 layers of fiberglass and final polyester layer at air exit.
- 99.59% efficient with an average paint holding capacity of 4 pounds in a 20"x20" pad.

Item #	Description	Set Qty	Item #	Description	Set Qty
KING2020	20"x20" King Series Arrestor Pads	50	KING412	40"X200' King Series Arrestor Roll	1
KING2025	20"x25" King Series Arrestor Pads	50	KING452	45"X200' King Series Arrestor Roll	1
KING202	20"X200' King Series Arrestor Roll	1	KING482	48"X200' King Series Arrestor Roll	1
KING252	25"X200' King Series Arrestor Roll	1	KING602	60"X200' King Series Arrestor Roll	1
KING302	30"X200' King Series Arrestor Roll	1	KING842	84"X200' King Series Arrestor Roll	1
KING362	36"X200' King Series Arrestor Roll	1			



Fiberglass Exhaust Filters



GA/PA Series 15 Gram Fiberglass and PA22 Series 22 Gram Fiberglass

Product Application


Our most popular arrestors, ideal for use in most spray booth applications and the most economical option. For use where the user requires a good basic filter and cost is a major consideration. Available in pads and roll sizes listed below. **Compliant with EPA 6H law.**

Product Specifications

- GA/PA 2" green, water resistant, 15 gram fiberglass. PA22 2" Yellow, water resistant, 22 gram fiberglass.
- 98.81% efficient with an average paint holding capacity of 2.22 pounds in a 15 Gram 20"x20" pad.
- 99.03% efficient with an average paint holding capacity of 2.6 pounds in a 22 Gram 20"x20" pad.

Item #	Description	Set Qty	Item #	Description	Set Qty
GA10	20"x20" 15 Gram Fiberglass Arrestor Pads	50	PA403	40.5"x300' 15 Gram Fiberglass Arrestor Roll	1
GA10-100	20"x20" 15 Gram Fiberglass Arrestor Pads	100	PA421	42"x100' 15 Gram Fiberglass Arrestor Roll	1
GA20	20"x25" 15 Gram Fiberglass Arrestor Pads	50	PA423	42"x300' 15 Gram Fiberglass Arrestor Roll	1
GA20-100	20"x25" 15 Gram Fiberglass Arrestor Pads	100	PA451	45"x100' 15 Gram Fiberglass Arrestor Roll	1
GA24	20"x24" 15 Gram Fiberglass Arrestor Pads	50	PA453	45"x300' 15 Gram Fiberglass Arrestor Roll	1
GA24-100	20"x24" 15 Gram Fiberglass Arrestor Pads	100	PA481	48"x100' 15 Gram Fiberglass Arrestor Roll	1
GA26	20"x48" 15 Gram Fiberglass Arrestor Pads	8	PA483	48"x300' 15 Gram Fiberglass Arrestor Roll	1
PA201	20"x100' 15 Gram Fiberglass Arrestor Roll	1	PA601	60"x100' 15 Gram Fiberglass Arrestor Roll	1
PA203	20"x300' 15 Gram Fiberglass Arrestor Roll	1	PA603	60"x300' 15 Gram Fiberglass Arrestor Roll	1
PA221	22"x100' 15 Gram Fiberglass Arrestor Roll	1	PA801	80"x100' 15 Gram Fiberglass Arrestor Roll	1
PA223	22"x300' 15 Gram Fiberglass Arrestor Roll	1	PA803	80"x300' 15 Gram Fiberglass Arrestor Roll	1
PA241	24"x100' 15 Gram Fiberglass Arrestor Roll	1	PA222020	20"x20" 22-Gram Fiberglass Arrestor Pads	50
PA243	24"x300' 15 Gram Fiberglass Arrestor Roll	1	PA222025	20"x25" 22-Gram Fiberglass Arrestor Pads	50
PA251	25"x100' 15 Gram Fiberglass Arrestor Roll	1	PA22203	20"x300' 22-Gram Fiberglass Arrestor Roll	1
PA253	25"x300' 15 Gram Fiberglass Arrestor Roll	1	PA22253	25"x300' 22-Gram Fiberglass Arrestor Roll	1
PA281	28"x100' 15 Gram Fiberglass Arrestor Roll	1	PA22283	28"x300' 22-Gram Fiberglass Arrestor Roll	1
PA283	28"x300' 15 Gram Fiberglass Arrestor Roll	1	PA22303	30"x300' 22-Gram Fiberglass Arrestor Roll	1
PA301	30"x100' 15 Gram Fiberglass Arrestor Roll	1	PA22363	36"x300' 22-Gram Fiberglass Arrestor Roll	1
PA303	30"x300' 15 Gram Fiberglass Arrestor Roll	1	PA22413	41"x300' 22-Gram Fiberglass Arrestor Roll	1
PA321	32"x100' 15 Gram Fiberglass Arrestor Roll	1	PA22453	45"x300' 22-Gram Fiberglass Arrestor Roll	1
PA323	32"x300' 15 Gram Fiberglass Arrestor Roll	1	PA22483	48"x300' 22-Gram Fiberglass Arrestor Roll	1
PA361	36"x100' 15 Gram Fiberglass Arrestor Roll	1	PA22603	60"x300' 22-Gram Fiberglass Arrestor Roll	1
PA363	36"x300' 15 Gram Fiberglass Arrestor Roll	1	PA22843	84"x300' 22-Gram Fiberglass Arrestor Roll	1
PA401	40.5"x100' 15 Gram Fiberglass Arrestor Roll	1			


Other Exhaust Filters



Expanded Paper Product Application

Get high performance paint trapping capabilities in a low cost arrestor. Available in standard or high capacity & with or without polyester backing. 3200 Series, poly-backed option is **compliant with EPA 6H law**.

Item #	Description	Set Qty
EP2025 (3031)	20"x25" Expanded Paper Arrestor	70
EP2020 (3032)	20"x20" Expanded Paper Arrestor	70
EPHC2025 (3131)	20"x25" Hi-Cap Expanded Paper Arrestor	44
EPHC2020 (3132)	20"x20" Hi-Cap Expanded Paper Arrestor	44
EPHE2025 (3231)	20"x25" Expanded Paper Arrestor w/ Poly Backing	70
EPHE2020 (3232)	20"x20" Expanded Paper Arrestor w/ Poly Backing	70
EPHE42030 (3266)	45"x30' Expanded Paper Arrestor Roll w/ Poly Backing	1



SA Series Styrobaffle®

A three stage, baffle-type, styrofoam arrestor. Its unique design creates less static pressure than the other leading styrofoam arrestors on the market, with a greater average efficiency. Dissolves in waste thinner.

Product Specifications

- 2", 3-ply, self-supporting (no grids needed).
- Average paint holding capacity of 6.45 lbs in
- a 20"x20" pad.

Item #	Description	Set Qty
SA220	20"x20" Styrobaffle Arrestor	20
SA225	20"x25" Styrobaffle Arrestor	16



PE/PR/PRH/DD Series Polyester

High efficiency polyester exhaust media available in ½" (PRH), ¾" (PR), or 2" (PE) thickness. Available with or without tack. Available in pads and roll media. Test data ranges from 99.79% to 99.86% efficient.

Item #	Description	Set Qty	Item #	Description	Set Qty
PE3060NT	30"x60'x2" 2-Ply Polyester Arrestor Roll (No Tack)	1	PR3838	38"x38" Spraybake Water Wash Pads	6
PE4560NT	45"x60'x2" 2-Ply Polyester Arrestor Roll (No Tack)	1	PR4141	41"x41" Water Wash Pads	6
PE4860NT	48"x60'x2" 2-Ply Polyester Arrestor Roll (No Tack)	1	PR4825	48"x21" (10) & 48"x52" (5) Water Wash Pads	15
PE6060NT	60"x60'x2" 2-Ply Polyester Arrestor Roll (No Tack)	1	PRH2020	20"x20" Polyester Arrestor	50
PP2020	20"x20" Polyester Arrestor	50	PRH2025	20"x25" Polyester Arrestor	50
PP2025	20"x25" Polyester Arrestor	50	PRH22135	22"x135' Polyester Arrestor Roll Media	1
PR205	20"x50' Polyester Arrestor Roll Media	1	PRH45135	45"x135' Polyester Arrestor Roll Media	1
PR245	24"x50' Polyester Arrestor Roll Media	1	PRH54135	54"x135' Polyester Arrestor Roll Media	1
PR255	25"x50' Polyester Arrestor Roll Media	1	PRH60135	60"x135' Polyester Arrestor Roll Media	1
PR305	30"x50' Polyester Arrestor Roll Media	1	PRH84135	84"x135' Polyester Arrestor Roll Media	1
PR365	36"x50' Polyester Arrestor Roll Media	1	DD229	22"X90'X1" Dual Denier Polyester Roll	1
PR405	40"x50' Polyester Arrestor Roll Media	1	DD309	30"X90'X1" Dual Denier Polyester Roll	1
PR415	41"x50' Polyester Arrestor Roll Media	1	DD609	60"X90'X1" Dual Denier Polyester Roll	1



Prefilters & Pocket Filters



PF Series Panels

This prefilter panel is manufactured from two layers of quality polyester media and includes an internal frame. Available as a link-type filter.

Item #	Description	Set Qty
PF1620	16"x20" Devilbiss Prefilter Panel	12
PF1625	16"x25" Devilbiss Prefilter Panel	12
PF2020	20"x20" CMC Concord/Devilbiss Prefilter Panel	20
PF2025-24	20"x25" Devilbiss Prefilter Panel	24
PF2050-16	20"x50" AFC Prefilter Panel	16
PF2050-12	20"x50" AFC Prefilter Panel	12
PF2070TL	20"x70" Devilbiss Prep (New) TriLink Prefilter	4
PF2570TL	25"x70" Devilbiss Prep (New) TriLink Prefilter	4
PF25x75	25"x75" TriLink Prefilter	Each

P Series Pads & Blankets

The perfect prefilter where a polyester pad or blanket is required. The blue air exit side of the filter is tackified for added efficiency.




EA Series

Panel filter designed for air filtration applications with light to medium dust loading conditions. Use as a prefilter or intake filter where a lower efficiency filter is sufficient.

Item #	Description	Set Qty
P20	20"x20" Prefilter Pad	40
P25	20"x25" Prefilter Pad	40
P209	20"x90' Lutro Prefilter Roll	1
P259	25"x90' Lutro Prefilter Roll	1
P2448	24"x48" Prefilter Pad	6
P2460	24"x60" Prefilter Pad	6
P2660	26.5"x60" Prefilter Pad	6
P3039	30"x39" Pami Prefilter Pad	6
P3458	34"x58" Prefilter Pad	6
P3652	36.5"x52" Saico Paint N'Cure Prefilter Pad	6
P24120	24"x120" Prefilter Pad	4

Item #	Description	Set Qty
EA1	20"x20"x2" Framed Glass Disposable Intake	12
EA2	20"x25"x2" Framed Glass Disposable Intake	12



Pocket Type Filters

These extended surface filters are designed with superior performance in mind. They are available in many standard sizes, and can also be manufactured to your specifications.

- Available in bag, cube, or multiple pocket configurations.
- Constructed of reinforced polyester media and available with or without a rigid, galvanized steel header.
- Also available with dual denier media upon request.

Item #	Description	Set Qty	Item #	Description	Set Qty
B1381	38"x18"x15" 4 Pocket Bag	2	B2488	23"x47"x8" 8 Pocket Bag	4
B1391	18"x39"x12" 5 Pocket Bag	4	B2488-2	23"x47"x8" 8 Pocket Bag	2
B1481	18"x48"x12" 4 Pocket Bag	4	B2488-6P	23"x47"x8" 6 Pocket Bag	Each
B2020	20"x20"x12" 5 Pocket Bag	6	B39438	39"x43"x8" 8 Pocket Bag	1
B202015-2P	2 Pkt (No Hdr)	Each	B40518	40"x52"x8" 8 Pocket Bag	1
C202012-1OZ	2 Pkt (No Hdr), Powder Coating Bag	Each	B152420	15"x24"x20" 1 Pocket Cube (No Hdr)	Each
B2121	23"x16"x21" 3 Ply Cube (No Header)	4	B182420	18"x24"x20" 4 Pocket Bag	Each
B2220	24"x24"x20" 5 Pocket Bag w/loops	4	DG258	25"x80" Binks Surround Air Prefilter	2
B2226	24"x24"x26" 6 Pocket Bag w/loops	3	PB2560	25"x60" Prefilter Sock (fits 12" - 15" duct)	2
B2226-2	24"x24"x26" 6 Pocket Bag w/loops	2	PB3645	36"x45" AFC Prep Prefilter Sock	6
B2241	20"x24"x14" 5 Pocket Bag	4	PB3645-8	36"x45" AFC Prep Prefilter Sock	8
B2242	20"x24"x21" 5 Pocket Bag w/loops	6	PB3660	36"x60" Spraybake Prefilter Sock (fits 24" duct)	2
B2243	20"x24"x36" 5 Pocket Bag w/loops	4	PB4860	48"x60" Spraybake Prefilter Sock (fits 30" duct)	Each
B2261	22"x26"x15" 4 Pocket Bag	2	PBT6540	65"x40"x16" Garmat Tube Filter	Each
B2264	26"x22"x42" 6 Pocket Bag w/loops	3	PBT6740	67"x40"x21" Garmat Tube Filter	Each
B2461	23"x46"x12" 6 Pocket Bag	4	PBTOZ6740H	67"x40"x21" Garmat Tube Filter w/hem	Each



Pleated Filters

Pleated filters are ideal in applications where a panel filter is required, but air flow restriction and efficiency are a major concern. Some sizes of pleated filters are not currently a stock item and an extended lead time may be required.

Item #	Description	Set Qty	Item #	Description	Set Qty
PL1224	12"x24"x2" Prefilter Pleated	12	PL2204	24"x20"x4" Clean Air Prep Prefilter Pleated	6
PL2020	20"x20"x2" Prefilter Pleated	12	PL2244	24"x24"x4" Clean Air Prep Prefilter Pleated	6
PL2021	20"x24"x12" Clean Air Prep Prefilter Pleated	1	PL2421	24"x24"x12" Clean Air Prep Prefilter Pleated	1
PL2025	20"x25"x2" Prefilter Pleated	12	PL2424	24"x24"x2" Prefilter Pleated	12



Booth Coating, Vinyl Curtain Protectant, & Dust Control

In order to produce the most beautiful paint jobs possible, you must have spray booth walls that perfectly reflect light. Get the clean, white walls you need by using Air Filtration Co., Inc.'s Booth Coatings.

- Dries to a non-tacky film in approximately 25 min.
- Withstands booth baking temperatures of up to 170 ° F.
- Choose from clear or white formula.
- Available in 1 gal. jugs and convenient 5 gal. cubes w/ faucet.

Item #	Description	Set Qty	Item #	Description	Set Qty
BC-1C	1-Gal. Clear Booth Coating	4	BC-5ESPC	5-Gal. White Peelable Booth Coating (powder ctd surfaces)	1
BC-5C	5-Gal. Clear Booth Coating (Cube)	1	DC-5	5-Gal. Dust Control Product	1
BC-5ES	5-Gal. White Peelable Booth Coating (galv. surfaces)	1	VP-1	1-Gal. Vinyl Curtain Protectant	4

Liquid Mask

The quickest, easiest, and safest way to protect your customer's car from paint overspray is with Air Filtration Co., Inc.'s Liquid Mask.

- Dries to a clear, non-tacky film in approximately 25 min.
- Glutinous formula allows for single coat coverage, pins down dirt and flows together to form an unbroken shell.
- Available in 1 gal. jugs, convenient 5 gal. cubes with faucet, and 55 gal. drums.

Item #	Description	Set Qty
LM-1	1-Gal. Liquid Mask	4
LM-5	5-Gal. Liquid Mask (Cube)	1
LM-15	15-Gal. Liquid Mask (Cube)	1
LM-55	55-Gal. Liquid Mask (Drum)	1


Protective Booth Film & Paper

Self-Adhering plastic booth film is an alternative to spray on coatings. Can be applied directly over walls and lights. Heavy-duty 4 mil product is strong enough to hold-up under tough floor conditions. Rolls are reverse wound for easy application. Flame-resistant, Kraft paper rolls and white, flame retardant floor paper also available.

Item #	Description	Set Qty
BW241C	24"x100' 3 Mil Clear Wall Film	1
BW361C	36"x100' 3 Mil Clear Wall Film	1
FW362C	36"x200' 4 Mil Clear Floor Film	1
FW482C	48"x200' 4 Mil Clear Floor Film	1
3041	36"x300' Kraft Booth Floor Paper	1
3042	42"x300' Kraft Booth Floor Paper	1
3043	60"x300' Kraft Booth Floor Paper	1
3044	72"x300' Kraft Booth Floor Paper	1
FRP363	36"x300' 80lb White Flame-Retardant Paper	1
FRP423	42"x300' 80lb White Flame-Retardant Paper	1
FRP603	60"x300' 80lb White Flame-Retardant Paper	1
FRP723	72"x300' 80lb White Flame-Retardant Paper	1



Accessories/Miscellaneous



We also offer a wide assortment of accessories and hardware to help with the daily operation and maintenance of your spray booth.

Grids

Galvanized steel, rubber tipped grid. Used to hold arrestor pads securely in the filter cell. Available in 20"x20" and 20"x25", as well as the 36" width for use in the conversion from the accordion-type arrestor to fiberglass media.

Manometer

Used to indicate the restriction of the paint arrestors and to give a visual indication of when they should be replaced. Required by code. Replacement gauge oil is also available.

Blanket Filter Conversion Kit

Blanket filters help to reduce booth turbulence, and because of their positive seal, reduce leaks. The kit comes complete with all the necessary materials, features easy installation, and is easily adapted to any crossdraft spray booth. Converting your booth to blanket filters will save you money with each filter change-out.

Item #	Description	Set Qty
AFC250	Manometer	Each
AFC251	Manometer Gauge Oil (for AFC 250)	Each
CT3	Filter Buttons	20
CT4	Blanket Filter Inserting Tool	Each
CT5	50' Roll of Hartlock Channel Tape	Each
CT6	Hartlock Channel Screws	62
CT7	Filter Clips (8) and Wire (50')	Each
17715	D-Shaped Door Gasket (sold per linear foot)	Foot
CT8	1/2"x3/4"x25' Spray Booth Door Gasket	Each
CT9	3"x1/8"x5' Rubber Wiper Strips	2
CT22	Custom Tacky Filter Coat Gallon	Each
CT101	4'x9' Custom Tacky Blanket Conversion Kit	2
CT103	4.5'x9' Custom Tacky Blanket Conversion Kit	2
CT104	4'x13' Custom Tacky Blanket Conversion Kit	2
CT340	4' Hartlock Channel	Each
CT345	4.5' Hartlock Channel	Each
CT1011	20"x25" Paint Arrestor Holding Grids	Each
CT1012	20"x20" Paint Arrestor Holding Grids	Each
CT1013	Grid Holding Tips	Each
CT1236	12"x36" Grids To Replace Andreae Arrestors	Each
CT2436	24"x36" Grids To Replace Andreae Arrestors	Each

Distributed by
