

## Collision Repair Sets, Stinger Series 4- and 10-Ton

- Very competitively priced, yet high quality sets include single-speed hydraulic hand pump, hose, and ram.
- Components snap together for quick setups to apply pushing, spreading.
- Components include: hydraulic pump, hose, and ram; ram flat base; extension tubes (4); 1/2-ton spreader; tube coupling; ram toe; wedge head; serrated saddle; flex head; plunger toe; 90° wedge head; storage case. The case for the 10-ton set has wheels for mobility.

1513B 4-ton collision repair set. Has single speed hydraulic hand pump and ram with 4" stroke.

1515B 10-ton collision repair set. Has single speed hydraulic hand pump and ram with 6" stroke.



- $\bullet$  Components snap together, permitting you to apply pushing, spreading.
- Components include: hydraulic pump, hose, and ram; ram flat base; 1/2-ton hydraulic spreader; extension tubes (4); tube coupling; ram toe; wedge head; serrated saddle; flex head; plunger toe; 90° wedge head; storage case. The case for the 10-ton set has wheels for mobility.

**1517B** 4-ton collision repair set. Has single speed hydraulic hand pump (4000A) and ram (4082B) with 5" stroke.

1519B 10-ton collision repair set. Has two-speed hydraulic hand pump (4012A) and ram (4083C) with 6-1/8" stroke.

#### 5086

#### Collision Repair Set, 10-Ton

- Exert hydraulic force just where it's needed to lift, spread, bend, or straighten. Handles the high-force jobs you face daily in trailer maintenance or other applications.
- Includes reliable components including 10-ton, 10-1/8" stroke hydraulic ram; air/hydraulic pumping unit; hydraulic hose; four snap-together extension tubes; extension tube coupling; serrated saddle; flat base; 90° wedge head; flex head; storage case.
- All set components are covered by OTC Lifetime Marathon Warranty®.





#### Collision Repair Sets, Stinger Series 4- and 10-Ton

- Very competitively priced, yet high quality sets include single-speed hydraulic hand pump, hose, and ram.
- Components snap together for quick setups to apply pushing, spreading.
- Components include: hydraulic pump, hose, and ram; ram flat base; extension tubes (4); 1/2-ton spreader; tube coupling; ram toe; wedge head; serrated saddle; flex head; plunger toe; 90° wedge head; storage case. The case for the 10-ton set has wheels for mobility.

**1513B** 4-ton collision repair set. Has single speed hydraulic hand pump and ram with 4" stroke.

1515B 10-ton collision repair set. Has single speed hydraulic hand pump and ram with 6" stroke.



- We've matched our OTC hydraulics with versatile tooling.
- Components snap together, permitting you to apply pushing, spreading.
- Components include: hydraulic pump, hose, and ram; ram flat base; 1/2-ton hydraulic spreader; extension tubes (4); tube coupling; ram toe; wedge head; serrated saddle; flex head; plunger toe; 90° wedge head; storage case. The case for the 10-ton set has wheels for mobility.

1517B 4-ton collision repair set. Has single speed hydraulic hand pump (4000A) and ram (4082B) with 5" stroke.

1519B 10-ton collision repair set. Has two-speed hydraulic hand pump (4012A) and ram (4083C) with 6-1/8" stroke.

222618 6 ft. hose 1/4" NPT.

### Collision Repair Set, 10-Ton

- Exert hydraulic force just where it's needed to lift, spread, bend, or straighten. Handles the high-force jobs you face daily in trailer maintenance or other
- Includes reliable components including 10-ton, 10-1/8" stroke hydraulic ram; air/hydraulic pumping unit; hydraulic hose; four snap-together extension tubes; extension tube coupling; serrated saddle; flat base; 90° wedge head; flex head; storage case.
- All set components are covered by OTC Lifetime Marathon Warranty®.





# **COLLISION REPAIR SETS / HYDRAULIC SPREADERS** SHOP EQUIPMENT



#### Collision Repair Sets, Stinger Series 4- and 10-Ton

- Very competitively priced, yet high quality sets include single-speed hydraulic hand pump, hose, and ram.
- Components snap together for quick setups to apply pushing, spreading.
- Components include: hydraulic pump, hose, and ram; ram flat base; extension tubes (4); 1/2-ton spreader; tube coupling; ram toe; wedge head; serrated saddle; flex head; plunger toe; 90° wedge head; storage case. The case for the 10-ton set has wheels for mobility.

1513B 4-ton collision repair set. Has single speed hydraulic hand pump and ram with 4" stroke.

1515B 10-ton collision repair set. Has single speed hydraulic hand pump and ram with 6" stroke.



- Components snap together, permitting you to apply pushing, spreading.
- Components include: hydraulic pump, hose, and ram; ram flat base; 1/2-ton hydraulic spreader; extension tubes (4); tube coupling; ram toe; wedge head; serrated saddle; flex head; plunger toe; 90° wedge head; storage case. The case for the 10-ton set has wheels for mobility.

4-ton collision repair set. Has single speed hydraulic hand pump (4000A) and ram (4082B) with 5" stroke.

1519B 10-ton collision repair set. Has two-speed hydraulic hand pump (4012A) and ram (4083C) with 6-1/8" stroke.



# 10-Ton Collision Repair Set

- Exert hydraulic force just where it's needed to lift, spread, bend, or straighten. Handles the high-force jobs you face daily in trailer maintenance or other applications.
- Includes reliable components including 10-ton, 10-1/8" stroke hydraulic ram; air/ hydraulic pumping unit; hydraulic hose; four snap-together extension tubes; extension tube coupling; serrated saddle; flat base; 90° wedge head; flex head; storage case.
- All set components are covered by OTC Lifetime Marathon Warranty®



### **Hydraulic Spreaders**


Included as standard equipment with our collision sets, these versatile hydraulic spreader tools are also available individually. Ideal for removing dents and creases, performing straightening jobs, or for use as a clamp. Makes working in tight spots easy.

Maximum spread is 3-1/4".

#### 9101B

1/2-ton spreader with 1/4" NPT ram half coupler 9102

1/2-ton spreader with 3/8" NPT ram half coupler



# 4085

# 1-ton Capacity Hydraulic Spreader

This hydraulic spreader is rated at a full 1-ton capacity at 10,000 PSI and that's enough for a wide variety of jobs. Working in tight spots is no problem—it needs only a 9/16" clearance to engage the jaws. With a big 4" spread, it's ready for a variety of applications: straightening work, removing dents and creases from sheet metal, or as a clamp. The device's springreturn jaws are made of high-strength alloy steel. It can be dead-ended at 4" spread under full load. Ideally suited to work with No. 4012 hand pump (not included).



