




FLEXEEL® POLYURETHANE REINFORCED COILED AIR HOSE

The Coilhose **FLEXEEL® Polyurethane Reinforced Coiled Air Hose** is an extremely lightweight hose extruded with an inner braid for additional strength. This recoil is highly flexible and durable for any type of application (outdoor and indoor).

Features

- Withstands constant flexing, even in subzero conditions.
- Non-marring to smooth surfaces and auto finishes.
- 20cm supply end and 40cm working end pigtails eliminate the need for whip hoses.
- Kink and abrasion resistant.
- Resistant to chemicals, water, fuel, oil and fungus.
- Withstands 14 BAR working pressure.
- Ultraviolet stabilized material.




**THE ORIGINAL
REINFORCED
POLYURETHANE
AIR HOSE**

FLEXEEL® REINFORCED POLYURETHANE STRAIGHT HOSE

FLEXEEL® Reinforced Polyurethane Straight Hose offers an excellent alternative to much bulkier rubber and plastic hoses. Extremely lightweight and tough, it is ideal for either outdoor contractor use or indoor industrial use. FLEXEEL® retains its flexibility even in very cold environments (as low as -40°C). The reinforced construction (polyester braid) increases the standard polyurethane working pressure. Coilhose uses the same material for the core and the jacket, which eliminates possible layer separation due to constant expansion and contraction during pulsating operations.

Features

- Available in cut-lengths and bulk (fittings sold separately).
- Hose size: 1/4", 5/16", 3/8" and 1/2".
- Colors: transparent blue, transparent red, transparent yellow and transparent green.
- Assemblies offered with swivel or rigid fittings with strain relief.
- Threads: 1/4", 5/16", 3/8", and 1/2" BSP and NPT available.



POLYURETHANE STRAIGHT HOSES


FLEXEEL® HOSE SPLICER KITS

FLEXEEL® Repair Kits enable users to quickly and easily repair FLEXEEL® hoses in the field. Two configurations are available.

- The Hose Splicer Kit allows on-the-spot repair of a cut in the middle of the hose.
- The Reusable Hose Fitting allows a full replacement of the fitting found at the end of the hose.

Reusable Hose Fittings come either with or without strain relief.

Repair kits for 1/4", 5/16" and 3/8".





**THE ORIGINAL
REINFORCED
POLYURETHANE
AIR HOSE**

**FLEXEEL® REINFORCED
POLYURETHANE STRAIGHT HOSE**

Available in 4 colors:

- TRANSPARENT ● RED ●
- TRANSPARENT ● BLUE ●
- TRANSPARENT ● GREEN ●
- TRANSPARENT ● YELLOW ●