

## DynaZip Surface Preparation Tool

- Excellent power and torque at 3,200 RPM for effectively removing seam sealer, rust proofing, chip guard, paint and surface rust in common and tight areas around vehicles.
- These spring steel wheels dramatically outperform conventional spiral-wound wire wheels without clogging.
- Quick and easy accessory change.
- Tool duplicates sand-blasting effect without surface fatigue and provides ultimate contour adaptation.
- Replacement hubs, wire and eraser wheels shown on page 45.



## DynaZip Air Tool

### Model 18255

- Includes: 3,200 RPM tool, multi-position handle with fully adjustable guard, 92245 3/4" Coarse Wire Wheel and 92284 3/4" Hub Assembly.

### Model 18253

- 3,200 RPM Tool ONLY (no accessories included).

## RED-TRED® DynaZip-Eraser Decal Removal Tool

### Model 18258

- Superior performance versus conventional "solid" or "doughnut-type" wheel erasers with **NO PAINT DAMAGE!** Works great on metal surfaces; excellent for removing two-sided adhesive molding tape too.
- RED-TRED® wheel has serrations for improved cooling effect air flow. Also resists heat buildup and prevents "jumping" or vibrations.
- Includes 3,200 RPM tool with side handle, wheel guard and 92257 Decal Removal Wheel Assembly (which includes hub).



## DynaZip Basic Kit

### Model 18256

- 18255 Standard Tool
- 92252 1/2" Wheel Hub Assy.
- 92245 3/4" Coarse Wire Wheel
- 92284 Wheel Hub Assy.
- 92248 1/2" Coarse Wire Wheel
- 92255 RED-TRED® Zip Eraser Wheel



Model Number	Motor hp	Motor RPM	Wheel Size	Sound Level	Spindle Thread	Air Flow Rate CFM/SCFM	Air Inlet Thread	Hose Size	Air Pressure PSIG	Weight Pound	Length Inch	Height Inch
All	.4	3,200	4-1/2"	87 dB(A)	1/4" - 20 female	3/28	1/4" NPT	3/8"	90	2.5	12	5-1/2

# Accessories

## RED-TRED® Eraser Disc

### 92295 Complete Assembly



Patent Pending

- Maximum 3,500 RPM.
- Includes:  
92298 Backing Plate  
92297 Disc  
04127 Flange  
96507 Pin Wrench



92295



92298 Backing Plate




92297 Replaceable Disc (4" dia.) features "Staggered Teeth" Design for effective material removal and enhanced cooling of work surface



04127 Flange (5/8"-11) fits most Buffing Tools

## DynaZip Accessories (Also Fit Competitive Tools)

### Wire Wheels



Part No.	Size	Grade	Use	Tip Type
92245	4" dia. x 3/4" wide	Coarse	Sealants	Bent
92246	4" dia. x 3/4" wide	Medium	Rust	Bent
92247	4" dia. x 3/4" wide	Fine	Paint Removal	Straight
92248	4" dia. x 1/2" wide	Coarse	Sealants	Bent

## Threaded Adapters




Part Number	Mounts to	Exposed	Shank Dia.	Length (Inch)
50103	1/4" Collet	1/4"-20 Male Thread	1/4"	1-1/4
51032	1/4" Collet	1/4"-20 Female Thread	1/4"	1-1/2
50106	3/8"-24 Male Thread	1/4"-20 Male Thread	-	1-1/16
54021	1/4"-28 Female Thread	1/4"-20 Male Thread	-	1-3/16
54040	5/8"-11 Male Thread	5/16"-24 Female Thread	-	1-5/8
55034	3/8"-24 Male Thread	5/8"-11 Male Thread	-	1-3/8

## RED-TRED® Eraser Decal Removal Wheel

### 92255 Eraser Wheel Only (Also Fits Competitive Tools)

### 92257 Eraser Wheel with Hub



92255

92257

1-1/4" Wide

SEE DISPLAY PACKAGING ON PAGE 61!

## Wheel Hub Assembly

### 92284

- Mounts the 3/4" wide wire wheels; also mounts the 92255 Eraser Decal Removal Wheel.



## DynaMitt Sanding Glove

### 58005

- Sand difficult shades with ease – great for custom work. Give your fingers a break!
- Easily control pressure and sanding coverage.
- Includes rubber insert for more rigid applications. Insert fits into pocket under hook-face area.



## Sample Abrasive Kit

### 58009

## Mini-Dynorbital® Sanding Pads

- For PSA discs only.



54017

54018



Part Number	Pad Dia.	Description Face	Thread Type
54017	3/4"	Medium/Rubber	1/4"-20 Female
54018	1-1/4"	Medium/Rubber	1/4"-20 Female
54031	1-1/4"	Soft	Locking-Type
54085	3/4"	Very Soft	1/4"-20 Female
54086	1-1/4"	Very Soft	1/4"-20 Female
54087	3/4"	Soft/Vinyl	1/4"-20 Female
54088	1-1/4"	Soft/Vinyl	1/4"-20 Female

# Point-of-Purchase Accessories

Pre-Packaged Accessories for Showroom and Will Call Areas!

## DynaZip Accessories

### 92255 RED-TRED® Eraser Wheel

- For removal of vinyl graphics.
- 4" diameter x 1-1/4" wide.
- For use with Dynabrade 92284 Wheel Hub Assembly.

### 92257 RED-TRED® Eraser Wheel & Hub (Not Shown)

- For use on DynaZip Surface Preparation Tool.

### 92295 RED-TRED® Eraser Disc Assembly

- For use on RED-TRED® Eraser Disc Tools.

### 76001 DynaZip Wire Wheel

- 4" dia. x 3/4" wide
- Ideal for removing paint, rust and sealants.
- Coarse Grade with Bent Tip Wire.
- Ideal for use with Dynabrade DynaZip Air Tool.



92255



92295



76001



61374

## Random Orbital Head Kit

### 61374

- Unique random orbital motion minimizes “haze” and “halo” effects, while reducing “burn through” of top coats and sealants.

## Cut & Polish Rotary/Random Orbital Head

### 61384

- Run pad in rotary (cut) mode for initial buffing and removing dust nibs, light scratches, oxidation and “orange peel.” Then switch to random orbital (polish) mode for buffing to a swirl-free finish with no “haze” or “halo” effects!



61384



93889

## DynaMitt Accessories

### 58005 DynaMitt Sanding Glove

- Palm side of DynaMitt accepts hook face abrasive sheets.
- Conforms to surfaces. Put sanding in the palm of your hand!

### 93889 DynaMitt Abrasive Sheets

- Sample abrasives kit, including coated and non-woven nylon sheets.

## Dynabrade Lubri-Pak

### 76020

- Includes 10 oz. tube of multi-purpose grease, push-type gun and 4 oz. bottle of Dynabrade air tool oil.
- Convenient kit for tools with gears – tool maintenance made easy!
- Air lube prevents formation of contamination build-up.
- Grease suitable for bearings, cams, gears, etc.



76020



96101

## Dynabrade Air Lube Display Box

### 96101

- (24) 4 oz. bottles (95821).
- Highly recommended in use of all Dynabrade tools.
- Absorbs up to 10% of its weight in water.