

ABOUT PLOMBCO

Plombco is a wheel weight manufacturer that has developed the most innovative and comprehensive product lines in the industry. With quality-minded employees, the company produces over one million units per day in its two highly automated facilities. Plombco products are sold to OEM's and aftermarket customers across the Americas, Europe and Asia.

Plombco is also the maker of the patented Plasteel® premium wheel weights for passenger cars and light trucks. Engineered using forward thinking technology, Plasteel® is setting new standards for innovation in the industry.

TABLE OF CONTENTS

The Plombco Advantages	3
Adhesive Wheel Weights	4
Steel	
Lead	8
Zinc	9
StickPro® pre-cleaning wipes	10
Clip-on Wheel Weights	12
Plasteel®	14
Steel	
Lead	17
Zinc	18
Truck Wheel Weights	19
Assortment Kits	20

THE PLOMBCO ADVANTAGES

CUSTOMER SERVICE

Our Customer Service team has over 30 years of experience in the wheel weight industry. We work closely with our customers year round to ensure that we are meeting all their needs. Our team is up for any challenge you may have.



FAST DELIVERY

Plombco is proud to offer our customers a 99.9% fill rate on all orders. Over 95% of all orders are shipped within 72 hours of purchase date.

CUSTOMER EXPERIENCE

Plombco is dedicated to improve customer experience. Our team is concerned every day to finding new solutions for quick & easy balancing. StickPro® wheel weight precleaning wipes, developed by our team, help you achieve that goal every time.



OUALITY

With continuous improvement in mind, our team is making Plombco an ever-improving organization. We believe that people are the recipe for success and a prosperous future. That is the reason why we focus on continuous training to stay on top of the wheel weight market.

MARKETING SUPPORT MATERIAL

To help our clients market and sell our products we offer several tools such as product catalogs, application charts, flyers, rim gauges and product samples. These tools have been designed to contribute to the success of our distributors.






PLASTEEL®

The market is shifting towards lead-free alternatives, and we have listened to the feedback from our customers in the field. Important issues, such as the increased popularity of clad wheels on new vehicles, demonstrated that there is a need for a better alternative than steel or zinc. **Plombco has developed the first ever** steel core wheel weight encased in a plastic shell.

UNIQUE PACKAGING

Our unique and practical packaging is made of high-quality corrugated cardboard and can help you save space in your warehouse. Each case is designed to ship two, four or eight boxes of wheel weights (view page 13).





COATING

We have spent years developing a coating that is compliant with the most stringent automobile manufacturer's requirements. It protects against corrosion, resists discoloration from the sun and car-wash plus much more. In order to keep your car looking good, the color matches most wheels commonly used. **Plombco offers the same top quality** finish on all of the coated products.

ADHESIVE WHEEL WEIGHTS





CHOOSE AMONGST OUR WIDE SELECTION OF ADHESIVE WHEEL WEIGHTS TO FIT YOUR NEEDS


Plombco manufactures a wide range of adhesive wheel weights (steel, lead and zinc) for standard vehicle categories, low-profile and truck wheels.

		Cina of the		Color		Adh	esive	Pro	file	Packa	aging
		Size of the segments	Gray	Black	Chromed	Standard	Cold Weather (CW)	Low- Profile	Narrow- Profile	Boxes	Rolls
	100 Series Motorcycle	5 g	•	•	•	•	•		•	•	
©	200 Series	5 g	•	•	•	•	•	•		•	•
StickPro® STEEL	300 Series	1/4 oz	•			•	•	•		•	•
Stic	400 Series	1/2 oz	•			•	•			•	•
	500 Series	1 oz	•			•	•			•	•
	200 Series	5 & 10 g	•			•		•		•	
© 0	300 Series	1/4 oz	•	•		•	•	•	•	•	
StickPro® LEAD	400 Series	1/2 oz	•			•	•			•	
Sti	500 Series	1 oz	•			•	•			•	
	600 Series	2 oz	•			•	•			•	
§°°	CCZAS	5 to 60 g	•				•			•	
StickPro®	PCZAS	5 to 60 g	•				•			•	


2 ADHESIVE TAPE OPTIONS

Mechanics expect quick and easy balancing every time. Wherever you are located in the world, Plombco has the right type of adhesive to fit your needs. Even the coldest countries can benefit from the advantages of Plombco's adhesive wheel weights. 2 types of adhesive are offered to cover all applications. Plombco Standard and CW adhesive tapes are made in compliance with Pressure Sensitive Tape Council (PSTC) standards.

Standard	Cold Weather (CW)
For general purpose	Exceptional adherence in cold temperatures, as low as 15°F (-10°C)
White foam carrier	Gray foam carrier
Widely used in North America	Widely used in the colder countries



PLOMBCO'S NAMING SYSTEM FOR **ADHESIVE WHEEL WEIGHTS**



STICKPRO®



STEEL ADHESIVE WHEEL WEIGHTS

STICKPRO® 100 SERIES - POLYESTER	COATED	5 G SEGMENTS
PREMIUM NARROW-PROFILE FOR MOTORCYCLE WIDTH 13/32 II	N LENGTH 6 5/16 IN	HEIGHT 5/32 IN
SILVER-GRAY	ADHESIVE	60-STRIPS/BOX 8 SEG/STRIP
	Standard	108FeS-60
BLACK	ADHESIVE	60-STRIPS/BOX 8 SEG/STRIP
	cw	108FeB-60CW
CHROMED	ADHESIVE	60-STRIPS/BOX 8 SEG/STRIP
	Standard	108FeC-60

STICKPRO® 200 SERIES - POLYESTER COATED

5 G SEGMENTS

PREMIUM LOW-PROFILE FOR EASY CONTOURING | WIDTH 3/4 IN | LENGTH 51/4 IN | HEIGHT 5/32 IN

SILVER-GRAY



ADHESIVE		52-STRIPS/BOX 12 SEG/STRIP	30-STRIPS/BOX 12 SEG/STRIP	20 LB ROLL 1820 SEG
	Standard	212FeS-52	212FeS-30	220Fe
	CW	212FeS-52CW	212FeS-30CW	220Fe-CW

BLACK



CW 212FeB-30CW

CHROMED



ADHESIVE 30-STRIPS/BOX 12 SEG/STRIP

CW 212FeC-30CW

STICKPRO® **300** SERIES

0.25 OZ SEGMENTS

LOW-PROFILE FOR EVERYDAY APPLICATION | WIDTH 3/4 IN | LENGTH 71/4 IN | HEIGHT 5/32 IN



ADHESIVE	52-STRIPS/BOX 12 SEG/STRIP	30-STRIPS/BOX 12 SEG/STRIP	20 LB ROLL 1280 SEG
Standard	312Fe-52	312Fe-30	320Fe
cw	312Fe-52CW	312Fe-30CW	320Fe-CW

STICKPRO® 400 SERIES

0.5 OZ SEGMENTS

FOR EVERYDAY APPLICATION | WIDTH 3/4 IN | LENGTH 71/4 IN | HEIGHT 3/16 IN



-		48-STRIPS/BOX 8 SEG/STRIP	28-STRIPS/BOX 8 SEG/STRIP	20 LB ROLL 640 SEG	
Standa	rd	408Fe-48	408Fe-28	420Fe	
CW		408Fe-48CW	408Fe-28CW	420Fe-CW	

STICKPRO® 500 SERIES

1 OZ SEGMENTS

FOR TRUCK APPLICATION | WIDTH 11/4 IN | LENGTH 63/4 IN | HEIGHT 5/32 IN



ADHESIVE	15-STRIPS/BOX 6 SEG/STRIP	20 LB ROLL 320 SEG	
Standard	506Fe-15	520Fe	
CW	506Fe-15CW	520Fe-CW	

2 PACKAGING OPTIONS

Choose between adhesive rolls or 2 sizes of reclosable boxes in an easy-open master case.



Stopper to avoid wheel weights rolling back in the box.



New

Easy opening to quickly grab adhesive boxes.

VISIT PLOMBCO.COM TO VIEW THE ADHESIVE WHEEL WEIGHT KITS AVAILABLE




STICK PRO®



LEAD ADHESIVE WHEEL WEIGHTS

COATED VS UNCOATED LOOK AT THE DIFFERENCE

All Plombco lead adhesive weights are coated. The coating colour matches most wheels which makes the product very aesthetic. The durable finish of the coating prevents also any colour degradation or change.



STICKPRO® **300** SERIES

0.25 OZ SEGMENTS

312 | LOW-PROFILE FOR EVERYDAY APPLICATION | WIDTH 3/4 IN | LENGTH 6 IN | HEIGHT 5/32 IN

SILVER-GRAY



ADHESIVE	52-STRIPS/BOX 12 SEG/STRIP	48-STRIPS/BOX 12 SEG/STRIP	30-STRIPS/BOX 12 SEG/STRIP
Standard	312-52	312-48	312-30
CW	312-52CW	Uncoated only	312-30CW

BLACK MATTE FINISH



ADHESIVE	30-STRIPS/BOX 12 SEG/STRIP
CW	312B-30CW

NARROW-PROFILE FOR EVERYDAY APPLICATION | WIDTH 1/2 IN | LENGTH 6 IN | HEIGHT 7/32 IN 314



ADHESIVE	60-STRIPS/BOX 12 SEG/STRIP	30-STRIPS/BOX 12 SEG/STRIP	
Standard	314-60	314-30	
CW	314-60CW	314-30CW	



THINK ABOUT LEAD-FREE ALTERNATIVES

Some states, municipalities and companies may restrict the use of lead. StickPro® steel adhesive wheel weights offer the best alternative to lead adhesive wheel weights. Please refer to page 6 & 7.

STICKPRO® 400 SERIES 0.5 OZ SEGMENTS FOR EVERYDAY APPLICATION | WIDTH 3/4 IN LENGTH 6 IN HEIGHT 9/32 IN **ADHESIVE 30-STRIPS/BOX** 15-STRIPS/BOX 12 SEG/STRIP 12 SEG/STRIP **Standard** 412-30 412-15 **CW** 412-30CW 412-15CW

STICKPRO® **500** SERIES 1 OZ SEGMENTS WIDTH 3/4 IN LENGTH 6 IN | HEIGHT 1/4 IN FOR TRUCK APPLICATION **ADHESIVE** 15-STRIPS/BOX 6 SEG/STRIP **Standard** 512-15 **CW** 512-15CW

STICKPRO® 600 SERIES 2 OZ SEGMENTS				
FOR TRUCK APPLICATION WIDTH 11/4 IN LENGTH 6 IN HEIGHT 5/16 IN				
	ADHESIVE	15-STRIPS/BOX 6 SEG/STRIP	8-STRIPS/BOX 6 SEG/STRIP	
\#J&\#J&\#J&\#J&\#J&\#J&	Standard	612-15	612-8	
	CW	612-15CW	612-8CW	



ZINC ADHESIVE WHEEL WEIGHTS

Zn







PRE-CLEANING WIPES

STICKPRO®

THE TIRE PROFESSIONAL'S CHOICE

HAVING A CLEAN WHEEL IS THE KEY TO SUCCESS FOR OUICK & EASY BALANCING



HEAVY-DUTY PRE-SOAKED TOWELS



DESIGNED FOR ADHESIVE WEIGHTS



FAST AND EFFICIENT



CLEANS 200+ WHEELS



NO RINSE SURFACE PREP



EASY TO IISF

YOUR NEW GO-TO PARTNER IN WHEEL WEIGHT PRE-CLEANING

Most of the time, mechanics do not wipe the wheels with a clean soft cloth prior to wheel balancing, resulting in adhesive weights falling off the wheels. For quick & easy balancing, having a clean wheel is the key to success and StickPro® wheel weight pre-cleaning wipes help you achieve that goal every time.

In addition to improving adhesive wheel weight adherence, StickPro® wheel weight pre-cleaning wipes easily cleans the rims and removes brake dust & grease without the need for any use of water. It is suitable for alloy, steel, aluminum, chrome or varnished wheels and even works on plastic wheel covers, when used as directed.



Part number: 44012



ALSO AVAILABLE: STICKPRO® WHEEL CLEANER

Part number: 44011

VISIT STICKPROWIPES.COM TO VIEW THE INSTALLATION INSTRUCTIONS AND NEW VIDEO.



PLOMBCO IS THE ONLY WHEEL WEIGHT MANUFACTURER TO OFFER 4 DIFFERENT PRODUCT LINES GIVING YOU ALL THE LATITUDE YOU NEED TO FULFILL YOUR SPECIFIC NEEDS.

In addition, Plasteel® is a patented product that is available only from Plombco. To help our customers select the right wheel weight, color coding is used on our labels, kits, application charts and gauges.

FOUR DIFFERENT MATERIALS

You may refer to our application chart or rim gauge to select the right style of passenger car wheel weight that fits your application.

STYLE	APPLICATION	PLASTEEL® (PS)	STEEL (Fe)	ZINC (Z)	LEAD
P/REG	UNIVERSAL FOR STEEL WHEELS	-	PFe	REGZS/REGZ	REGS/REG
МС	MOST NORTH AMERICAN	MCPS	MCFe	MCZS	MCS/MC
IAW	SOME EUROPEAN AND ASIAN	IAWPS	IAWFe	IAWZS	IAWS
FN	MOST ASIAN	FNPS	FNFe	FNZS	FNS
EN	MERCEDES, VW & AUDI	ENPS	ENFe	ENZS	ENS
Т	PICK-UPS WITH STEEL RIMS	TPS	TFe	TZS	TS
LH	OLDER CHRYSLER	-	LHFe	LHZS	LHS
AW	UNIVERSAL FOR ALLOY WHEELS	AWPS	AWFe	AWZS	AWS/AW

WANTING TO REDUCE YOUR SKUS? TRY OUR UNIVERSAL SERIES P/REG AND AW

PRACTICAL PACKAGING

Our unique and practical packaging is made of high-quality corrugated cardboard and can help you save space in your warehouse. Each case is designed to ship two, four or eight boxes of wheel weights.



2 BOXES PER CASE



4 BOXES PER CASE



8 BOXES PER CASE



A WORLD PREMIER

The market is shifting towards lead-free alternatives, and we have listened to the feedback from our customers in the field. Important issues, such as the increased popularity of clad wheels on new vehicles, demonstrated that there is a need for a better alternative than steel or zinc. Plasteel® is a world first - a steel core wheel weight encased in a plastic outer shell. Engineered using forward thinking technology, Plasteel® is setting new standards for innovation in the industry.





COMPACT DESIGN



CORROSION RESISTANT



EASY INSTALLATION



HYBRID-LOCK™ **DESIGN**



INTENTIONALLY **ENGINEERED**



PRECISION FIT



RECYCLABLE MATERIAL



SCRATCHLESS



TECH **CERTIFIED**



ALUMI-FLAKE™ METALLIC MATERIAL

TRUSTED



1/4 oz to 3 oz

Used on most North American vehicles with alloy wheels

FNPS

5 g to 60 g

Used on most Japanese vehicles with alloy wheels

1/4 oz to 3 oz

Used on some light trucks and SUV's with alloy or steel wheels

IAWPS

5 g to 60 g

Used on some European and some Asian vehicles with alloy wheels

ENPS

5 g to 60 g

Used on Mercedes, Audi and Volkswagen. Also used on many aftermarket alloy wheels with thin rim flanges

1/4 oz to 3 oz

Used on most domestic vehicles prior to 1995 with alloy wheels

VISIT PLASTEELWHEELWEIGHTS.COM FOR MORE INFORMATION ON THE PLASTEEL® PRODUCT LINE.



STEEL WHEEL WEIGHTS

1/4 oz to 3 oz Coated only



Used on passenger vehicles, full size pickups and vans with steel wheels

Note: For applications on full size pickups and vans, we recommend the use of our TPS or TFe series for light truck weights. Use of PFe weights may cause overstressing of the clip resulting in failures.

MCFe

1/4 oz to 3 oz Coated only



Used on most North American vehicles with alloy wheels

IAWFe

5 g to 60 g Coated only



Used on some European and some Asian vehicles with alloy wheels

5 g to 60 g Coated only



Used on most Japanese vehicles with alloy wheels

ENFe

5 g to 60 g Coated only



Used on Mercedes, Audi and Volkswagen. Also used on many aftermarket alloy wheels with thin rim flanges

1/4 oz to 3 oz Coated only



Used on some light trucks and SUV's with alloy or steel wheels

LHFe

1/4 oz to 3 oz Coated only



Used on older Chrysler vehicles with alloy wheels

AWFe

1/4 oz to 3 oz Coated only



Used on most domestic vehicles prior to 1995 with alloy wheels

LEAD WHEEL WEIGHTS

REGS and **REG**

1/4 oz to 6 oz Coated and uncoated



Used on passenger vehicles with alloy or steel wheels. All sizes 11/4 oz and larger feature a 1" wide "V" clip for superior retention strength.

Note: For applications on full size pickups and vans, we recommend the use of our TS series for light truck weights. Use of REG weights may cause overstressing of the clip resulting in failures.

IAWS

5 g to 60 g Coated only



Used on some European and some Asian vehicles with alloy wheels

ENS

5 g to 60 g Coated only



Used on Mercedes, Audi and Volkswagen vehicles. Also used on many aftermarket alloy wheels with thin rim flanges

1/4 oz to 3 oz Coated only



Used on older Chrysler vehicles with alloy wheels

MCS and MC

1/4 oz to 4 oz Coated and uncoated



Used on most North American vehicles with alloy wheels

FNS

5 g to 70 g Coated only



Used on most Japanese vehicles with alloy wheels

1/4 oz to 5 oz Coated only



Used on some light trucks and SUV's with alloy or steel wheels

AWS and AW

1/4 oz to 3 oz Coated and uncoated



Used on most domestic vehicles prior to 1995 with alloy wheels



THINK ABOUT LEAD-FREE ALTERNATIVES

Some states, municipalities and companies may restrict the use of lead. Plombco's exclusive Plasteel® offer the best alternative to lead adhesive wheel weights. Please refer to page 14 & 15.



ZINC WHEEL WEIGHTS

REGZS and REGZ

1/4 oz to 3 oz Coated and uncoated



Used on passenger vehicles with alloy or steel wheels. All sizes 3/4 oz and larger feature a 1" wide "V" clip for superior retention strength.

Note: For applications on full size pickups and vans, we recommend the use of our TZS series for light truck weights. Use of REGZ weights may cause overstressing of the clip resulting in failures.

IAWZS

5 g to 60 g Coated only



Used on some European and some Asian vehicles with alloy wheels

ENZS

5 g to 60 g Coated only



Used on Mercedes, Audi and Volkswagen. Also used on many aftermarket alloy wheels with thin rim flanges

LHZS

1/4 oz to 3 oz Coated only



Used on older Chrysler vehicles with alloy wheels

1/4 oz to 3 oz Coated only



Used on most North American vehicles with alloy wheels

5 g to 60 g Coated only



Used on most Japanese vehicles with alloy wheels

1/4 oz to 3 oz Coated only



Used on some light trucks and SUV's with steel or aluminum wheels

AWZS

1/4 oz to 3 oz Coated only



Used on most domestic vehicles prior to 1995 with alloy wheels

TRUCK WHEEL WEIGHTS



ZINC

CTZ

2 oz to 6 oz Uncoated only



Available in 2, 3, 4, 5 & 6 oz sizes. Used on heavy trucks with steel rims, straight rim flanges

17Z

1 oz to 8 oz Uncoated only



Available in 1, 2, 3, 4, 5, 6 & 8 oz sizes. Used on heavy trucks with steel wheels

1/2 oz to 5 oz Uncoated only



Available in 0.50, 1, 1.50, 2, 2.50, 3, 3.50, 4, 4.50, 5 oz sizes. Used on 3/4 and 1-ton light trucks with steel wheels

RCZ

2 oz to 6 oz Uncoated only



Available in 2, 3, 4, 5 & 6 oz sizes. Used on heavy trucks and all steel wheels with curves flanges

TALZS



Available in 2, 3, 4, 5 & 6 oz sizes. Used on heavy trucks with alloy wheels. Single weight fits both

2 oz to 6 oz Coated only



sides of the wheel

Pb 207.20

LEAD

2 oz to 14 oz Uncoated only



Available in 2, 3, 4, 6, 8, 10, 12 & 14 oz sizes. Used on heavy trucks with steel wheels, straight rim flanges

2 oz to 14 oz Uncoated only



Available in 2, 3, 4, 5, 6, 8, 10, 12 & 14 oz sizes. Used on heavy trucks with steel wheels

1/2 oz to 6 oz Uncoated only



Available in 0.50, 1, 1.50, 2, 2.50, 3, 3.50, 4, 4.50, 5 & 6 oz sizes. Used on 3/4 and 1-ton light trucks with steel wheels

RC

2 oz to 12 oz Uncoated only



Available in 2, 3, 4, 6, 8, 10 & 12 oz sizes. Used on heavy trucks and all steel wheels with curved flanges

TALS

2 oz to 8 oz Coated only



Available in 2, 3, 4, 6 & 8 oz sizes. Used on heavy trucks with alloy wheels. Single weight fits both sides of the wheel



CLIP-ON WHEEL WEIGHT KITS

Whether you need an assortment rack or a start-up kit, we have what you're looking for. Getting your garage organized improves technician's productivity and reduces customer returns due to improper weights used. The flexibility of the Plombco program makes it easy for everyone from small garages to large tire shops to benefit from using the various types of coated weights. Check out our full assortment kits for more details.

KIT PASSENGER 3000

Available in PLASTEEL®, ZINC, STEEL & LEAD

THE ULTIMATE KIT FOR THE TIRE PROFESSIONAL



Part number: Plasteel® 52035

Zinc 52036 Steel 52034 Lead 52021

Includes:

1 Metal floor stand

1 Header

74 Pre-labeled plastic bins

2100 Clip-on Wheel Weights*

1 Hammer HM-1000

1 Floor Stand Rack FS3

3 Steel Adhesive Wheel Weight rolls (220Fe, 320Fe, 420Fe)

1 Box of Adhesive Wheel Weights 312Fe-52 (312-52 in lead kit)

1 Low Speed Air Buffer ER-4000

1 Pack of 6 Eraser Pads ER-6

1 Supreme Adhesive Pliers PL-4000

1 Set of 4 Scrapers S-4

1 StickPro® wipes canister

1 Rim gauge

1 Application chart booklet

1 Catalog

$\ensuremath{^*}$ For Plasteel $\ensuremath{^{^8}}$, zinc and steel kits

25 of each size for every passenger series (For a complete assortment, Plasteel® kit includes PFe and LHFe)

For lead kit

50 of each size for REG series 25 of each size for every other passenger series.

Dimension: 48"W x 24"D x 75"H

CLIP-ON WHEEL WEIGHT KITS

KIT PASSENGER 2000

Available in PLASTEEL®, ZINC, STEEL & LEAD

THE INTERMEDIATE KIT FOR THE TIRE PROFESSIONAL



Part number: Plasteel® 52033 Zinc 52031

Steel 52028 52027 Lead

Includes:

1 Metal floor stand

1 Header

74 Pre-labeled plastic bins 2100 Clip-on Wheel Weights*

1 Box of Adhesive Wheel Weights 312Fe-52 (312-52 in lead kit)

1 Hammer HM-1000

1 Set of 4 Scrapers S-4

1 StickPro® wipes canister

1 Rim gauge

1 Application chart booklet

1 Catalog

* For Plasteel®, zinc and steel kits

25 of each size for every passenger series (For a complete assortment, Plasteel® kit includes PFe and LHFe)

50 of each size for REG series 25 of each size for every other passenger series.

Dimension: 48"W x 24"D x 75"H

Also available:

KIT PASSENGER 80

Empty metal floor stand, without wheel weights and tools

Part number: 52029

Replacement parts:

Metal frame - Part number: 50283

Back panel

Top - Part number: 50281 Bottom - Part number: 50280 Header - Part number: 45001 Bins (assorted colors available) Labels - Part number: 45014

Available in PLASTEEL®, ZINC, STEEL & LEAD

THE BASIC KIT FOR THE TIRE PROFESSIONAL



Part number: Plasteel® 52023 Zinc 52024 52026 Steel Lead 52025

Includes:

1 Metal floor stand

1 Header

40 Pre-labeled plastic bins

1100 Clip-on Wheel Weights In various sizes and quantities to

reflect the everyday usage needs 1 Box of Adhesive Wheel Weights

312Fe-30 (312-30 in lead kit)

1 Hammer HM-1000

1 Set of 4 Scrapers S-4

1 StickPro® wipes canister

1 Rim gauge

1 Application chart booklet

1 Catalog

Dimension: $48"W \times 24"D \times 42^{1}/_{2}"H$

Also available:

KIT PASSENGER 40

Empty metal floor stand, without wheel weights and tools

Part number: 52002

Replacement parts:

Metal frame - Part number: 50284 Back panel - Part number: 50281 Header - Part number: 45001 Bins (assorted colors available) Labels - Part number: 45014

TRUCK WHEEL WEIGHT KIT

KIT TRUCK 420

Available in ZINC & LEAD

THE ULTIMATE TRUCK ASSORTMENT



Part number: Zinc 52421 Lead 52420

Includes:

- 1 Metal floor stand
- 1 Header
- 24 Pre-labeled plastic bins 420 Clip-on Wheel Weights 25 of each size for LT1 & RC series 10 of each size for CT, I7 & TALS series
- 1 Pliers PL-420
- 1 Box of 512-15 Adhesive Weights*
- 1 Pack of 4 Scrapers S-4
- 1 StickPro® wipes canister
- 1 Truck Rim gauge
- 1 Catalog
- *Substitute 512-15 for 506Fe-15 in Kit 420 zinc

Dimension: 48"W x 24"D x 421/2"H

Also available:

KIT TRUCK 24

Empty metal floor stand, without wheel weights and tools

Part number: 52424

Replacement parts:

Metal frame - Part number: 50284 Back panel - Part number: 50281 Header - Part number: 45003 Bins (assorted colors available)

ADHESIVE WHEEL WEIGHT KITS

KIT STICKPRO® 1

THE BASIC ADHESIVE WHEEL **WEIGHT KIT**



Includes:

- 1 Hanging Rack H1
- 1 Roll of 1/4 oz segments (320Fe)
- 1 Set of 4 Scrapers S-4
- 1 StickPro® wipes canister
- 1 Catalog

ADHESIVE	PART NUMBER		
Standard	52900		
CW	52903		

Also Available:

Hanging Rack H1 only Part number: 50286

KIT STICKPRO® 2

THE INTERMEDIATE ADHESIVE WHEEL WEIGHT KIT



Includes:

- 1 Hanging Rack H2
- 1 Roll of 1/4 oz segments (320Fe)
- 1 Roll of 1/2 oz segments (420Fe)
- 1 Low Speed Air Buffer ER-4000
- 1 Pack of 6 Eraser Pads ER-6
- 1 Supreme Adhesive Pliers PL-4000 1 Set of 4 Scrapers S-4
- 1 StickPro® wipes canister
- 1 Catalog

ADHESIVE	PART NUMBER	
Standard	52901	
cw	52904	

Also Available:

Hanging Rack H2 only Part number: 50288

KIT STICKPRO® 3

THE PROFESSIONAL ADHESIVE WHEEL WEIGHT KIT



Includes:

- 1 Floor Stand Rack FS3
- 1 Roll of 5 g segments (220Fe)
- 1 Roll of 1/4 oz segments (320Fe)
- 1 Roll of 1/2 oz segments (420Fe)
- 1 Low Speed Air Buffer ER-4000
- 1 Pack of 6 Eraser Pads ER-6
- 1 Supreme Adhesive Pliers PL-4000
- 1 Set of 4 Scrapers S-4 1 StickPro® wipes canister
- 1 Catalog

ADHESIVE	PART NUMBER		
Standard	52902		
cw	52905		

Also Available:

Floor Stand Rack FS3 only Part number: 50287



PLOMBCO.COM

+1-800-611-7074 +1-450-371-8800 +1-450-371-0812