



*Impact Sockets,  
Chisels & Attachments*

**EVERYTHING IMPACT.®**





# GP is **EVERYTHING IMPACT**®

Grey Pneumatic (GP) through our distributors supplies the world's automotive, industrial, assembly, mining, maintenance, construction, and energy industries with heavy duty, high quality impact and specialty sockets. We carry a complete line of Impact Socket sets and individuals from 1/4" drive thru 2-1/2" and #5 spline drive with hex sizes up to 8". We also offer a large selection of star impact drivers, impact hex drivers, triple square drivers, torque limiting extensions plus Impact chisels and accessories.

GP sockets and tools are made in Taiwan using the highest quality chrome-molybdenum alloy steel and state-of-the-art manufacturing processes and equipment. Thorough and exact heat treatment, as well as rigid quality control, ensures the correct balance of strength and durability to deliver outstanding performance at the most competitive cost.

GP Tools are available through Automotive and Industrial warehouse distributors, tool stores, mobile tool truck dealers, tire equipment and supply warehouses and other sources that service these markets.

GP offers **Fast and Reliable** service to all of our distributors and their customers.



*GP Tools carry a  
Lifetime Warranty.*

## **All GP Impact Sockets feature the GP "High Torque" Drive**

### **Benefits are:**

**Increased Strength** - Transfers the pressure from the thinnest part of the socket wall toward the thicker section, resulting in increased strength.

**Increased Torque** - Allows up to 20% more torque to be applied than on standard hex impact sockets.

**Easier Access to Tight Areas** - The shift in pressure allows us to reduce the socket wall thickness, increasing access to tight areas.

**Reduced Wear** - Our impact sockets grip the fastener across a broader contact area, reducing the chance of rounding off fasteners.



*GP "High Torque"  
drive offers many  
benefits.*



*All GP Sockets feature  
extra-large size markings  
for quick identification.*

**EVERYTHING IMPACT**®




# 3/4" Drive Deep Length Impact Sockets




## 6 3/4" Drive - Deep Length - Metric Sizes ▲ MM




ANSI Specifications B107.2



SHAPE I



SHAPE II



SHAPE III

Item Number	Hex Size	Shape	Retaining Devices			Dimensions (Millimeters)				
			P	O	R1	A	B	C	D	E
<b>3019MD</b>	<b>19mm</b>	I	3220	3210	3110	38	30	60	19	85
<b>3020MD</b>	<b>20mm</b>	I	3220	3210	3110	38	31	60	20	85
<b>3021MD</b>	<b>21mm</b>	I	3220	3210	3110	38	32	60	21	85
<b>3022MD</b>	<b>22mm</b>	I	3220	3210	3110	38	34	60	22	85
<b>3023MD</b>	<b>23mm</b>	I	3220	3210	3110	38	35	60	23	85
<b>3024MD</b>	<b>24mm</b>	I	3220	3210	3110	38	36	60	24	85
<b>3025MD</b>	<b>25mm</b>	II	3220	3210	3110	38	38	60	25	85
<b>3026MD</b>	<b>26mm</b>	III	3220	3210	3110	38	40	60	26	85
<b>3027MD</b>	<b>27mm</b>	III	3220	3210	3110	38	40	60	27	85
<b>3028MD</b>	<b>28mm</b>	II	3221	3211	3111	42	42	60	28	85
<b>3029MD</b>	<b>29mm</b>	II	3221	3211	3111	42	42	60	29	85
<b>3030MD</b>	<b>30mm</b>	II	3221	3212	3111	44	44	60	30	85
<b>3031MD</b>	<b>31mm</b>	II	3221	3212	3111	44	44	60	31	85
<b>3032MD</b>	<b>32mm</b>	III	3221	3212	3111	44	49	60	32	85
<b>3033MD</b>	<b>33mm</b>	III	3221	3212	3111	44	50	60	33	85
<b>*3033MHD</b>	<b>33mm</b>	III	3221	3212	3111	44	51	70	33	95
<b>3034MD</b>	<b>34mm</b>	III	3221	3212	3111	44	50	60	34	85
<b>3035MD</b>	<b>35mm</b>	III	3221	3212	3111	44	50	60	35	85
<b>3036MD</b>	<b>36mm</b>	III	3221	3212	3111	44	51	60	36	85
<b>3038MD</b>	<b>38mm</b>	III	3221	3212	3111	44	57	70	38	95
<b>3040MD</b>	<b>40mm</b>	III	3221	3212	3111	44	58	70	38	95
<b>3041MD</b>	<b>41mm</b>	III	3221	3212	3111	44	58	70	38	95
<b>3042MD</b>	<b>42mm</b>	III	3221	3212	3111	44	62	70	38	95
<b>3043MD</b>	<b>43mm</b>	III	3221	3212	3111	44	63	70	38	95
<b>3044MD</b>	<b>44mm</b>	III	3221	3212	3111	44	65	70	38	95
<b>3046MD</b>	<b>46mm</b>	III	3221	3212	3111	44	67	70	38	95
<b>3050MD</b>	<b>50mm</b>	III	4520	4511	3112	54	71	70	38	95

\*Heavy Duty Impact Socket for Hub-Piloted Truck Wheel Fasteners

### Retaining Devices Key



Pin and O-Ring

One Piece