

**Honeywell**  
UVEX™



**Honeywell Uvex Hypershock™**



# High performance protection

Honeywell Uvex Hypershock™ eyewear delivers the ultimate combination of high-performance protection and aggressive sport-inspired styling. The full frame design is equipped with streamlined padded temples and a molded nosepiece for a secure, comfortable fit.

Offered in three frame colors and a wide variety of lens tints, Uvex Hypershock is available with Uvextreme Plus® anti-fog lens coating for superior, long-lasting fog free vision that lasts up to 10X longer\* and provides 2X better scratch-resistance\* than our next best coverage.

\* Comparative lens life test performed using a Bayer Abrasion Test method and may vary between environment and application. Anti-fog performance based on independent lab test results





## Uvex Hypershock™ Photochromic Lens

Uvex Hypershock with photochromic lens offers versatile, sleek, rugged design that transitions from light to dark.

The lens darkening is noticeable within 15 seconds and lens lightening in 60 seconds.

The Hypershock Photochromic lens is offered with matte black or clear frames and available with Uvextreme AF coating.

Ideal for oil and gas, construction, landscaping, utilities, and manufacturing applications.

Hypershock is also 100% dielectric. Can be worn in environments where accidental exposure to electrical charge is possible.

- Meets the ANSI Z87.1-2015 standard

Indoor



Mid Light



Outdoor



Lightweight, wrap-around frame is engineered to fit a wide range of workers, providing increased coverage, side protection and superior peripheral vision



Integrated hinge mechanisms with dual cam action



Soft, molded inserts along the temple provide a comfortable and secure fit



## Uvex Hypershock Lenses and frames



Available in additional frames and tints, not pictured here.

## Ordering Information

NUMEROUS FRAME AND LENS OPTIONS				
Item #	FRAME COLOR	Lens Tint	Lens Coating	UPC Code
S2940XP	Matte Black	Clear	Uvextreme Plus AF	603390130342
S2941XP	Matte Black	Gray	Uvextreme Plus AF	603390130359
S2942XP	Matte Black	Amber	Uvextreme Plus AF	603390130366
S2943	Matte Black	SCT-Reflect 50	Hardcoat	603390130373
S2944	Matte Black	Red Mirror	Hardcoat	603390130380
S2945	Matte Black	Blue Mirror	Hardcoat	603390130397
S2949	Matte Black	Espresso Polarized	Hardcoat	603390130403
S2950	Matte Black	Photochromic	Hardcoat	603390131165
S2951XP	Matte Black	SCT-Blue	Uvextreme Plus AF	603390130410
S2960XP	Smoke Brown	Clear	Uvextreme Plus AF	603390130427
S2961XP	Smoke Brown	Espresso	Uvextreme Plus AF	603390130434
S2963	Smoke Brown	SCT-Reflect 50	Hardcoat	603390130441
S2964	Smoke Brown	Gold Mirror	Hardcoat	603390130458
S2965	Clear	Photochromic	Hardcoat	603390131172
S2969	Smoke Brown	Espresso Polarized	Hardcoat	603390130465
S2970XP	Clear Ice	Clear	Uvextreme Plus AF	603390130472
S2974	Clear Ice	Red Mirror	Hardcoat	603390130489
S2975	Clear Ice	Blue Mirror	Hardcoat	603390130496

Packaging: Ind. Box, 10 pr./Stocker, 200 pr./Master Case - Master Case Weight: 25.6 pounds - Master Case Dimensions: 29" x 15" x 24"

### For more information

[www.honeywellsafety.com](http://www.honeywellsafety.com)

Technical Service: 800.873.5242

### Honeywell Industrial Safety

900 Douglas Pike  
Smithfield, RI 02917

US: Tel. 800.430.5490  
Canada: Tel. 888.212.7233  
Fax. 800.322.1330 Fax. 888.667.8477

UVEX.316  
© 2016 Honeywell International Inc.

**Honeywell**