Astro Pneumatic Tool Company



DIE GRINDER



218 1/8" PENCIL TYPE DIE GRINDER - 56,000RPM

- Designed for high speed porting and finishing of small parts
- Precision balance and remote exhaust



T20AH 1/4" 90° ANGLE DIE GRINDER WITH SAFETY LEVER -FRONT EXHAUST - 20,000RPM

- Unmatched lifespan for high production settings
- Compact and lightweight





- Lever throttle for feathering control
- Maximum durability 1/2HP motor

DIE GRINDERS



202 Composite Body 1/4" Medium die grinder - 22,000RPM - REAR EXHAUST

- Rear exhaust air flow system directs air away from work surface
- Compact and lightweight





COMPOSITE BODY 1/4" 90° ANGLE DIE GRINDER - 20,000RPM - REAR EXHAUST

- Rib textured handle provides a firm grip
- Throttle lever for feathering control



200 120 DEGREE ANGLE HEAD DIE GRINDER

MODEL NO

- 120° angle for access and comfort
- Lubricator fitting to lubricate gear assembly

219 ONYX 3PC. DIE GRINDER KIT W/ 1/4" 90° ANGLE AND STRAIGHT DIE GRINDER W/ 8PC. DOUBLE CUT CARBIDE ROTARY BURR SET

- Comfortable and durable die grinders
- Over-molded grip for comfort and insulation





2PC. DIE GRINDER KIT WITH 1/4" MEDIUM DIE GRINDER AND 8PC. DOUBLE CUT CARBIDE ROTARY BURR SET

- Lever throttle for feathering control
- Positive grip 1/4" capacity collet chuck





BURR KITS



MODEL NO.

2181 8PC. DOUBLE CUT CARBIDE ROTARY BURR SET 1/4" SHANK

 Solid Tungsten Carbide burrs for rapidly removing all ferrous materials including steel, stainless and cast iron



2185 5PC. LONG DOUBLE CUT CARBIDE BURR SET 4.5"

MODEL NO.

• Extra-long 4.5" double cut for hard to reach areas



IMPACTS & AIR HAMMERS



1812 1/2" SUPER DUTY IMPACT WRENCH - TWIN HAMMER

- Ideal for general automotive work, light truck, farm, body shop, tire shop and front-end work
- Two piece construction for easy maintenance

MODEL NO. 1822

ONYX 1/2" NANO IMPACT WRENCH - 450FT/LB

- Extremely short profile, full length of less than 3 7/8"
- Incredibly light weight at 3.0lbs

1828

ONYX 3/8" NANO IMPACT WRENCH

- 450FT/LB
- Ideal for use in restricted spaces such as engine, transmission, and suspension work
- 3/8" model allows for the shortest profile possible when paired with 3/8" impact sockets



- Short profile, only 1" longer than the #1822 Nano at 4.9"
- 3 forward and 3 reverse settings



4980 0.498" SHANK SUPER DUTY AIR HAMMER / RIVETER

- Maximum power air hammer for heavy duty, off-road, industrial and automotive applications
- Remove or install rivets in I-beam suspension and work site equipment, heavy duty servicing of truck bushings, springs, king pins and more

3

RATCHETS & DRILLS









1111A 1/4" PALM RATCHET WRENCH

- Compact design is ideal for confined work spaces like under dashboard work
- Needle Bearing Construction for smooth prolonged life

MODEL NO.

MODEL NO

1/4" STUBBY AIR RATCHET WRENCH

- Compact design is ideal for confined work spaces like firewalls and engine accessories
- Needle Bearing Construction for smooth prolonged life



3/8" DRIVE MINI WOBBLE AIR RATCHET

- Wobble anvil design for increased angle access with sockets
- Compact design is ideal for confined work spaces like under dashboard work



3/8" MINI IMPACT RATCHET WRENCH

- Sealed head design for increased tool life
- 50ft/lbs of working torque, 6.45" long





3/8" REVERSIBLE AIR DRILL - 1,800RPM

- Equipped with a built-in muffler for noise reduction
- Provides full power in forward and reverse



1/2" EXTRA HEAVY DUTY REVERSIBLE AIR DRILL - 500RPM

- Side handle for greater operator control
- One hand reverse lever for reversible action

BELT SANDERS

3035 AIR BELT SANDER 3/4" X 20.5" WITH 2PC. BELTS (#80 & #100)

Additional Belts Sold Separately (QTY10)

- 303540G 40 Grit 13/16" x 20.5"
- 303560G 60 Grit 13/16" x 20.5"
- 303580G 80 Grit 13/16" x 20.5"
- 3035100G 100 Grit 13/16" x 20.5"

MODEL NO. AIR BELT SANDER 3/8" X 13" 36 WITH 3PC. BELTS (#40, #60 & #80)

Additional Belts Sold Separately (QTY10)

- 303640G 40 Grit 3/8" x 13"
- 303660G 60 Grit 3/8" x 13"
- 303680G 80 Grit 3/8" x 13"
- 3036100G 100 Grit 3/8" x 13"



Great for Spot Weld Removal

Additional Belts Sold Separately (QTY10)

- 303736G 36 Grit 1/2" x 18"
- 303740G 40 Grit 1/2" x 18"
- 303760G 60 Grit 1/2" x 18"
- 303780G 80 Grit 1/2" x 18"
- 3037100G 100 Grit 1/2" x 18"

• 3037PAR - Rubber Pulley Assembly

3037PAS - Steel Pulley Assembly





Space For New Thicker Belts

Speed Control

MICRO SANDERS





- Ideal for spot sanding focused areas
- Includes 2" & 3" PU Hook & Loop backing pad

HOOK & LOOP SANDING DISCS

	Model No.	2060P	2080P	2100P	2120P	2180P
2"		60 Grit	80 Grit	100 Grit	120 Grit	180 Grit
Sanding Discs	Model No.	2220P	2320P	2400P	2600P	2800P
		220 Grit	320 Grit	400 Grit	600 Grit	800 Grit
3"	Model No.	3320P	3400F	° 360	OP 31	000P
Sanding Discs		320 Grit	400 Grit	600 0	arit 100	00 Grit





MINI POLISHER • SANDER KITS • SANDING PADS



ONYX 6" FINISHING PALM SANDER WITH 6" PU PSA BACKING PAD - 3/16" STROKE

- Unit comes with Astro #4608 6" PSA Backing Pad
- High powered
- Sealed bearings for extended life



ALSO AVAILABLE WITH HOOK & LOOP 322 MODEL NO.

6" PU HOOK & LOOP BACKING PAD

- 5/16 inch-24 UNF thread
- Max. RPM: 10,000



PAINT & BODY

4607 5" PU HOOK & LOOP BACKING PAD • 5/16 inch-24 UNF thread

• Max. RPM: 12,001

3050 COMPLETE DUAL ACTION SANDING & POLISHING KIT



3055 3" MINI AIR POLISHING KIT

 Ideal for buffing small confined areas where larger tools cannot do the job







3" FINISHING PALM SANDER W/ HOOK & LOOP BACKING PAD - 3/32" STROKE

- Composite lever, housing, and rotor for comfortable ease of operation
- 3/32" stroke that is optimal for fine finishing
- New muffler system reduces sound level
- Can be used with Hook & Loop or PSA pad

3" 2500RPM GEARED PALM POLISHER KIT

- High quality air motor provides high power, durability, and reduced vibration
- Planetary-gear system with needle bearings for power and long term durability
- Pads included:
 #20303 3" Wool Buff Pad
 #4635 3" Yellow Pad
 #20306W 3" Foam Pad White

314 JITTERBUG RANDOM ORBIT

- Standard 3" x 4" paper size. Comes with Hook & Loop pad (Model #4613)
- 3/32" stroke that is optimal for fine finishing
- Soft comfortable grip and lightweight for continuous fatigue-free use



314P

TH PSA PAD (Model #4614)



SPECIALTY • PUNCH • FLANGE TOOLS





QUICK CHANGE IN-LINE 4" CUT-OFF TOOL

- Quick Change button on housing locks motor for easy disc changes
- Works with 3" or 4", 3/8" and 5/8" hole cut-off wheels

- 512 ONYX IN-LINE CUTTING SHEER
- In-line design for more natural cutting and smaller profile
- Incorporated regulator for adjustment



AIR NIBBLER

- For professional grade applications
- Works on up to 17-gauge cold rolled steel







ONYX PISTOL GRIP Punch/ Flange tool With 5.5mm Punch

• Punch designed for easy replacement

MODEL NO.

ONYX PISTOL GRIP

WITH 8MM PUNCH

PUNCH/ FLANGE TOOL

608PT

• Features a rotating head for convenient use



605ST ONYX STRAIGHT TYPE PUNCH/ FLANGE TOOL WITH 5.5MM PUNCH



PUNCH/ FLANGE TOOL WITH 8MM PUNCH

- Every pull of the lever delivers a single punch or a single flange crimp with precision control
- Forms an offset crimped edge on sheet metals for no-bump lap welds

SPECIALTY • DOOR SKIN REMOVAL TOOLS

ONYX AIR WINDSHIELD REMOVER WITH 3PC. BLADE SET - REAR EXHAUST (ASSORTED BLADES AVAILABLE SEPARATELY)

- Efficiently cleans & smoothes moldings after glass removal
- Sealant cutter that cuts around bonded and encapsulated glass



MODEL NO.

DELUXE AIR WINDSHIELD REMOVER

- Heavier and thicker blades last much longer
- Tool is counter balanced for smooth operation which results in less fatigue

8" •••

Replacement blades available :

- 17704 4" Serrated Blade
- 17705 6" Serrated Blade
- 17706 8" Serrated Blade



DS1000

PNEUMATIC DOOR SKINNING TOOL

- Save significant time and cost in skinning doors
- Faster than any other method
- Patent #6578404



DS2000 PNEUMATIC DOOR SKIN REMOVAL TOOL

- Design allows tool to maneuver around inner and outer curves as well as most body design features
- Patent #7661287



PAINT & BODY



New, improved design maximizes lifetime expectancy

MODEL NO.

HIGH FLOW BLOW GUN OSHA COMPLIANT

- High flow design for 4X the air flow of standard blow guns, up to 42 CFM
- Long gradual throttle lever movement for increased comfort and adjustability



MODEL NO.

HIGH FLOW BLOW GUN W/ 5PC. QUICK DISCONNECT ATTACHMENTS

- Quick release knob unlocks to remove or install attachments in 6 different rotating positions allowing for 6 separate angles
- Full range trigger control, easily feather from 1-100%



SPRAY GUNS





- 1.8 mm Nozzle
- All-purpose easy-to-clean paint spray gun
- Two-piece construction with gun featuring exclusive air valve design





2-1/4 GALLON PRESSURE **TANK WITH SPRAY GUN &** 12' HOSE - BLACK GUN

- 1.0 mm Nozzle

1.9 mm Nozzle

- Pressure spray gun equipped with pressure gauge and fluid pressure regulator for accurate settings
- 12 ft. twin set of hose permits easy movement and operation of spray gun



2PG7S **2 QUART PRESSURE POT** WITH SPRAY GUN AND HOSE

- 1.2 mm Nozzle
- Pressure spray gun with 2 quart (1893cc) pressure pot
- Equipped with pressure gauge and fluid pressure regulator for accurate settings

MODEL NO

EUROHE103 / EUROHE105 1.3 mm Nozzle 1.5 mm Nozz 1.5 mm Nozzle

EUROHE107 / EUROHE109 1.7 mm Nozzle 1.9 mm Nozzle

EUROPRO HIGH EFFICIENCY / HIGH **TRANSFER SPRAY GUN**

- HE technology for a wider pattern that layers paint thicker
- Less overlap on passes required

MODEL NO. EUROHV103 / EUROHV105 1.3 mm Nozzle 1.5 mm Nozzle

EUROHV107 / EUROHV109 1.7 mm Nozzle

EUROPRO FORGED HVLP SPRAY GUN

- Industry leading transfer efficiency, spend less on paint
- Maximum atomization
- Minimal CFM requirement

AIR REGULATORS & FILTERS

AS7SP SPRAY GUN WITH CUP - BLACK HANDLE - 1.8MM NOZZLE

- Designed for superior atomization and coverage compared to other all-purpose spray guns
- Two-piece construction with gun featuring exclusive air valve design





- Provides fine air control for spray guns and air tools
- Swivel top allows for easy installation
- Fits any spray gun or air tool





2618 AIR CONTROL UNIT - 120CFM CAPACITY

- Filter and regulator in one
- Easy to install for light to medium industrial and automotive applications



5706 BRASS AIR REGULATOR

- Increases or decreases air pressure as desired
- 1/4" NPT

PINSTRIPE & ADHESIVE REMOVAL

400E SMART ERASER[®] PAD ITEMS



400E6 6 PACK -SMART ERASER® PAD

<u>6 PACK</u>

32 PINSTRIPE REMOVAL KIT & 12 SMART ERASER° PADS



MODEL NO. 232

ONYX PINSTRIPE REMOVAL KIT WITH ONYX PINSTRIPE REMOVAL TOOL & 12 SMART ERASER® PADS



MADE IN THE USA



500E RAPID ERASER PAD



500ARS ONYX ADHESIVE REMOVAL SYSTEM



500ARS6 ONYX ADHESIVE REMOVAL SYSTEM -INCLUDES 1PC. 500ET & 6PC. 500E

SHOP EQUIPMENT



SHOP EQUIPMENT



ASMS2 Masking Station - Tree type

- Mobile yet stable
- Up to 18" paper rolls



MM18 18" Masking Machine

 Allows for custom alignment of paper rolls and tape position





- Unit can be used as a step stool
- Lightweight, easy to use and portable





AIR OPERATED PAINT SHAKER

• New larger adjustable rubber clamps accommodate pints, quarts, gallons and large European cans



SUPER STAND - UNIVERSAL ROTATING PARTS WORK STAND

- Handle any panel, fender, door, hood, or bumper to make repairs and refinishing easy
- Comes with 8 adjustable bars to fit almost any panel securely

SPECIALTY



9425

DUAL TEMPERATURE HEAT GUN KIT

- Unit has a switch which allows for two different heat settings
- Double insulation for extra safety



INDUSTRIAL HEAVY-DUTY HEAT GUN

- Variable temperature adjustment provides a maximum temperature of 1000-1100 Degrees F
- Powerful blower provides a high volume of air needed for industrial applications

MODEL NO.

11PC. AUTO FASTENER & MOLDING REMOVAL TOOL SET

- For use on internal and external vehicle molding and trim fasteners
- Plastic construction of tools prevents scratching and damage to vehicle paint, leather, chrome, etc



7600 HOT STAPLE GUN KIT FOR PLASTIC REPAIR

- Designed for quick repair and reinforcing broken/ripped/damaged/split plastic on autos, motorcycles, ATVs, boats, etc
- Unique Staple Gun heats special designed staples and sets staples into plastic



COLOR MATCH LIGHTS

50SL SUNLIGHT 400 LUMEN RECHARGEABLE HANDHELD **COLOR MATCH LIGHT - CRI 97**



Astro Pneumatic Tool Company

님

19



FLOOD LIGHT - CRI 95 W/ ROLLING STAND

40SLMAX 450 LUMEN RECHARGEABLE LED SLIM LIGHT W/ XL BATTERY



New Collapsible Hook Design

NEW "MAX" MODEL

- Features massive 3,350mAh lithium battery
- 13 hours work time at 50% power, or 3.5 hours at full power

⊙ LONGER BATTERY LIFE

Ultra strong 20lb magnetic swivel and stay base

WORKLIGHTS



31SL 310 LUMEN FOLD & SWIVEL RECHARGEABLE COB LED SLIM LIGHT

- COB LED folds 180 degrees and rotates near 360 degrees
- 310 Lumen COB LED, 50 Lumen top LED light





410 LUMEN RECHARGEABLE COB LED SLIM LIGHT

- Heavy-Duty swivel-lock base features a removable 20lb magnet
- Unique dial power switch has fluid variable adjustment from 0-410 lumens of light output

MODEL NO. 12SL 30SL ULTRA SLIM RECHARGEABLE **FLEXIBLE RECHARGEABLE COB LED SLIM LIGHT** LED INSPECTION LIGHT • Unique flexible neck allows • Improved model with 400 lumens of output you to mount the magnetic Includes new strong 20lb neodymium magnet and base then just bend and twist magnet bracket the light into the desired position Externally and internally 1000 designed for harsh conditions and dirty environments a fa ha ha ha h **20LB STRONG** UNIQUE MAGNETIC BASE **FLEXIBLE NECK**

150SL **1540 LUMEN** LED RECHARGEABLE UNDERHOOD LIGHT W/ DETACHABLE HANDHELD LIGHT

- Impact resistant design features an aluminum body with high impact plastic covers and lens
- Handheld light charges itself when clipped into underhood light

The Sidekick

250 lumen handheld light that unclips with the press of a button

 Rubber over-mold hooks adjust from 50-81"

NO DOWN TIME

Can be used with 16.5ft cord or up to 6 ½ hours of battery powered run time



INDUSTRY LEADING RIVETERS AND RIVET NUT TOOLS

RIVETERS



1/4" HEAVY DUTY 13" HAND RIVETER

- Shorter profile yet requires less effort due to hinged torque multiplier design
- No need to adjust the tool when changing rivet diameters



модел NO. 1426

1/4" HEAVY DUTY HAND RIVETER

- Extra long handles provide excellent leverage
- Spent mandrels are collected in the plastic container for safety and easy disposal



AIR RIVETER - 3/32", 1/8", 5/32", 3/16" AND 1/4" CAPACITY

 Provides quick, quiet and comfortable operation in high use settings



FASTENING

HAND RIVET NUT TOOLS





13" HAND RIVET NUT SETTING KIT

- New "Toolless Quick-Change Head" design allows for easy changing of mandrels and nosepieces by hand
- Disassembly of tool never required, unique spring loaded inner hex
- Includes 10 pieces of each of the following rivet nuts: M5, M6, M8,10-24, 1/4-20 and 5/16-18





Standard Mandrel

MODEL NO.	Size
1442-8/32	8/32
1442-10/32	10/32



Long Mandrel

Size
10-24
1/4-20
5/16-18
3/8-16
1/2-13
M5
<i>M6</i>
<i>M8</i>
M10
M12





HAND RIVET NUT TOOLS



- Designed to drill holes for and remove up to 30 different rivet nuts sizes and brands
- CNC machined M2 High Speed steel bit features chamfered steps designed to shave down set rivet nuts

100PCS RIVET NUTS

MODEL NO.	Size	MODEL NO.	Size	
RN4M	M4	RN832	#8 - 32	
RN5M	M5	RN1024	#10 - 24	
RN6M	М6	RN14	1/4" - 20	
RN8M	M8 RN516		5/16" - 18	
		RN38	3/8" - 16	







HAND RIVET NUT KIT 4PC. SAE 3PC. METRIC W/ RIVET NUT ASSORTMENT

- Spring loaded mandrel change design. Simply push mandrel then slide off rear hex retainer
- Mandrels, nosepieces and rivet nuts in: 1/4-20, 10-24,10-32, 8-32, M6, M5 and M4



1427 HAND RIVET NUT KIT -M5, M6, M8, M10 & M12 KIT

• Works for rivet nuts in M5, M6, M8, M10 & M12 sizes in aluminum, steel and stainless steel



AIR RIVET NUT TOOLS

PRN1 3/8" CAPACITY PNEUMATIC RIVET NUT SETTING KIT - METRIC & SAE

PAst

- Quickly un-thread set rivet nuts by operating free spinning rear wheel
 - Instantly set rivet nuts with a pull of the trigger
 - Includes 8 mandrels / nosepieces in the following sizes: M4, M5, M6, M8, M10, 1/4", 5/16", 3/8"



ONYX PNEUMATIC RIVET NUT SETTING GUN



PRN12M 10MM & 12MM MANDRELS

- Dial in regulator settings for specific rivet nut sizes and compositions
- Forward and reverse actions for quick operation



ONYX PNEUMATIC RIVET NUT SETTING GUN W/ QUICK-CHANGE





- Quick change mandrel system
- Adjustable power, dial in regulator setting for specific rivet nut sizes and compositions



NE TO ADAPT

- CNC machined from solid billet aluminum and features Japanese bearings
- Includes nosepieces for 3/32", 1/8", 5/32" and 3/16" and works on stainless, steel, aluminum and copper rivets

ADR14 XL BLIND RIVET ADAPTER KIT - 1/4" CAPACITY

Includes 6 nosepieces in SAE: 3/32", 1/8", 5/32", 3/16", 7/32", 1/4"





ADN14 RIVET NUT DRILL ADAPTER KIT

 Astro's EXCLUSIVE design withstands 4X the pulling force of other adapters, and features a CNC machined billet aluminum body and CR-MO mandrels

Includes 8 mandrels and nosepieces in Metric: M3, M4, M5, M6 and in SAE: 8-32, 10-32, 10-24 and 1/4-20

ADN38 XL RIVET NUT DRILL ADAPTER KIT - 3/8" CAPACITY



Includes 8 mandrels and 8 nosepieces in Metric: M5, M6, M8, M10 in SAE: 10-24, 1/4", 5/16", 3/8'

28

RUNNING GEAR



BALL JOINT SERVICE TOOL AND MASTER ADAPTER SET

• C frame press alone can be used to remove and replace universal joints



• Set includes all the receiver tubes and removing/installing adapters needed to work on press-fit upper and lower ball joints on most domestic and many 4WD and 2WD vehicles



BALL JOINT SERVICE TOOL WITH 4-WHEEL DRIVE ADAPTERS

• Set contains C-frame press, 3 receiver tubes sizes: 2-3/4"x3", 2-1/4"x2-1/2" & 1-3/4"x2", installation and removing adapters



• This heavy duty tool set is excellent for removal and installation of press-fit parts such as ball joints, universal joints and truck brake anchor pins

7868 MASTER BALL JOINT ADAPTER SET

- Includes all the receiving tubes and removing/installing adapters needed to work on most GM, Ford and Dodge 2-wheel and 4-wheel drive pick-ups, vans and sport utility vehicles through 1997
- Work on press-fit upper and lower ball joints



RUNNING GEAR • FUEL SYSTEM • COOLING



78585

UNIVERSAL RADIATOR PRESSURE TESTER & VACUUM TYPE COOLING SYSTEM KIT

- Allows easy testing for leakage in radiator system and quick change of coolant
- Unit is suitable for domestic and import vehicles





MASTER FRONT WHEEL DRIVE BEARING ADAPTER KIT

- Includes heavy duty Grade 8 drive bolt for twice the durability of the industry standard
- Replace wheel bearings without the need for alignment after by keeping the strut assembly and steering knuckle in place during service



78930

MODEL NO

16PC. MASTER DISCONNECT KIT

- A complete Fuel & Transmission Line Disconnect Set in a handy blow-molded case
- Separate fittings on fuel lines, fuel filters & fuel tank return lines





BEARING RACE AND SEAL DRIVER-MASTER SET

- Makes it easier to insert wheel bearing race and seals without damage to race and axle housing
- Set includes nine disc sizes to fit most standard wheel bearings

BRAKE • TIRE

78868 8PC. 12-POINT AXLE NUT SOCKET SET

- Designed for an exact fit on both 6pt and 12pt axle nuts
- Extra deep precision broached and forged from CR-MO with lasting finish





- Brake Spring Installer
- Spring Compressor



18PCS. BRAKE CALIPER WIND BACK TOOL SET

- Designed for push back and wind back brake pistons
- Left and right-handed thrust bolts for a wide range of applications





78810 10PC. TORQUE LIMITING EXTENSION SET

- Accurately torque wheel nuts to recommended torque
- Save time securing wheel to vehicle, finish with torque wrench




78818 8PC. TORQUE LIMITING EXTENSION AND PROTECTIVE IMPACT SOCKET COMBO SET

- Lug Nut sockets feature protective sleeves and inserts to prevent wheel damage
- Color coded for quick reference



JACKS • HYDRAULIC PRESS • TRANSVERSE BAR



HYDRAULIC

TIRE



- New 21" Stainless braided hose for increased durability
- New dual AAA battery powered design.
 4X the battery life and simplified battery installation





3081 DIAL GUAGE TIRE INFLATOR

- Aluminum die-casting unit covered with rubber sleeve for extra comfort and durability
- Two position inflate/deflate lever

Takes up to 200 psi from the compressor, reads up to 65 psi from the tire

Lellel



TPMS DIAL TIRE W/ STAINLESS HOSE 0-65 PSI

- Extreme accuracy. Up to 260% more accurate than the ANSI standard
- 3-in-1 fuction: inflate, deflate and measure tire pressure

3083 2.5" dial tire inflator with Locking & dual chucks

- Gauge is up to 2X the accuracy of the B40.1 ANSI standard with larger 2.5" diameter face for finer resolution and easier to see readings
- Bleed valve button releases pressure from the tire to your desired range or clears display after checking pressure with dual chuck

PLIERS



- Black & Polished Finish w/ Dipped Handles
- Internal and External straight and 90 degree bent pliers



MODEL NO. 9401

10PC. SNAP RING PLIERS SET

- Operates both internal and external rings
- Heat treated Chrome-Vanadium





4PC. SEAL AND O-RING REMOVER

- Easy removal of seals and o-rings without damaging the seal or the surrounding surfaces
- Made from solid CR-V





- Can be adjusted and fastened for applications at any angle
- Suitable for installing, removing, and tightening objects of any shape



ADJUSTABLE ANGLE OIL FILTER PLIERS

- Jaws are adjustable angle allowing use of the wrench pliers from multiple points of access
- Indents every 30° for 180° of total adjustment



(415)







- New cable adjuster and multiple gear lock provide accurate and secure locking for any clamp position between minimum and maximum range
- Pliers can be locked, freeing up your hands and making your job easier and faster



PAstro 78510



- Two hook designs to fit between various fittings and hoses
- Works great when paired with Astro's 9409A Hose Clamp Pliers

INTRODUCING:

TECHNOLOGY

TRADITIONAL

TRADITIONAL FLANK DRIVE designs begin to round the points as torque exceeds the SAE limits of a fastener

FLANK BITE

FLANK BITE does not depend on the points of a fastener. The more torque is applied, the more it bites into only the sides

- New, Patented Flank Bite Design works on up to an industry leading 90% of stripped bolt heads and rounded lug nuts
- All products made in Taiwan from forged CRO-MO
- Safe for forward tightening of fasteners without damage

MODEL NO.

FLANK BITE DAMAGED 7404 LUG NUT SOCKET SET **W/ SPINNING PROTECTIVE** SLEEVES



*** PATENTED *** NO.USD570169S

MODEL NO 11PC 1/2" DR FLANK BITE /411 DAMAGED FASTENER **IMPACT SOCKETS - SAE**



* PATENTED * NO.USD570169S

ALSO AVAILABLE IN METRIC 7181XL

PAstro

8PC EXTRA LONG 7180XL DAMAGED FASTENER **FLANK BITE** COMBINATION WRENCH SET - SAE



PAst









DESIGNED FOR AUTOMOTIVE APPLICATIONS

Only kits on the market specifically designed for automotive applications

RATCHET QUICKLY SWITCHES

From forward to reverse using patented handle selector





SOCKETS & SHOP EQUIPMENT



Set includes:
3/16", 1/4", 5/16", 3/8",
7/16", 1/2" and 9/16" Flex Sockets



12PC. 1/4" DRIVE FLEX Socket Set - 6 Point - Metric

Set includes: 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm,10mm, 11mm, 12mm, 13mm, 14mm, 15mm Flex Sockets



1600 16PC. PUNCH AND CHISEL SET

- 16 of the most popular Cold Chisels and Taper, Pin and Center Punches
- Product material: CR-V and hardness: 54~58HRC



1612 12PC. LARGE COLD CHISEL & PUNCH SET

- High Rockwell hardness, but low enough to prevent chipping and cracking from heavy hammering
- Each chisel is designed for the best balance between edge sharpness and edge strength

SHOP EQUIPMENT





7661 DUAL VOLUME CONTROL ELECTRONIC SAFETY EARMUFFS

MODEL NO

- Each side has independent power and volume control
- No exposed wiring for increased durability and ideal for easy storage



DIGITAL LCD 3-48V WIDE RANGE CIRCUIT TESTER

• Computer Safe with Backlit LCD display for accurate voltage readouts

7760 Cordless circuit tester

MODEL NO.

- Does not require ground wire or clip and is safe with ECMs, Sensors, Transducers, Airbags, etc.
- Special designed V-Tip needle allows safe piercing and prevents side-slipping when piercing wire's insulation. V-Tip can be removed to test hard to reach places



9477 7PC. PROFES

7PC. PROFESSIONAL QUICK INTERCHANGEABLE RATCHET CRIMPING TOOL SET

- Quick changing jaw design does not require any other tool to change the jaws
- Ergonomically designed steel frame handles with contoured rubber grips





220PC. WEATHER PACK INTERCHANGEABLE RATCHETING CRIMPING TOOL & ACCESSORY SET

- Includes two different jaws sets for a wide range of Delphi Packard style connectors
- Wide range of accessories for repairing or building your own weatherpack connectors

SHOP EQUIPMENT



8330 HEAVY DUTY PLASTIC 2 SHELF UTILITY CART - BLACK COLOR

- Trays are 3 1/2" deep and can hold up to 300lbs
- For shop, office, warehouse or medical facility use







2-IN-1 OIL FILTER SOCKET -Lexus / Toyota

- Easy to use in limited space, and can be used with a 1/2" drive tool or 21mm wrench
- For Toyota 3.5L since 2007 For Lexus - IS250, IS350, GS300, GS350, GS450HE, S350, RX350, LS480, and LS600H

AIR HOSE



AstroFlex

ULTIMATE COMBINATION OF FLEXIBLE CLOSE ULTI ROBUST STEEL LIDSE REEL L


AstroFlex

HYBRID AIR HOSE

 All-weather flexibility including extreme cold



• Specially formulated polymer, nylon rubber hybrid design





Solid Brass Fittings



Model no.	Size	Туре	Brass Fittings	Color	SPECIFICATIONS	
3695	3/8" x 50'	Hybrid Reel	1/4"	Blue	Air Hose Size	3/8" x 50'
AF3825B	3/8" x 25'	Hybrid Hose	1/4"	Blue	Air Inlet	1/4" NPT(F)
AF3850B	3/8" x 50'	Hybrid Hose	1/4"	Blue	Air Outlet	1/4" NPT(M)
AF3850R	3/8" x 50'	Hybrid Hose	1/4"	Red	Max. Pressure	300 PSI
AF1250R	1/2" x 50'	Hybrid Hose	3/8"	Red	Max. Air Flow	25 CFM

AstroFlex

HMBRID AIR HOSE

42

ASTRO PNEUMATIC TOOL CO.



DISTRIBUTED BY