





3.3mm x

5.3mm x

5.3mm x DF-SPR55



5.3mm x 7.0mm

SPR RIVETER

Kit Includes: SPR Riveter, HR2 Arm, Matrix Sets (SPR 3mm, SPR 5mm, SPR Extractor, Hole Punch, Flow Form), Sample set of rivets, Arm locking pin, Grip handle, Shoulder strap, and Storage Uur Self-Piercing Riveter is a reliable tool for riveting aluminum panels (up to 6.5mm) together with high dynamic strength. The pressure and speed controls increases accuracy and enable the rivets to be inserted without panel distortion. A pressure gauge on the unit illustrates current pressure amount for controlled operation.





Aluspot - DELUXE

Aluspot - EXTENDED

DF-900DXE

The Aluspot Extended includes everything that the Ford Approved Aluspot Deluxe (DF-900DX) does PLUS comes with an Aluminum-Head Hammer Set (DF-AH714), POM Nylon Dolly Set (DF-AB712), two more storage drawers, in-cabinet electrical power strip, and a holster on the side of the cabinet to hang the heat gun.



Most complete aluminum repair station "from a name vou know and trust" is FORD APPROVED! The idea here is that you have everything you need for aluminum repair, within easy reach in a self-contained system. This is the system that started it all. Since 2006, the Aluspot has been the best aluminum repair station.





ALUSPOT Extended DF-900DXE



ALUSPOT Deluxe DF-900DX



ALUSPOT Basic DF-900B

INCLUDED	DXE	DX	В
110v Cap. Discharge Stud Welder	•	•	•
Alu-Silicon Studs	•	•	•
Alu-Magnisuim Studs	•	•	•
Spitznagel Pull Fingers	•	•	•
T-Puller	•	•	•
Squeeze Puller	•	•	
Leverage Puller	•	•	•
Bridge Puller	•	•	
Stud Cut Pliers	•	•	•
Infrared Temp. Gauge	•	•	
Heat Gun	•	•	
3 PC Hammers (Steel)	•	•	
3 PC Hammers (Alumin.)	•		
2mm Soft Face	•	•	
35mm Dead Blow Hammer	•	•	
2 PC Nylon Chisels	•	•	
12 PC Nylon Dollies	•		
3 PC Steel Dollies	•	•	
Heat Gun Holster	•	•	•
Shoe Handle Brush	•	•	•
Tooth Brush	•	•	•
Inline Pneumatic Paint Remover	•	•	
Fiber Discs	•	•	
Power Strip	•	•	•
5 Year Warranty	•	•	•
Body File + 350mm Blade	•	•	
Safety Glasses	•	•	•
5 Drawers	•		
3 Drawers		•	
Dust Cover	•	•	•



Aluspot - MINI DF-900B

Now, any shop can invest in the future and start repairing minor to moderately damaged aluminum panels. The DF-900B Mini Aluspot Repair System is designed to operate as the main unit or as satellite unit. It utilizes some of the same Dent Fix innovations and premier equipment as the larger Aluspot systems but at a fraction of the price.



MAXI - 220v

DF-505/220V

The MAXI is a 220 volt single phase dent pulling station that provides the technician with the power they need to shrink, pull rocker panels, hail damage, creases, dents in hard to access areas and all types of metal damage. The efficiency of this tool increases the workers productivity while producing a better repair. Taking the idea of a stud welder one step further, this versatile tool will: weld pins, weld a slide hammer directly to the panel, weld a light pulling rod, weld wiggle wire for even crease pulling, weld a rod for leverage pulling, and shrink metal. WELD, TWIST, PULL!



Don't have 220v? Try our 110v unit..



Replace your stud welder with our 110 volt HammerHead. Same great quality, same essential accessories that provides the technician with the means to higher productivity and better results. It's like having sticky fingers and being able to pull dent with your hand. 1 year warranty. For HammerHead consumables visit www.DentFix.com.



Plastic Repair





Generator

EZ NITRO CONSUMABLES

SIZE	PLASTIC	SHAPE	PC	PART#
3mm	ABS	TRIANGLE	25рс	DF-ABBK03T
3mm	ABS	ROUND	25рс	DF-ABBK03
9mm	ABS	FLAT	25рс	DF-ABBK09
15mm	ABS	FLAT	25рс	DF-ABBK15
3mm	Polycarbonate	TRIANGLE	25рс	DF-PCNT03T
3mm	Polycarbonate	ROUND	25рс	DF-PCNT03
6mm	Polycarbonate	FLAT	25рс	DF-PCNT06
9mm	Polycarbonate	FLAT	25рс	DF-PCNT09
15mm	Polycarbonate	FLAT	25рс	DF-PCNT15
3mm	Polyethylene	ROUND	25рс	DF-PEBK03
9mm	Polyethylene	FLAT	25рс	DF-PEBK09
15mm	Polyethylene	FLAT	25рс	DF-PEBK15
3mm	Polypropylene	TRIANGLE	25рс	DF-PPBK03T
3mm	Polypropylene	ROUND	25рс	DF-PPBK03
6mm	Polypropylene	FLAT	25рс	DF-PPBK06
9mm	Polypropylene	FLAT	25рс	DF-PPBK09
15mm	Polypropylene	FLAT	25рс	DF-PPBK15
3mm	Polyurethane	ROUND	25рс	DF-PUNT03

GENERATES ITS OWN N2. NEVER REFILL A BOTTLE AGAIN!



N2 HOOK UP FOR AIR TOOLS!

Mobile & nimble cart can be positioned all over the shop

Kit Includes

Nitrogen welder with torch, airless weld torch, nitrogen generator, N2 outlet, rolling cart, power strip, heat gun/hot stapler holster, hand seamer, aluminum tape roll, and plastic sample pack (Polyurethane, Polypropylene, Polyethylene, Polycarbonate, ABS, & Nylon)



WARRANT

EZ Nitrogen Plastic Welder- Generator DF-EZN1G

The EZ Nitro Plastic Welder Generator eliminates the need for refilling nitrogen tanks and has a smaller footprint taking up less space in the shop thanks to its on-board nitrogen generator. The Flow Adjust Switch Technology (FAST) system makes the DF-EZN1G the easiest nitrogen welder to use by eliminating the need for flow adjustments by the user.



EZ NITRO OPTIONS



OPTIONAL:

Hot Stapler (DF-800BR)

STAPLECLIPS (50PC)

Z-Clip DF-800ZC

M-Clip DF-800MC

S-Clip DF-800SC

OPTIONAL: Heat Gun (DF-900HG)





ALSO AVAILABLE: BOTTLE-FED UNIT

Part No. DF-EZN1



Panel Remewal



DRILL BITS



Spot Annihilator Deluxe Kit

Customers often ask us what's NEW. My response has always been it is new if you haven't seen it before. The spot weld drill featured has been around for a long time, but there is something you may not have realized. We invented the concept of the air supplying the drill point pressure in 1993. Yes, this tool supplies all the cutting pressure for you. No need to push. The drill point is pushed forward into the C-Clamp. This also has the effect of locking you in place, no walking around the panel.

When UHSS or Boron Steel came out we lowered the speed from 1800 to 1000 RPM. You see, you need an ultra hard bit to get through this material, regular bits don't cut it, pun intended. The solution was a Tungsten Carbide bit (DF-1690) "Boron Killer", but it requires the lower RPM or they break easier. The change also had the added benefitt of helping prevent the overheating of the regular bits.

Now, speaking of longer bit life, our drill is known for its controlled approach and consistent pressure. We call this The "Predator Approach". It is a patented system that prevents the drill point from slamming into the panel. This prevents breakage of the bit and helps the tech make sure to be on target and precisely remove the spot weld. No slamming and consistent pressure are achieved by a valve system that opens on approach and closes when the drill starts turning.

Simply ingenious!

Underceding Remewal

REMOVES
PINSTRIPING,
DECALS, RUST,
AND BED
LINNER



TNILINE UNDERGOAT AND DECAL REMOVER

DF-700DX

If you don't have one you need one. The DF-700DX tool is so effective you will wonder what you ever did without it.

With the Course brush, undercoating and seam sealer are stripped away easily and cleanly, right down to the bare metal. The Brushes do

not clog up. Remove rust and scale with the

Medium brush and the fine brush is perfect for getting paint out of tight spaces. The geared Decal Eraser will strip a 2 foot by 2 foot decal in less than 2 minutes with no paint burn. The eraser is ideal for removing the adhesive backing on moldings and badges.

This inline version of the tool carries a year warranty and our guarantee of complete satisfaction.

3,500 RPM

90 PSI

1/4" INLET

ELIMINATOR CONSUMABLES

Kit Includes:



Rit iniciates.
Eliminator Tool, Original Decal Eraser, Offset Decal Eraser,
Fiber Discs, Single Hub, Double Hub, Coarse Brush, Fine 23mm
Brush, 11m Coarse, Fine Brush, and Blow Molded Cases.

ORIGINAL DECAL ERASER

Softer DF-705



TOUGHER OFFSET ERASER

More Durable DF-705D



COARSE BRUSH

Ouch! DF-702C





Strong Magnets

Door Skin Pliers



 $oldsymbol{H}$ old the door skin securely in place while repairing. There are specialized pads for either side of the door. Inner pad spreads the clamping force and the cushioned outer pad prevents paint marring. A must have body repair tool.

Ding Enhancer Shield DF-DM55DE

Find imperfections in the surface instantly. Using the reflection of the shield in the car body, the dents are easier to hale and ready for a perfect PDR repair. Mobile PDR techs: You. Need. This.





CLAMP IT - To Edge of a Flex-O-Light DF-LED110

Designed to be able to illuminate the darkest of workspaces, the Flex-O-Light utilizes a unique flexible body that can extend up to 22.64" and wrap around objects to suspend and hold the light in the correct position. The light can also be mounted in three different ways: clamp, stick, or hang. The 2" clamp is located inside the handle and can be extended and contracted by rotating the yellow ring on the body. The end of the body contains two strong magnets, for ferrous mounting locations, and a collapsible hook that can unfolded to hang from hoods and the undercarriage. 1 year limited warranty.





Accessory Tram Points DF-3TCAS

Measuring solo just got easy! All cones are self-centering for higher accuracy. The two Cones are for holes up to 40mm. Four Reverse Cones are for bolts and nuts up to 19mm. Machined aluminum construction for durability. Tram gauge sold separately.



Tram Points Fit Our Most Popular Trams!

5 Meter Tram Gauge DF-3TC5A