

# Solutions Guide

**Trusted Products for the Paint Shop** 



# Pursuing the perfect finish with 3M.

Each time a vehicle rolls out of the shop, it's a chance to showcase your passion for automotive refinishing. You've worked to ensure the vehicle has been prepped, painted, and polished back to the way it was when it came in. But to your customer, it's now somehow even better, more exciting - like it was when it was brand new. This is among most powerful endorsements you can deliver for your collision repair operation, and it represents the full potential of your paint and detailing shop. To help you achieve a finish that lasts and shines, 3M provides standard operating procedures (SOPs) and technical tips and the well-known brands behind them, such as Cubitron™ II, PPS™, Scotch™ and Perfect-It™.

3MCollision.com



Surface Preparation



**Masking** ......9–13



Paint Application
.....14-20



Paint Finishing
.....21-25




**Detailing** .....26-27



Tools and Accessories .....28-32




**Safety** ......33–36



# 3M<sup>™</sup> Cubitron<sup>™</sup> II Hookit<sup>™</sup> Clean Sanding Abrasive Discs

- 3M's best performing abrasive technology
- It features 3M™ Precision Shaped Grain technology—triangular shaped, electrostatically oriented grains that cut at least 30% faster and last at least 30% longer than other conventional ceramic abrasives
- Extremely sharp precision shaped grain provides longer life than conventional ceramic abrasives
- Sharper cutting surface means less pressure is required



		ess pressure is i		
Part No.	Grade	Size	Case Qty.	Features
31482	240+			
31483	320+	6 in		
31484 NEV	v! 400+			
31472	240+		_	
31473	320+	5 in	50 Discs/Box 4 Boxes/Case	Spiral-patterned design features many small holes for dust extraction and reduced loading
31474 NEV	V! 400+			reduced loading
31462	240+		_	
31463	320+	3 in		
31464 NEV	V! 400+			

For tools, see pages 28-29

# **3M™** Cubitron™ II Hookit™ Clean Sanding Abrasive Sheets

- 3M's best performing abrasive technology
- Cubitron™ II cuts at least 30% faster and last at least 30% longer than other conventional ceramic abrasives
- Clean Sanding multi-hole pattern delivers excellent dust extraction
- Kiss-cut scoring technology allows for use in multiple sheet lengths

Part No.	Grade	Size	Case Qty.	Features	
3M <sup>™</sup> Cubitron <sup>™</sup>	II Hookit <sup>™</sup> Cle	an Sanding Sheet I	Roll		
34468	240+			Use with 3M™ Hookit™	
34469	320+	4.5 in x 13 yd	1 Roll/Box 5 Boxes/Case	Dust Free Sanding Block	
34470 NE	W! 400+			4.5 in wide	
31488	240+			Use with Festool LRS 400	
31489	320+	3.15 in x 13.12 yd	1 Roll/Box 5 Boxes/Case	Orbital Sander and Festool	
31490 NE	W! 400+	_		HSK-A Sanding Blocks	
34448	240+			Use with 3M™ Hookit™	
34449	320+	2.75 in x 13 yd	1 Roll/Box 5 Boxes/Case	Dust Free Sanding Blocks	
34450 NE	W! 400+			2.75 in wide	
3M <sup>™</sup> Cubitron <sup>™</sup>	II Hookit <sup>™</sup> Cle	an Sanding File Sh	eets		
31494	240+			Designed for use	
31495	320+	3.74 in x 6.97 in	25 Sheets/Box 4 Boxes/Case	Designed for use with Festool LRS 93	
31496 NE	W! 400+			Orbital Sander	
	<del></del>				





# **3M™ Hookit™ Purple Clean Sanding Abrasives**

- Aluminum oxide abrasive provides a fast cut, long life and professional results
- Stearate coating helps resist loading for extended performance
- Excellent dust removal and fast cutting, long lasting abrasive for higher productivity and





Eor	toole	000	nagec	28-29

30724

30702

30701

30700

P800

P500

P600

P800

lower cycle t	imes	<i>5, 5</i>		,	
Part No.	Grade	Size	Case Qty.	Features	
3M™ Hookit™	Purple Clean Sar	ding Abrasive Dis	sc		
01810	P500	_			
30761	P600	6 in			
30760	P800	_	_		
30472	P500	_	_	Spiral-patterned design	
30461	P600	5 in	50 Discs/Box 4 Boxes/Case	features many small holes for dust extraction and reduced loading	
30460	P800		_		
30272	P500		_		
30261	P600	3 in			
30260	P800				
3M <sup>™</sup> Hookit <sup>™</sup> Purple Clean Sanding Abrasive Sheet Roll					
30726	P500	_			
30725	P600	4.5 in x 13 yd	1 Roll/Box 3 Boxes/Case		

2.75 in x 13 yd

Kiss-cut scoring technology allows for use in multiple

sheet lengths


1 Roll/Box

5 Boxes/Case

# **3M<sup>™</sup> Hookit<sup>™</sup> Blue Abrasives**

- Complete offering of middle tier abrasives that can be used from body to paint prep
- Engineered ceramic mineral blend is balanced for maximum abrasive performance
- Anti-loading coating prevents dust and debris from clogging the cutting surface
- Hookit<sup>™</sup> attachment makes disc changes easy and reduces waste


Part No.	Grade	Size	Case Qty.	Features	
3M <sup>™</sup> Hookit <sup>™</sup>	Blue Abrasive Disc	– No Holes			
36246	240				
36247	320	NEW!			
36248	400	6 in			
36249	500	0 111			
36250	600			No-hole design is	
36251	800		50 Discs/Box	compatible with most dual-action sanders	
36258	240		4 Boxes/Case	when using a Hookit™ sanding pad	
36259	320	NEW!		sanding pad	
36260	400	5 in			
36261	500	0 111			
36262	600				
36263	800				
3M™ Hookit™	Blue Multi-hole Ab	rasive Disc			
36178	240	- - 6 in			
36180	320				
36181	400				
36182	500				
36183	600				
36184	800	800			
36163	240			Multi-hole pattern reduces loading, extends disc	
36165	320				
36166	400	5 in	50 Discs/Box		
36167	500	0	4 Boxes/Case	life and aligns with most backup pads	
36168	600				
36169	800				
36148	240				
36150	320				
36151	400	3 in			
36152	500	3 111			
36153	<b>36153</b> 600				
36154	800				
3M™ Hookit™	Blue Multi-hole Ab	rasive Sheet Rol	I		
36193	240				
36195	320			Can be used with any 2.75 in wide Hookit™	
36196	400	2.75 in x 13 yd	1 Roll/Box 4 Boxes/Case	Sanding Block — use with	
36197	500			dust-extraction for better abrasive performance	











For tools, see pages 28-29

36198

600

# 3M™ Stikit™ Blue Abrasives

- Complete offering of middle tier abrasives that can be used from body to paint prep
- Engineered ceramic mineral blend is balanced for maximum abrasive performance
- Anti-loading coating prevents dust and debris from clogging the cutting surface
- Adhesive-backed Stikit<sup>™</sup> discs are easy to attach and remove

		, ,		
Part No.	Grade	Size	Case Qty.	Features
3M <sup>™</sup> Stikit <sup>™</sup>	Blue Abrasive Disc	Roll		
36208	240			
36210	320			
36211	400	6 in		
36212	500	0 111		
36213	600	NEW! 5 in		
36214	800		100 Discs/Roll	Discs tear off conveniently one at a time without liners for added cost savings
36270	240		5 Rolls/Case	
36271	320			
36272	400			
36273	500			
36274	600			
36275	800			
3M <sup>™</sup> Stikit <sup>™</sup>	Blue Abrasive Shee	t Roll		
36223	240			
36225	320			Dell and hoteless off at
36226	400	2.75 in x 45 yd	1 Roll/Box 5 Boxes/Case	Roll easily tears off at desired sheet length for use with various block sizes
36227	500			with various block sizes
36228	600			





# **3M™ Softback Sanding Sponge**

- Flexible foam backing adapts to unique contours and access hard-to-reach areas
- Aluminum oxide abrasive offers a long life and fast cut
- Versatile hand sanding sponges work on many surface materials

	Part No.	Grade	Size	Case Qty.	Features
Annual Communication of the Co	02600	Micro Fine			
	02601	Ultra Fine	_		
-02600	02602	Super Fine	4.5 in x 5.5 in	20 Sponges/Box 6 Boxes/Case	Waterproof bonding system allows for either wet or dry sanding applications
A A A A	02604	Fine	_		approximation
~	02606	Medium	_		




For tools, see pages 28-29



- Offers high flexibility and conformability
- Premium quality delivers uniform, consistent finishes every time
- Reduced burn through when sanding thin coated surfaces
- Wide range of grades for precision-perfect results
- Long-lasting abrasives reduce material consumption

c Long lasting a	2 Long labiling abrasives reduce material consumption						
Part No.	Grade	Size	Case Qty.	Features			
3M™ Hookit™ FI	exible Dust Fre	e Abrasive Disc					
34403	P400	_					
34405	P600	_					
34406	P800	_ 6 in	25 Discs/Box	Dust free discs     Can be used for both hand			
34407	P1000	7 holes	5 Boxes/Case	and machine sanding			
34408	P1200	_					
34409	P1500						
34800	P400	_					
34801	P600			The 17 hole pattern is specifically designed to be used with the 3M™ Total Automotive Sanding System			
34802	P800	_ 6 in	25 Discs/Box				
34803	P1000	17 holes	5 Boxes/Case				
34804	P1200	_					
34805	P1500						
3M™ Hookit™ FI	exible Abrasive	Hand Sheet					
34337	P400	_		• Versatile — wraps			
34339	P600	_		effortlessly around hand sanding tools			
34340	P800	- 5.5 in x 6.75 in	25 Sheets/Box	<ul> <li>Includes accessory hand sanding pad (1 per box)</li> </ul>			
34341	P1000	J.J III X 0.73 III	5 Boxes/Case	<ul> <li>Can be used with 3M™ Non-Vacuum Orbital</li> </ul>			
34342	P1200	_		Sander PN 20331, 3 in x 4 in for flexible machine			
34343	P1500			scuffing			









# 3M™ Hookit™ Hard E-Coat Abrasive Disc

- Abrasive disc engineered for sanding e-coats and hard substrates
- Diamond grade mineral blend leaves matte finish at P320 no need for coarser grades
- Precise hole pattern helps clear dust from disc surface for reduced loading

Part No.	Grade	Size	Case Qty.	Features
30695	P320	6 in	10 Discs/Box 4 Boxes/Case	Dust free discs



# Scotch-Brite<sup>™</sup> Hookit<sup>™</sup> 7447 & 7448 PRO Disc

- Use for cleaning, scuffing, finishing, and light paint removal on a variety of metals and plastics
- Very fine and ultra fine grade abrasives that clean and finish efficiently
- Nylon disc resists tearing and loading and provides a long life
- Use the Scotch-Brite<sup>™</sup> Hookit<sup>™</sup> Conversion Face for best pad attachment

Part No.	Grade	Color	Description	Size	Case Qty.
00048011650708	A VFN	Maroon	7447 PRO Disc		40 Discs/Case
00076308771683	S ULF	Gray	7448 PRO Disc	6 in	40 Discs/Case
28802	-	-	Scotch-Brite <sup>™</sup> Hookit <sup>™</sup> Conversion Face		1/Bag, 5/Case



# Scotch-Brite<sup>™</sup> Clean and Finish Disc

- Soft abrasive mineral and non-woven web are ideal for cleaning, blending, finishing, and light coating and corrosion removal
- Conformable pad gets into corners and over contoured surfaces to produce a uniform finish
- Open web construction resists loading and rinses clean for repeated use

Part No.	Color	Description	Size	Case Qty.
77225	White	Clean and Finish Disc	6 in x NH T	40 Discs/Case



# Scotch-Brite™ 7447 & 7448 PRO Hand Pads

- Unique fibre coating assures a fast, consistent scratch
- More consistent scratch than competitive hand pads
- Perforated for quick easy tearing, reducing waste

Part No.	Grade	Color	Description	Size	Case Qty.
Scotch-Brite <sup>™</sup> 7447 8	k 7448 PRO	) Roll			
00048011650081	A VFN	Maroon	7447 PRO Roll	4 in x 30 ft	3 Rolls/Case
00048011650135	S ULF	Gray	7448 PRO Roll	4 111 X 30 11	3 Rolls/ Case
Scotch-Brite <sup>™</sup> 7447 8	k 7448 PRO	Hand Pad			
64926	A VFN	Maroon	7447 PRO Pad	- 6 in x 9 in	20 Pads/Box
64935	S ULF	Gray	7448 PRO Pad	- 6111 x 9111	3 Boxes/Case



# **Scotch-Brite™ Durable Flex Hand Pads**

- Ultra-flexible construction that is great for prepping areas where conformability is desired like jambs, and bumpers or areas prone to over scuffing like sharp body lines
- Tightly graded for more active mineral sites
- More consistent scratch than competitive hand pads
- Resists tearing and loading, proving a longer life

Part No.	Grade	Color	Description	Size	Case Qty.
64659	A VFN	Maroon	Head Ded	11/0 in 0 in 25 Pa	25 Pads/Box
64660	S ULF	Gray	Hand Pad	4-1/2 in x 9 in	4 Boxes/Case

For tools, see pages 28–29

# **Accessories**



# 3M<sup>™</sup> Hookit<sup>™</sup> Clean Sanding Painter's Back-up Pad

- Multi-hole pattern maximizes dust extraction, helping to create a cleaner work surface
- Soft density foam provides flexibility for reduced edge cutting and increased conformability
- Loading is significantly reduced to prolong life of abrasive

Part No.	Size	Thickness	Shape	Thread	Case Qty.
05551	6 in	1/0:-	15 degree	F (40, 04+	10 D- d- (O
05858	5 in	– 1/2 in	45 degree	5/16–24 ext	10 Pads/Case



### 3M™ Hookit™ Soft Interface Pad

- Soft foam construction conforms to contours for a finer finish
- Adds support to disc pad for improved abrasive cut and closer edge sanding
- Hole configurations help clear dust from the work surface, increasing disc life
- Reduces vibration from orbital sanding tool for improved results

Part No.	Size	Thickness	Case Qty.	Features
05777	6 in	4/0:	40 D 1 (0	Applies effortlessly between
05771	3 in	– 1/2 in	10 Pads/Case	3M™ Hookit™ discs and back-up pads for quick changeouts



### 3M<sup>™</sup> Hookit<sup>™</sup> Flexible Abrasive Interface Foam Pad

- Interface foam pad provides flexibility to sand curves and contours
- Accessory aids in sanding hard-to-reach locations
- Commonly used for sanding primer, blending and paint finishing
- Long-lasting abrasives reduce material consumption

Part No.	Size	Case Qty.	Features
34350	3 in x 5 in	1 Pad/Bag, 10 Bags/Case	Use with 3M™ Orbital Sander, PN 20331 and 3M™ Hookit™ Flexible Abrasive Hand Sheets



# 3M™ Hookit™ and Stikit™ Hand Sanding

- Helps make sanding more comfortable and more productive in hard-to-sand locations
- Range of sizes increases capabilities for precision hand sanding
- Bright yellow design helps to stand out in dusty shop conditions

Part No.	Shape	Size	Case Qty.	Features
05688		1-1/2 in x 2-5/8 in x 16 in	8 Blocks/Case	
05687		1-1/2 in x 2-5/8 in x 10-3/4 in	12 Blocks/Case	-
05686	Rectangle	1-1/2 in x 2-5/8 in x 5-1/4 in		-
05685		7/8 in x 1-3/8 in x 10-3/4 in	24 Blocks/Case	3M <sup>™</sup> Hookit <sup>™</sup> Sanding Blocks
05690		5/8 in x 2-1/2 in x 5-3/8 in	-	
05689	Round	1-1/4 in x 10-3/4	24 Blocks/Case	-
05691	Teardrop	2-1/8 in x 10-3/4 in	12 Blocks/Case	
05684	Various	6 Block Sizes	6 Kits/Case	3M™ Hookit™ Sanding Block Kit
05692	Various	6 Block Sizes	6 Kits/Case	3M™ Stikit™ Sanding Block Kit
05671	Stick	3 stick sizes: 10-3/4 in, 8 in, 5-1/4 in	10 Kits/Case	3M™ Stikit™ Sanding Stick Kit





# 3M™ P.A.R.T.S. Holding Rack

- 16-gauge steel construction provides durability and long product life
- Adjustable to 4 positions for optimal paint coverage
- Tubular construction, rounded corners and pads protect panels from scratches and dings
- Holds up to 200 lbs. in flat tabletop position to support a full range of parts and panels
- Folds for easy, efficient storage

Part No.	Size	Case Qty.
02514	30-1/2 in x 36 in x 34-1/4 in Tabletop Form	1/Case



# 3M™ S.M.A.R.T. Bumper Stand

- Stand positions bumper fascias and bumper covers at optimal height for painting and repair
- System rotates 90° and locks in five positions
- Locking positions hold bumper fascias and covers securely in place
- Caster wheels allow for easy mobility in the stop
- Accessory makes the job easier for automotive technicians

Part No.	Size	Case Qty.
02504	66 in x 55 in, Weighs 37 lbs	1/Case



# 3M™ C.A.R.T.S.

- Three large storage shelves help organize tools and supplies
- Sturdy metal construction provides durability
- Rubber caster wheels allow technicians to keep cart within easy reach
- Epoxy powder coating offers corrosion protection

Part No.	Size	Case Qty.
02510	19-3/4 in x 29-1/2 in x 32 in	1/Case



# **3M™** Abrasive Organizer

- Powerfully displays affiliation with trusted 3M<sup>™</sup> brand
- Fits in anywhere in the shop suitable for hanging on walls or placement on shelves
- 24-gauge steel construction resists dents and dings
- Includes locking clasp for padlock so users can keep products secure
- Keeps 3M<sup>™</sup> abrasive products and sanding supplies organized

Part No.	Size	Case Qty.	
02500	32-5/8 in x 12-1/8 in x 30-1/16 in	1/Case	



### **NEW!**



# 3M<sup>™</sup> Precision Poly Tape

- Premier masking tape easily curves to create sharp paint lines and intricate designs
- Engineered poly backing withstands exposure to liquids resulting in clean and consistent one-piece removal
- Tears easily by hand every time leaving a clean, straight tear without using sharp tools

Part No.	Size	Case Qty.	Features
36357	48mm x 55m (2 in x 60 yd)	12 Rolls/Case	7-day UV resistance for
36356	36mm x 55m (1-1/2 in x 60 yd)	16 Rolls/Case	use indoors or out — no adhesive transfer,
36354	18mm x 55m (3/4 in x 60 yd)	32 Rolls/Case	ghosting or slivering

# Scotch® Performance Green Masking Tape 233+

- Premium paper backing resists breaking, lifting and edge curl
- High conformability with clean removal and sharp paint lines
- Superior resistance to UV, moisture and solvents compared to other paper tapes



Part No.	Size	Case Qty.	Features
44608	96mm x 55m (3.78 in x 60 yd)	— 8 Rolls/Case	
26341	72mm x 55m (2.83 in x 60 yd)	— 8 Rolls/Case	
26340	48mm x 55m (2 in x 60 yd)	12 Rolls/Case	Go-to masking solution
26338	36mm x 55m (1-1/2 in x 60 yd)	16 Rolls/Case	for premiere collision repair shops
26336	24mm x 55m (1 in x 60 yd)	24 Rolls/Case	
26334	18mm x 55m (3/4 in x 60 yd)	48 Rolls/Case	

# 3M™ Automotive Refinish Masking Tape 388N

- Great usability fits contours and curves
- Sticks and stays with clean removal
- Robust backing that resists solvents and moisture



Part No.	Size	Case Qty.	Features
06656	48mm x 55m (2 in x 60 yd)	04 Palla (Oassa	
06654	36mm x 55m (1-1/2 in x 60 yd)	— 24 Rolls/Case	Designed for masking
06653	24mm x 55m (1 in x 60 yd)	36 Rolls/Case	before painting
06652	18mm x 55m (3/4 in x 60 yd)	48 Rolls/Case	

# 3M™ Highland™ Masking Tape 2727

- Highest adhesion masking tape, even in humid environments
- Quick stick for fast applications
- Consistent unwind and conformability



Part No.	Size	Case Qty.	Features	
06543	48mm x 55m (2 in x 60 yd)	— 24 Rolls/Case	Withstands bake temperatures up to 250°F (121°C) for up to one hour	
06542	36mm x 55m (1-1/2 in x 60 yd)	24 Rolls/ Case		
06544	24mm x 55m (1 in x 60 yd)	36 Rolls/Case — great for paint b		
06541	18mm x 55m (3/4 in x 60 yd)	48 Rolls/Case	applications	



# **3M™** Automotive Masking Tape

- Great for general purpose paint masking
- Good conformability and easy application and removal
- Minimal adhesive transfer for easy removal

Part No.	Size	Case Qty.	Features
06548	48mm x 55m (2 in x 60 yd)	— 24 Rolls/Case General purpose -	
06547	36mm x 55m (1-1/2 in x 60 yd)	— 24 Rolls/Case	interior and exterior
06545	18mm x 55m (3/4 in x 60 yd)	48 Rolls/Case of vehicle	



# 3M™ Precision Masking Tape

- Prevents seepage and edge bleed with waterborne and solvent paints
- Thinnest 3M tape for automotive for low profile paint lines, great for bumper covers and two-toning
- Semitransparent for better visibility

Part No.	Size	Case Qty.	Features
06528	48mm x 55m (2 in x 60 yd)	6 Rolls/Case	
06527	36mm x 55m (1-1/2 in x 60 yd)	8 Rolls/Case	Thinnest 3M tape — sharp, low-profile
06620	24mm x 55m (1 in x 60 yd)	— 12 Rolls/Case	
06529	19 v FF (2/4 in v 60 vd)	— 12 KUIIS/Case	paint edges
06526	- 18mm x 55m (3/4 in x 60 yd)	16 Rolls/Case	



# **3M™ Perforated Trim Masking Tape**

- Perforations allow for hand tearing without tools
- Hard band at the tape edge slightly lifts moldings from the body for concealed paint edges
- Speeds paint time no need to remove moldings, gaskets or windows

Part No.	Hard Band Width	Size	Case Qty.	Features
06348	15mm	- _ 50.8mm x 10m (2 in x 11 yd)		
06349	10mm		6 Rolls/Case	Rigid band along one edge slips gently between
06347	7mm		6 Rolls/Case	moldings and auto body surface
06345	5mm			3411400





- Foam tape softens hard paint lines in the jamb areas
- Fast, effective method masks and seals all jambs with adhesive that allows repositioning

Part No.	Size	Case Qty.	Product Name
06293	21mm x 49m (.83 in x 53.6 yd)	1 Roll/Case	3M™ Soft Edge Foam Masking Tape PLUS
06298	19mm x 35m (.04 in x 38.3 yd)	4.0.11/0	3M™ Soft Edge Foam
06297	13mm x 50m (.5 in x 54.6 yd)	1 Roll/Case	Masking Tape



# **3M<sup>™</sup> Smooth Transition Tape**

- Use to prevent sealer creep in jamb areas and to transition textured coatings
- Eliminates hard paint lines and minimizes rework for faster cycle times
- Center-adhesive design lets paint feather smoothly beneath tape edges

Part No.	Size	Case Qty.	Features
06800	7mm x 9m (1/4 in x 30 ft)	5 Rolls/Case	Creates smooth transitions to existing finishes



# 3M™ and Scotch® Fine Line Tapes

Part No.	Size	Case Qty.	Product Name
06409	18mm x 33m (3/4 in x 36 yd)	48 Rolls/Case	
06408	12mm x 33m (1/2 in x 36 yd)	72 Rolls/Case	3M <sup>™</sup> Vinyl Tape 471+
06405	6mm x 33m (1/4 in x 36 yd)	- 144 Rolls/Case	Sivi Vinyi lape 47 i+
06404	3mm x 33m (1/8 in x 36 yd)	144 Rolls/ Case	
26332	12mm x 55m (1/2 in x 60 yd)	48 Rolls/Case	
26344	6mm x 55m (1/4 in x 60 yd)	- 12 Rolls/Case	Scotch® Performance Green Masking Tape 233+
26343	3mm x 55m (1/8 in x 60 yd)	- 12 Rolls/ Case	maning rape too
36353	12mm x 55m (1/2 in x 60 yd)	72 Rolls/Case	
36351	6mm x 55m (1/4 in x 60 yd)	- 144 Rolls/Case	3M <sup>™</sup> Precision Poly Tape  NEW!
36350	3mm x 55m (1/8 in x 60 yd)	144 Rolls/ Case	101, 100
06525	6mm x 55m (1/4 in x 60 yd)	12 Rolls/Case	3M <sup>™</sup> Precision Masking Tape
06305	18mm x 55m (3/4 in x 60 yd)	_	
06303	12mm x 55m (1/2 in x 60 yd)	_	
06302	9mm x 55m (3/8 in x 60 yd)	_	
06301	6mm x 55m (1/4 in x 60 yd)	12 Rolls/Case	Scotch® Fine Line Tape 218
06307	5mm x 55m (3/16 in x 60 yd)	_	
06300	3mm x 55m (1/8 in x 60 yd)	_	
06308	2mm x 55m (3/32 in x 60 yd)		



# 3M™ Overspray Masking Liquid

- Protects all vehicle surfaces against automotive paint and primer overspray
- Covers hard-to-mask surfaces quickly and eliminates time-consuming bulk masking
- Applied using conventional spray equipment no additional costs for liquid masking

Part No.	Size	Case Qty.	Features
06834	55 Gallon		
06856	15 Gallon	1/Case	Destaurant
06851	5 Gallon		Dry formula
06847	1 Gallon	4/Case	
06855	55 Gallon	4/0	T 1 ( 1
06854	15 Gallon	1/Case	Tacky formula

# **3M<sup>™</sup> Surface Protection**

# 3M™ Dirt Trap Protection Material

- Specially engineered surface protection material protects shop walls and floors
- Nonwoven construction traps airborne contaminants, helping to control dust and overspray
- Adhesive backing keeps material in place and removes cleanly for a variety of substrates



Part No.	Size	Case Qty.	Features
36853	1.4m x 91.4m (56 in x 300 ft)		
36852	711mm x 91.4m (28 in x 300 ft)	1 Roll/Case	
36851	356mm x 91.4m (14 in x 300 ft)	_	White Material
36850	152mm x 91.4m (6 in x 300 ft)	4 Rolls/Case	
36849	102mm x 91.4m (4 in x 300 ft)	6 Rolls/Case	
37853	1.4m x 91.4m (56 in x 300 ft)	- 1 Roll/Case	Our Matarial
37852	711mm x 91.4m (28 in x 300 ft)	- I Roll/Case	Gray Material
36856	457mm x 30.5m (18 in x 100 ft)	1 Roll/Case	Clear Film

# 3M™ Self-Stick Liquid Protection Fabric

- Specially engineered surface protection material for industrial and automotive applications
- Temporarily protects surfaces from liquids, oils and solvents while also trapping dirt
- Adhesive backing keeps material secure and makes for fast, easy application



Part No.	Size	Case Qty.	Features
36882	1.4m x 91.4m (56 in x 300 ft)		
36881	1.2m x 91.4m (48 in x 300 ft)	_	
36880	914mm x 91.4m (36 in x 300 ft)	- 4 D II (O	
36879	711mm x 91.4m (28 in x 300 ft)	— 1 Roll/Case  Blue Fabric	
51005 NEW	711mm x 30.5m (28 in x 100 ft)		
36878	356mm x 91.4m (14 in x 300 ft)	_	
36877	152mm x 91.4m (6 in x 300 ft)	4 Rolls/Case	
36876	102mm x 91.4m (4 in x 300 ft)	6 Rolls/Case	



# 3M™ Booth Coating

- Spray-on coating applies conveniently with conventional spray equipment for paint booths
- Designed to protect walls, windows, lights and fixtures for optimal lighting and cleanliness
- Excellent solvent resistance for protection against paint and primer overspray

Part No.	Size	Case Qty.	Features
06840	5 Gallon	1/Case	Olassi
06839	1 Gallon	4/Case	Clear




# **3M™ Surface Protection Applicators**

Part No.	Size	Description	Product Name
36862	28 in	Magnetic for walls and other surfaces	3M <sup>™</sup> Dirt Trap Protection Material Dispenser
36863	18 in	Magnetic for windows and other surfaces	3M <sup>™</sup> Dirt Trap Protection Film Dispenser
36864	56 in	Versatile for floors and vertical wall application	3M <sup>™</sup> Dirt Trap Material Floor Applicator
36865	00:	Versatile for floors and vertical wall application	3M™ Dirt Trap Material Floor Applicator
36866	28 in	Extendable for walls	3M™ Dirt Trap Roller Wall Applicator



- High-density, tear-resistant, durable polyethylene sheeting/film masks vehicles from paint overspray and other contaminants during repairs
- 3M engineered static cling makes the film easy to handle for quick vehicle coverage
- The film is easy to cut so the required area can be removed with speed and accuracy







# Scotch® Steel Gray Masking Paper

- Designed for use with 3M<sup>™</sup> Masking Tapes and Equipment
- Thicker paper offers more tear resistance with little to no lint or fibers
- Specially treated to resist bleed-through of solvents, lacquers and enamels



Part No.	Size	Case Qty.	Color
55491	1.2m x 304.8m (48 in x 1000 ft)		
06536	914mm x 304.8m (36 in x 1000 ft)	1 Roll/Case	
06524	610mm x 304.8m (24 in x 1000 ft)	_	0 0
06518	457mm x 304.8m (18 in x 1000 ft)	2 Rolls/Case	Gray Paper
06512	305mm x 304.8m (12 in x 1000 ft)	3 Rolls/Case	
06506	152mm x 304.8m (6 in x 1000 ft)	6 Rolls/Case	





Polycoated backing to prevent solvent bleed-through

Optimized masking paper thickness for excellent conformability without linting



Part No.	Size	Case Qty.	Color
06736	914mm x 228.6m (36 in x 750 ft)	1 Roll/Case	
06718	457mm x 228.6m (18 in x 750 ft)	2 Rolls/Case	
06738	457mm x 54.8m (18 in x 180 ft)	12 Rolls/Case	0.110
06712	305mm x 228.6m (12 in x 750 ft)	3 Rolls/Case	Gold Paper
06732	305mm x 54.8m (12 in x 180 ft)	12 Rolls/Case	
06706	152mm x 228.6m (6 in x 750 ft)	6 Rolls/Case	



- Designed specifically for use with 3M<sup>™</sup> Masking Tapes and Equipment
- Flexible and pliable to cover irregular surfaces for higher productivity
- Tightly bonded construction makes for little or no lint or fibers



Part No.	Size	Case Qty.	Color	
06531	1.5m x 228.6m (60 in x 750 ft)	1 D-II /O		
06540	914mm x 228.6m (36 in x 750 ft)	— 1 Roll/Case		
06539	457mm x 228.6m (18 in x 750 ft)	2 Rolls/Case	White Paper	
06538	305mm x 228.6m (12 in x 750 ft)	3 Rolls/Case		
06537	152mm x 228.6m (6 in x 750 ft)	6 Rolls/Case		



# 3M™ PPS™ Lid & Liner Kits

# 3M™ PPS™ Series 2.0 Spray Cup System Kit

- New quarter-turn lid locking system locks lid to cup and eliminates paint build up and cross threading
- Redesigned adapters provide four points of connection from spray gun to lid, improving stability and confidence especially in large applications
- Domed lid geometry and a wider fluid spout allows up to 3 fl oz (90mL) of material to be held below the filter reducing inconsistent spray due to air-entrapment and sputter
- Full-diameter filters are built into every lid for the highest quality filtration; aids with fluid flow
- A new reusable hard cup is included in every lid/liner kit








Part No.	Description	Size	Micron Filter	Case Qty.	Contains
26024	Large	28 fl oz, 850mL			
26000	Standard	22 fl oz, 650mL			
26112	Midi	13.5 fl oz, 400mL	200	200 1 Kit/Case	
26114	Mini	6.8 fl oz, 200mL	-		System Kit
26028	Micro	3 fl oz, 90mL	=		Each kit contains:
26325	Large	28 fl oz, 850mL			<ul><li>50 lids and liners,</li><li>32 sealing plugs,</li></ul>
26301	Standard	22 fl oz, 650mL	- - 125 1 Kit/Case -	1 hard cup	
26312	Midi	13.5 fl oz, 400mL		1 Kit/Case	
26314	Mini	6.8 fl oz, 200mL			
26328	Micro	3 fl oz, 90mL			
26730	UV	00.0	125		System Kit Each kit contains: 50 lids and liners.
26710	Standard	22 fl oz, 650mL	200	1 Kit/Case	50 lids and liners, 32 sealing plugs, 1 hard cup
26172	Standard	22 fl oz, 650mL	- 000	0.161.70	Starter Kit Each kit contains:
26170	Midi	13.5 fl oz, 400mL	200	2 Kits/Case	6 lids and liners, 16 sealing plugs, 1 hard cup
26173	Standard	22 fl oz, 650mL	- 000	016, 10	Refill Kit Each kit contains:
26171	Midi	13.5 fl oz, 400mL	200	2 Kits/Case	12 lids and liners, 16 sealing plugs

# 3M™ PPS™ Lid & Liner Kits

# 3M™ PPS™ Lid & Liner Kit (Legacy)

- Kits contain disposable lids with micron filters, liners and sealing plugs
- Stock 3M<sup>™</sup> PPS<sup>™</sup> Lids & Liners efficiently and cost-effectively
- Available for 3M<sup>™</sup> Cups & Collars in five sizes for jobs ranging from spot repairs to 4-panel repairs
- All-in-one disposable solution for measuring, mixing, filtering, and spraying of paint materials
- Reduces the chance of outside contamination, maintains consistent material transfer and reduces paint consumption
- System enables the painter to consistently spray at 90 degrees to the part, no matter the part orientation (even upside down)









# 3M™ PPS™ Liner (Legacy)

- Designed for use with the 3M<sup>™</sup> PPS<sup>™</sup> and 3M<sup>™</sup> PPS<sup>™</sup> 2.0 paint systems
- Reduces chance of outside contamination, maintains consistent material transfer and reduces paint consumption



Part No.	Description	Micron Filter	Case Qty.
16351	Large	28 fl oz, 850mL	
16350	Standard	22 fl oz, 650mL	400 Lin / O
16349	Midi	13.5 fl oz, 400mL	100 Liners/Case
16348	Mini	6.8 fl oz, 200mL	

# 3M<sup>™</sup> PPS<sup>™</sup> System

# 3M™ PPS™ Series 2.0 Lid

- Features quarter-turn lid locking system, helping eliminate cross-threading and paint build-up
- Full-diameter filters built into every lid maximize filtration and fluid flow
- Domed design and wide spout allow up to 3 fl oz (90mL) to be held below the filter, reducing inconsistent spray due to air-entrapment and sputter

Part No.	Description	Micron Filter	Case Qty.
26200	Large/Standard	- 200	OF /Pack 1 Pack /Case
26204	Midi/Mini/Micro	200	25/Pack, 1 Pack/Case
26199	Large/Standard	- 125	OF /Dook 1 Dook /Coop
26205	Midi/Mini/Micro	- 125	25/Pack, 1 Pack/Case
26150	Large/Standard Type H/O Pressure Lid	200	25/Pack, 1 Pack/Case





# 3M™ PPS™ Lid (Legacy)

- Fits Large/Standard, Midi and Mini cup sizes for a wide range of jobs
- Choose 200 micron or 125 micron filters for solvent or waterborne paint systems

Part No.	Description	Micron Filter	Case Qty.
16200	Standard and Large		
16204	Midi	200	25 Lids/Case
16201	Mini	_	
16202	Standard and Large		
16199	Standard and Large	– 125	25 Lids/Case
16205	Midi		25 Lids/ Case
16203	Mini		









# 3M<sup>™</sup> PPS<sup>™</sup> Series 2.0 Cup

- Hard cups designed specifically for 3M<sup>™</sup> PPS<sup>™</sup> Series 2.0
- Mix ratios built into every hard cup no need for separate inserts
- 'Max Fill' notation allows users to fit maximum amount of fluid in cup


Part No.	Description	Size	Case Qty.	Features
26023	Large	28 fl oz, 850mL		
26001	Standard	22 fl oz, 650mL	2 Cups/Box	Clear access window lets you firmly grasp
26122	Midi	13.5 fl oz, 400mL	4 Boxes/Case	the liner, making lid removal easier during tinting/refilling
26115	Mini	6.8 fl oz, 200mL		unung/remmg
26124	Large/Standard Type H/O Pressure Cup		1 Cup/Box 2 Boxes/Case	Type H/O Pressure
26121	Midi/Mini/Micro Type H/O Pressure Cup		1 Cup/Box 4 Boxes/Case	- Cup, use with Type H/O Pressure Lid

# 3M<sup>™</sup> PPS<sup>™</sup> System









- Hard cups and collars support liners for the 3M<sup>™</sup> PPS<sup>™</sup> (Legacy) paint preparation system
- All-in-one disposable solution for measuring, mixing, filtering, and spraying of paint materials that reduces the chance of outside contamination and reduces paint consumption
- Reduces cleaning solvent consumption by up to 70% and reduces prep and clean-up time by up to 50%

Part No.	Description	Size	Case Qty.	Features
16023	Large	28 fl oz, 850mL	1/Carton, 4 Cartons/Case	
16001	Standard	22 fl oz, 650mL		
16122	Midi	13.5 fl oz, 400mL	2/Carton, 4 Cartons/Case	Hard cups and collars
16115	Mini	6.8 fl oz, 200mL		
16124	Large	28 fl oz, 850mL	2 Cups/Case	Type H/O Pressure Cup, Pressurized hard cups
16121	Mini	6.8 fl oz, 200mL	4 Cups/Case	and collars designed to efficiently spray thick, high viscosity liquids



# 3M™ PPS™ Lid and Liner Dispenser

- Dispenses all available liner sizes for both PPS<sup>™</sup> (Legacy) and PPS<sup>™</sup> Series 2.0
- Offers exceptional convenience to access PPS™ liners
- Keeps liners clean, neat, organized and free from contamination
- Top-loading access for reloading PPS™ liners
- Wall mountable

Part No.	Description	Sizes	Case Qty.
16299	Lid Dispenser	3M™ PPS™ Series 2.0: All sizes	
16219	Liner Dispenser	3M™ PPS™ (Legacy): Large, Standard, Midi	1/Case
16298	Lid and Liner Dispenser	3M™ PPS™ (Legacy): Mini and Micro	_



# 3M™ PPS™ Series 2.0 Sealing Plug

- Wide, flat design makes a stable base when cups are turned upside down
- Excellent for temporary sealing and protection of coatings
- Keep filters wet for longer life, fewer lid replacements
- Use to seal lid while mixing in paint shakers

Part No.	Description	Case Qty.
26432	Fits all sizes of 3M™ PPS™ Series 2.0 Lids	96 Plugs/Pack, 6 Packs/Case



# 3M™ PPS™ Series 2.0 Universal Shaker Core

- Double-sided design
- Excellent for shops where paint shakers are used
- Forms durable clamping surface for 3M™ PPS™ Series 2.0 hard cups in paint shakers
- Fits with quarter-turn lid locking system for tight, reliable hold
- Absorbs and distributes force from shaker for longer equipment life

Part No.	Description	Case Qty.
26458	Works with all 3M™ PPS™ Series 2.0 hard cup sizes	12

# 3M™ Accuspray™ Spray Gun System



# 3M<sup>™</sup> Accuspray<sup>™</sup> ONE Spray Gun System with 3M™ PPS™ Series 2.0

### Redesigned gun frame with increased durability

- All-in-ONE packaged display for retail, in-store placement
- Features 3M™ Accuspray™ ONE Spray Gun ONE gun meets all of your spraying needs
- Includes replaceable atomizing heads for spraying of primer, sealer, base and clear coat
- Fast, simple head replacement affords the performance of a brand new spray gun on demand
- Atomizing heads can be used on any 3M<sup>™</sup> Accuspray<sup>™</sup> replaceable atomizing head spray gun

Part No.	Case Qty.	Contains	
26580	4/Case	Kit: 3M <sup>™</sup> Accuspray <sup>™</sup> ONE spray gun, Accuspray <sup>™</sup> Atomizing Heads (1 each: 1.2mm, 1.3mm, 1.4mm, 1.8mm, 2.0mm), air control valve, color ID clips, 3M <sup>™</sup> PPS <sup>™</sup> 2.0 22 oz Mixing Cup, 3M <sup>™</sup> PPS <sup>™</sup> 2.0 Lids & Liners (4 – 200 micron filter, 1 – 125 micron filter), 3M <sup>™</sup> PPS <sup>™</sup> Sealing Plugs	NEW!



# 3M<sup>™</sup> Accuspray<sup>™</sup> ONE Spray Gun Kit for 3M<sup>™</sup> PPS<sup>™</sup> Series 2.0

### Redesigned gun frame with increased durability

- Combines the simplicity and easy maintenance of our 3M™ Accuspray™ spray gun with the material saving, rapid clean up convenience of PPS™ Series 2.0, our next generation, highest performing disposable spray cup system
- Replaceable atomizing heads afford the performance of a new gun, on demand and at a fraction of the cost

Part No.	Case Qty.	Contains	
26578	2/Case	<b>Kit:</b> 3M <sup>™</sup> Accuspray <sup>™</sup> ONE spray gun, Accuspray <sup>™</sup> Atomizing Heads (1 each: 1.2mm, 1.3mm, 1.4mm, 1.8mm, 2.0mm), air control valve, color ID clips	NEW!

# 3M™ Accuspray™ Atomizing Head for 3M™ PPS™ Series 2.0

- Designed specifically for use with 3M<sup>™</sup> PPS<sup>™</sup> Series 2.0 our next generation, highest performing disposable spray cup system
- Atomizing heads are available for spraying of primer, sealer, base and clear coat
- All atomizing heads are interchangeable for use with 3M™ Accuspray™ ONE Spray Gun
- Size is presented clearly on each atomizing head for fast, accurate selection
- Fast, simple head replacement affords the performance of a brand new spray gun on demand
- See-through design makes it easy to see when the heads are clean



Part No.	Size	Color	Case Qty.	Features
26620	– 2.0mm	D- J	4/Pack, 6 Packs/Case	
26586	– 2.Umm	Red -	1/Pack, 5 Packs/Case	
26618	1.0	Clear -	4/Pack, 6 Packs/Case	_
26585	– 1.8mm		1/Pack, 5 Packs/Case	_
26614	4.4		4/Pack, 6 Packs/Case	Works with
26584	– 1.4mm	1.4mm Orange	1/Pack, 5 Packs/Case	<ul> <li>3M™ Accuspray™ ONE and 3M™ PPS™ 2.0 Systems</li> </ul>
26613	4.0	0	4/Pack, 6 Packs/Case	_
26583	– 1.3mm	Green -	1/Pack, 5 Packs/Case	
26612	1.0	Dl	4/Pack, 6 Packs/Case	
26582	– 1.2mm	Blue -	1/Pack, 5 Packs/Case	_

# 3M<sup>™</sup> Accuspray<sup>™</sup> Spray Gun System



# 3M™ Accuspray™ ONE Spray Gun System with 3M<sup>™</sup> PPS<sup>™</sup> (Legacy)

- All-in-one solution for mixing/measuring, filtering and spraying of liquid coating material
- Replaceable atomizing heads afford the performance of a brand new gun on demand
- Selection of atomizing heads allows for spraying of primer, sealer, base and clear coat

Part No.	Case Qty.	Contains
16580	4/Case	Kit: 3M <sup>™</sup> Accuspray <sup>™</sup> ONE spray gun, Accuspray <sup>™</sup> Atomizing Heads (1 each: 1.2mm, 1.3mm, 1.4mm, 1.8mm), air control valve, color ID clips, 3M <sup>™</sup> PPS <sup>™</sup> 22 oz Mixing Cup & Collar, 3M <sup>™</sup> PPS <sup>™</sup> Lids & Liners (4 – 200 micron filter, 1 – 125 micron filter), 3M <sup>™</sup> PPS <sup>™</sup> Sealing Plugs



# 3M<sup>™</sup> Accuspray<sup>™</sup> ONE Spray Gun for 3M<sup>™</sup> PPS<sup>™</sup> (Legacy)

- Durable, lightweight 1-piece composite spray gun body contains no gaskets, seals or O-rings, eliminating maintenance kits
- Easily-operated controls allow for up to 12 inch vertical or horizontal spray pattern
- Works with replaceable atomizing heads for 3M<sup>™</sup> PPS<sup>™</sup> (Legacy) for a full range of fluids, from primers to clear coat

Part No.	Case Qty.	Contains
16578	4/Case	<b>Kit:</b> 3M <sup>™</sup> Accuspray <sup>™</sup> ONE spray gun, Accuspray <sup>™</sup> Atomizing Heads (1 each: 1.2mm, 1.3mm, 1.4mm, 1.8mm, 2.0mm), air control valve, color ID clips
16579	4/Case	3M <sup>™</sup> Accuspray <sup>™</sup> ONE spray gun, airflow control valve, color ID clips
16587	1/Case	<b>Kit:</b> 3M <sup>™</sup> Accuspray <sup>™</sup> HGP spray gun, Accuspray <sup>™</sup> Atomizing Heads (2 each: 1.8mm, 2.0mm), air control valve

# 3M<sup>™</sup> Accuspray<sup>™</sup> Atomizing Head for 3M<sup>™</sup> PPS<sup>™</sup> (Legacy)

- Selection of replaceable atomizing heads for application of low- to high-viscosity coatings
- Allows for spraying of primer, sealer, base and clear coat from ONE gun
- Fast, simple head replacement the performance of a brand new spray gun on demand
- See-through design makes it easy to see when the heads are clean



Part No.	Size	Color	Case Qty.	Features
16609	2.0mm	Red	4/Kit, 6 Kits/Case	
16611	10	Clear	4/Kit, 6 Kits/Case	
16585	1.8mm		1/Pack, 10/Case	- - - Works with 3M™ Accuspray™ ONE
16612		_	4/Kit, 6 Kits/Case	
16584	1.4mm	Orange	1/Pack, 10/Case	
16614	4.0	Green	4/Kit, 6 Kits/Case	and 3M™ PPS™ (Legacy)
16583	1.3mm		1/Pack, 10/Case	
16582	4.0		1/Pack, 10/Case	
16615	1.2mm	Blue	4/Kit, 6 Kits/Case	

# **Accessories**



### 3M™ High Power Spray Gun Cleaner

- Helps reduce the use of cleaning solvents
- Compatible for cleaning waterborne and solvent-based coatings
- Aerosol cleaner is low VOC less than 25 g/L (meets SCAQMD Rule 1171(c)(i)).
- Designed for use on metal spray equipment or composite/plastic components

Part No.	Size	Case Qty.	Features
26689	15 oz (426g)	6/Case	Extension tube included with each can



# 3M™ SUN GUN™ II Light Kit

- Replicate natural sunlight to better match automotive and industrial paint colors
- Evaluate damage for better estimates of cost of repair
- Locate defects prior to painting vehicle or substrate
- Identify imperfections in paint quality
- Improve the professionalism of automotive and industrial paint jobs

Part No.	Case Qty.	Contains
16550	1	Kit: 3M™ Sun Gun™ light with 50 watt bulb, rechargeable battery and charger with power supply



- Adapter converts typical spray guns into ones that work with the 3M™ PPS™ Series 2.0 or 3M™ PPS™ (Legacy) paint preparation system
- Specifically designed adapters, allows painters to use the 3M™ PPS™ with virtually any spray gun
- Stainless steel adapter offers exceptional durability
- Threaded adapter is easy to install
- All-in-one solution reduces chance of outside contamination, delivers consistent material transfer for improved quality and reduced paint consumption
- 3M™ PPS™ reduces cleaning solvent consumption by 70 percent



Most Popular Adapters*						
PPS™ 2.0 Part No.	Туре	PPS™ 1.0 Legacy Part No.	Туре	Case Qty.		
26003	#S2	16003	Type 2			
26016	#S9	16016	Type 9			
26046	#S15	16046	Type 15	4/Kit, 1 Kit/Case		
26135	#S40	16135	Type 40			
26139	#S43	16139	Type 43			

\*Need a new 3M™ PPS™ Series 2.0 or 3M™ PPS™ Adapter for your spray gun? Find a complete list of adapters at 3MCollision.com/PPSadapters



# 3M™ Hookit™ Purple Finishing Film Abrasive Disc

- Long-lasting abrasive disc produces easy-to-polish finish
- Specially formulated coating reduces pigtails and boosts abrasive life
- Flexible, durable film backing increases conformability
- Hookit™ attachment system makes for fast, efficient disc change-outs







		rast, emclent disc change t	
Part No.	Grade	Size	Case Qty.
30671	P600		
30670	P800		
30669	P1000	6 in	
30668	P1200	- 0 III	
30667	P1500		
30666	P2000		
30571	P600		50 Discs/Box 4 Boxes/Case
30570	P800		
30569	P1000	— 5 in	
30568	P1200	— 5 III	
30567	P1500		
30566	P2000		
30371	P600		-
30370	P800		
30369	P1000		
30368	P1200	— 3 in	
30367	P1500		
30366	P2000		

For tools, see pages 28-29

# 3M™ Hookit™ Purple Finishing Film Abrasive Disc Dust Free

- Premium dust-free finishing discs available in 7 hole, and 17 hole patterns designed to meet your dust extraction needs
- Specially formulated coating reduces pigtails and boosts abrasive life
- Flexible, durable film backing increases conformability
- Hookit<sup>™</sup> attachment system makes for fast, efficient disc change-outs





Part No.	Grade	Size	Case Qty.	Features
30771	P600			7 Hole for dust extraction
30770	P800			
30769	P1000	- 6 in	50 Discs/Box	
30768	P1200		4 Boxes/Case	
30767	P1500			
30766	P2000			
34780	P600			17 Hole for dust extraction
34781	P800			
34782	P1000	C :	50 Discs/Box	
34783	P1200	- 6 in	4 Boxes/Case	
34784	P1500			
34785	P2000			

# 3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA

- Film backing provides control and responsiveness during wet sanding spot repair
- Part of the 3M™ Perfect-It™ Paint Finishing System for high gloss, deep color finishes
- Patterned, precise mineral structures provide a combination of fast cut and consistent finish



Part No.	Grade	Size	Case Qty.	Features
02088	088	6 in		P1500 grit is ideal for leveling dust nibs and sanding of mismatched orange peel
02095	P1500	5 in	25 Discs/Box 4 Boxes/Case	
02094		3 in	_	mismatched orange peer



# 3M™ Trizact™ Hookit™ Blending Abrasive Disc 443SA

- Patterned, precise mineral structures provide fast cut and consistent finish
- Foam backing adds control, preserves orange peel for better texture matching
- Can be used damp to limit loading and extend disc life

Part No.	Grade	Size	Case Qty.	Features
02090	D1000	6 in	15 Discs/Box	P1000 it is ideal for scuff
02091	P1000	3 in	4 Boxes/Case	sanding blend panels

For tools, see pages 28-29

# **3M™ Trizact™ Hookit™ Foam Abrasives**

- Part of the 3M<sup>™</sup> Perfect-It<sup>™</sup> Paint Finishing System for high gloss and deep color paint finishes
- Patterned, precise mineral structures provide a combination of fast cut and consistent finish
- Long lasting, even-wearing abrasive can reduce or eliminate extra materials and even full stages in specific cases



Part No.	Grade	Size	Case Qty.	Features		
3M™ Trizact™ Ho	okit <sup>™</sup> Foam A	brasive Discs				
02085	3000					
30662	5000	_	15 Discs/Box 4 Boxes/Case			
30806	8000	6 in				
30809	8000		10 Discs/Box 4 Boxes/Case			
02096	3000	_		Ideal for refining sand scratches to help reduce		
30562	5000	5 in	15 Discs/Box 4 Boxes/Case	the amount of time spent compounding		
30805	8000					
02087	3000					
30362	5000	3 in	15 Discs/Box 4 Boxes/Case			
30804 NEW	<b>/!</b> 8000					
30808 NEW	3000 & 8000	6 in	4 Boxes/Case	Multi grade kit		
3M™ Trizact™ Ho	3M™ Trizact™ Hookit™ Foam Sheets					
30190	3000		5 Sheets/Box 10 Boxes/Case			
30290	3000		15 Sheets/Box 4 Boxes/Case			
30189	5000	2-3/4 in x 5-1/2 in (70mm x 140mm)	5 Sheets/Box 10 Boxes/Case	Ideal for painted surfaces where buffing is difficult		
	5000		15 Ch+- /D			

15 Sheets/Box

4 Boxes/Case 5 Sheets/Box

10 Boxes/Case



### 3M™ Paint Defect Removal Abrasive Circle Sheet



8000

30289

30803 NEW!

- Minimizes repair area attaches to small handheld cylinder for cutting out nibs
- Durable film backing holds up during dry or wet sanding
- Coated aluminum oxide abrasive is optimized for sanding small areas



Part No.	Grade	Size	Case Qty.	Features
33889	P1000			
33892	P1500			
33895	P2000	32mm	10 Sheets/Box 10 Boxes/Case	3M™ Paint Defect Removal Abrasive Circle Sheet Stikit™ attachment
33898	P2500			SURIT ALLACIMENT
33901	P3000	_		
33909	-	30mm x 29mm	1/Bag 10 Bags/Case	Handheld cylinder



- Waterproof backing supports wet applications for decreased loading and a faster cut
- Paper backing offers excellent flexibility in hands on applications
- Can be easily cut and folded to fit any hand tool or work piece crevice



Part No.	Grade	Size	Backing	Case Qty.	Features
02043	P220	0120	backing	- Ouse Gry.	reactives
02042	P240				
02040	P320	_			213Q Family
02038	P400	— 9 in x 11 in	A-weight	50 Sheets/Box 5 Boxes/Case	Aluminum Oxide abrasive cuts fast
02037	P500	_		o boxes/ cuse	and provides a consistent, fine finish
02036	P600				
02035	P800	_			
02034	1000				
02033	1200				401Q Family Silicon carbide mineral is our fastest-cutting abrasive for a
02032	1500	— 9 in x 11 in		50 Sheets/Box 5 Boxes/Case	
02020	2000	_	A-weight		
02019	2500	_			
01999	3000				
02021	1000	_			
02022	1200	_			superior finish
02023	1500	— 5-1/2 in x 9 in			
02044	2000				
02045	2500	_			
01998	3000				
02621	1000				4240 Family
02622	1200				434Q Family Silicon carbide
02623	1500	5-1/2 in x 9 in	C-weight	50 Sheets/Box 5 Boxes/Case	mineral abrasive provides a refined
02624	2000				cut without heavy manual pressure
02625	2500				a.idai pi oodai o







# **3M<sup>™</sup> Wetordry<sup>™</sup> Tools and Accessories**

Part No.	Description	Size	Case Qty.	Features
05526	Sponge Pad	2-3/4 in x 5-1/2 in x 3/8 in	10 Packs/ Case	<ul> <li>For wet or dry sanding</li> <li>Durable and soft material supports abrasives for consistency and control</li> <li>Can be used on either side for easier sanding and longer pad life</li> </ul>
05518	Rubber	2 in x 3 in	50/Case	Sized for a comfortable and secure hold,
05517	Squeegee	2-3/4 in x 4-1/4 in		<ul><li>Use to wipe away swarf and water from work surface,</li><li>Gentle on surfaces</li></ul>
02513	Rubber Bucket	3 gallon	10/Case	<ul> <li>For wet sanding,</li> <li>Tray fits into bucket for tool storage and drying</li> </ul>









# **3M™ Perfect-It™ EX Family**

- The EX platform delivers fast cut, longer wet times and reduced sling you use less product, and you spend less time cleaning up
- Each 3M™ Perfect-It™ compounding and polishing pad is color-coded to match the appropriate Perfect-It™ liquid
- Double-sided pads feature our Quick Connect system that makes it easy to quickly lock and center the pads to a large range of standard rotary polishers

Part No.	Size	Case Qty.	Features	
3M™ Perfect-It	™ EX AC Rubbii	ng Compound		
36058	1/2 Pint	12/Case	Rubbing compound for removing	
36060	Quart	6/Case	P1200 or finer sand scratches  Effective even on hard-to-buff clear and	
36061	Gallon	4/Case	other coatings	
30041	4 in	2/Bag, 6 Bags/Case		
33284	6 in	— 6/Case	White Foam Compounding Pad (eliminate lint, finest finish)	
05706	8 in	— 6/Case		
30040	4 in	2/Bag, 6 Bags/Case		
33288	6 in	— 6/Case	Low Lint 100% Wool Compounding Pad (reduce lint, better finish)	
33279	9 in	— 6/Case	,	
33287	6 in	- 6/Case	100% Wool Compounding Pad	
05753	9 in	- 6/Case	(fastest cut and less heat)	
3M <sup>™</sup> Perfect-It	t <sup>™</sup> EX Machine I	Polish		
06093	1/2 Pint	12/Case		
06094	Quart	6/Case	Machine polish for removing swirl marks after compounding	
06095	Gallon	4/Case		
30042	4 in	2/Bag, 6 Bags/Case		
33285	6 in	— 6/Case	Gray Foam Polishing Pad	
05707	8 in	- O/Case		
3M <sup>™</sup> Perfect-It	t <sup>™</sup> EX Ultrafine I	Machine Polish		
06097	1/2 Pint	12/Case		
39062	Pint	— 6/Case	Machine polish for removing ultrafine swirl marks to produce high gloss finish	
06068	Quart	6/ Case	even on dark colored vehicles	
06069	Gallon	4/Case		
30043	4 in	2/Bag, 6 Bags/Case		
33286	6 in	6/0000	Blue Foam Utrafine Polishing Pad	
05708	8 in	- 6/Case		


# **3M™ Perfect-It™ 1-Step Finishing Material**

- Fast cutting finishing material designed to remove 8000 and finer scratches
- Eliminate the use of traditional rubbing compounds
- $\bullet$  Leaves a high gloss finish with minimum swirl marks

Part No.	Size	Case Qty.	Features	
33038	1/2 Pint	12/Case	Polishing solution removes	
33039	Quart	6/Case	3M™ Trizact™ 8000	NEW!
33040	Gallon	4/Case	abrasive scratches	
33033	4 in	2/Bag, 6 Bags/Case		
33034	6 in	6/0	Purple Foam Finishing Pad	NEW!
33035	8 in	— 6/Case		



For tools, see page 29



# Meguiar's® Cleaners











Part No.	Size	Container	Case Qty.	Features
D10705	5 Gallon	Drum	1/Case	Meguiar's® Citrus Power Cleaner Plus  • Fast and effective for both interior and exterior cleaning across many surfaces
D10701	1 Gallon	Container	4/Case	<ul> <li>Advanced formula is solvent-free and low foaming for safe and effective cleaning</li> <li>Safe on carpet, upholstery, leather, plastics,</li> </ul>
D20107PK12	32 oz	Bottle	12/Case	engines, wheel wells, and more • Ideal for use in hot or cold extractors, air-powered tools and via spray bottle
D10805	5 Gallon	Drum	1/Case	M
D10801	1 Gallon	Container	4/Case	Meguiar's® Super Degreaser     Strong and fast acting for the toughest jobs     Residue-free performance     Pleasant fragrance
D20108	32 oz	Bottle	12/Case	• Freasant fragrance
D11305	5 Gallon	Drum	1/Case	Meguiar's® Citrus Blast Wash & Wax  • Citrus Blast scent and high lubricity cleaners are sure to make this a new favorite bucket wash among pros and enthusiasts  • Specially formulated to clean all exterior
D11301	1 Gallon	Container	4/Case	vehicles surfaces using less time and water  • Premium carnauba wax protection offers noticeable pop and gloss  • Unique formula allows foam to quickly break and saves precious water during rinse step
D12005	5 Gallon	Drum	1/Case	Meguiar's® Glass Cleaner Concentrate • Glass cleaner concentrate easily and
D12001	1 Gallon	Container	4/Case	consistently removes tough vinyl fog residue and smoker's film  • Removes road grime, dirt and bug splatter leaving crystal clear, streak-free glass
D20120	32 oz	Bottle	12/Case	Ease and convenience of a spray-on, wipe-off product saves on time
M3401	1 Gallon	Container	4/Case	Moquier's® Mirror Clore® Einel Iron4:
M3416	16 oz	Bottle	6/Case	Meguiar's® Mirror Glaze® Final Inspection

# Meguiar's® Cleaners















Part No.	Size	Container	Case Qty.	Features
Tire and Wheel	Cleaners			
D14005	5 Gallon	Drum	1/Case	Meguiar's® Wheel Brightener  • Safe and effective on clear-coated, factory painted, and chrome wheels
D14001	1 Gallon	Container	4/Case	Quickly and easily removes tough and stubborn brake dust     Effective at removing tar, dirt, and grime with
D20140	32 oz	Bottle	12/Case	little or no scrubbing  • Spray-on, hose-off with water, wipe  • Concentrate can be diluted up to 4:1
D14305	5 Gallon	Drum	1/Case	Meguiar's <sup>®</sup> Non-Acid Wheel and Tire Cleaner
D14301	1 Gallon	Container	4/Case	<ul> <li>Effective and easy cleaning on wheels and tires</li> <li>Quickly removes brake dust, road grime, light grease and dirt</li> </ul>
D20143	32 oz	Bottle	12/Case	Spray on, lightly agitate, hose off
D14305	5 Gallon	Drum	1/Case	Meguiar's® Silicone Free Dressing
D16101	1 Gallon	Container	4/Case	<ul> <li>High-performance dressing that can be used in any silicone-sensitive environment</li> <li>Produces an incredibly deep, rich glossy shine on all exterior rubber and plastic surfaces</li> </ul>
D2016	32 oz	Bottle	12/Case	
D180105	5 Gallon	Drum	1/Case	Meguiar's® Wheel & Paint Iron DECON  • Highly effective pro-strength iron remover engineered for both wheels and paint
D180101	1 Gallon	Container	4/Case	<ul> <li>Rapidly removes iron and changes colors</li> <li>Gentle pH neutral formula is safe on all wheels and painted brake components</li> <li>Gel formula clings to wheels to remove road</li> </ul>
D201801PK12	32 oz	Bottle	12/Case	grime, grease and iron  Safely and effectively removes iron particles from body panels too
<b>Detailing Clay</b>				
C2000 Mild	- 200 g	Tub	12/Case	Meguiar's® Mirror Glaze® Professional Detailing Clay  • Quickly and easily removes bonded surface contaminants
C2001 Aggressive	200 g	Tub	izi ousc	Restores a "smooth as glass" finish     Completely non-abrasive and safe on clear coat and single stage paint
Cleaners for Ve	ehicle Inte	riors		
D106	1 Gallon	Container	4/Case	Meguiar's® Pro Fiber Rinse & Tannin Stain Remover  • Fast tannin stain remover (Coffee, tea, wine)  • Carpet and cloth seats pH neutralizer  • Minimizes re-soiling
D116	1 Gallon	Container	4/Case	Meguiar's® Pro Protein Stain Remover • Fast protein based stain remover (Milk, food, and organic matter)



# Festool Automotive Systems Compressed Air Eccentric Sander LEX 3

- Extremely sturdy design ensures a long service life, minimal servicing requirements
- FUSION-TEC sanding pad with Jetstream technology directs dust to edges for longer abrasive life
- Ergonomic non-slip tool design enhances ease of use and reduces fatigue
- Connects quickly to Festool dust extraction systems



# Festool Automotive Systems Compressed Air Eccentric Sander LEX 3 77/2.5

- Extremely sturdy design ensures a long service life, minimal servicing requirements
- FUSION-TEC sanding pad with Jetstream technology directs dust to edges for longer abrasive life
- Ergonomic non-slip tool design enhances ease of use and reduces fatigue
- Connects quickly to Festool dust extraction systems

Part No.	Description	Size	Stroke Rate	Contains
29949	LEX 3 77/2.5	3 in	2.5mm	Operation tool, sanding pad, bottle of cleaning and lubricating oil



# Festool Automotive Systems Random Orbit Sanders ETS EC

- Low profile and ergonomic controls make for easy one-handed sanding
- 400W brushless motor requires less venting for lower dust accumulation
- Vibration control system slows speed when needed, reducing fatigue
- Carbide-tipped pad brake resists wear
- Arrives preset to switch off if not connected to dust extraction

Part No.	Description	Size	Stroke Rate	Contains
29943	ETS EC 150/3 EQ	6 in	3mm	0
29945	ETS EC 150/5 EQ	6 in	5mm	Operation tool, sanding pad





# **Festool Automotive Systems Geared Eccentric Sander RO 150 FEQ-Plus**

- Versatile dual-mode operation no need to switch tools for rotary and random orbital sanding
- Nearly 1 HP, 720W motor delivers plenty of power
- FastFix system allows for quick pad changes without tools
- MULTI-JETSTREAM technology directs dust to edges for longer abrasive life

Part No.	Description	Size	Stroke Rate	Contains
29941	RO 150 FEQ-Plus	6 in	5mm	Operation tool, sanding pad, Systainer SYS 3 T-LOC



# **Festool Automotive Systems Rotary Polisher** SHINEX RAP 150-14-FE

- Truly versatile all-purpose two-speed polisher
- Trigger-activated accelerator simply squeeze harder for speeds up to 1,400 or 2,100 RPM
- Gear unit is sturdy, powerful and dependable across entire speed range
- Temperature-dependent overload protection helps ensure long service life

Part No.	Description	Size	Case Qty.	Features
29940	SHINEX RAP 150-14 FE	6 in	1/Case	Contains: Operation tool, polishing pad, additional side-mounted hand grip
33271	3M <sup>™</sup> Quick Connect Adaptor	14mm / 0.6 in	10/Case	Allows quick changes of buffing pads
33660	3M™ Screw On Buffing Pad Adaptor	14mm / 0.6 in spindle	10/Box	Attaches buffing pads or backup pads to polishers



# 3M™ Non-Vacuum Orbital Sander

- Ideal for flat surface finishing and sealer sanding
- Compact, lightweight with a grip-from-the-top design for less fatigue
- Precision-balanced and designed for smooth operation

Part No.	Size	Orbit	Max OPM	Case Qty.
20331	3 in x 4 in	1/8 in	10,000	1/Case



# 3M™ Hookit™ Sanding Block Dust Free


- Has small holes for use with a vacuum system to limit dust and loading
- Helps reduce hand fatigue and make sanding challenging locations easier
- Sanding blocks delivers more consistent and effective hand sanding results

Part No.	Size	Case Qty.
05216	4.5 in x 11.5 in (115mm x 225mm)	3/Case
05209	2.75 in x 15.59 in (70mm x 396mm)	1/Case
05208	2.75 in x 7.5 in (70mm x 198mm)	5.40
05207	2.75 in x 5 in (70mm x 127mm)	5/Case



# Festool Automotive Systems Sanding Blocks HSK-A

- Sanding block vacuums while you sand and is easy to handle and control
- Versatile system is perfect for everything from flat surfaces to contours





Case Qty.

1/Case

# **Festool Automotive Systems Sanding and Interface Pads**





Part No.	Size	Description	Case Qty.	Features
<b>Festool Sandin</b>	g Pads ST-ST	F		
30002	7.25 in	Soft		Pads offer high performance
30063	6 in	Medium		sanding <ul><li>Backing Pads in ultra soft,</li></ul>
30064	6 in	Soft	5/Case	soft and hard options  • MULTI-JETSTREAM 2
30068	6 in	Hard		Technology increases airflow  Compatible with all LEX 3 and
29956	3 in	Hard		ETS EC sanders sanding
Festool Interfa	ce Pads			
30093	6 in	15mm thick		<ul> <li>Increased airflow results in cooler running</li> </ul>
30092	6 in	5mm thick	10/Case	<ul> <li>Pad offers optimal thickness for sanding curved components</li> </ul>
229930	3 in	10mm thick		<ul> <li>Hook and loop design offers quick abrasive changes</li> </ul>



# Festool Automotive Systems Mobile Dust Extractor CT 36

- Compact turbine delivers consistent power up to 137 CFM
- Flat HEPA filter design keeps filter out of containment area for greater capacity
- Tool-triggered auto start suction can start automatically as the tool is switched on
- Sys-Dock allows for storage and transport of Festool Systainers (sold separately)
- Large wheels, low center of gravity greatly limit tipping and improve mobility
- Use with the Festool Workcenter WCR 1000 for better workplace organization

Part No.	Dimensions	Container Size	Contains
29947	24.8 in x 14.4 in x 23.5 in (630mm x 365mm x 596mm)	9.5 gal	SELFCLEAN filter bag, suction hose, hose holder, Sys doc, cable holder, in a carton











# **Festool Automotive Systems Hoses**

- Designed for use with Festool power tools, accessories and dust extractors
- Anti-static design helps prevent dust accumulation for cleaner operation
- Flexible hose makes job easier for automotive technicians

Part No.	Size	Case Qty.	Features
29889	16.4 ft (5m)	4/0	Festool CT Suction Hose Plug-It  Suction hose is suitable for sanding application
29890	32.8 ft (10m)	- 1/Case	<ul> <li>Hose resists temperatures to 158°F (70°C)</li> <li>Accessory comes complete with rotating adapter and reducing sleeve with bayonet fitting</li> </ul>
29899	16.4 ft (5m)	1/Case	Festool Suction Hose Durable, pliable 27mm hose resists kinking and tearing Includes rotating connector — compatible with wide range of Festool equipment Prevents clogging inside the hose for efficient work time
29916	16.4 ft (5m)	_	Festool IAS 3-Light AS Hose
30005	32.8 ft (10m)	1/Case	<ul> <li>2-in-1 hose and IAS interface are easy to use and save time when changing tools</li> <li>Rotating adapter ensures smooth, rapid working progress</li> </ul>
29924	24 ft (7m)	-	and saves time
Part No.	Description		Case Qty.





- Use for connecting compatible Festool compressed air sanders directly to hoses
- Allows for fast, efficient operation of Festool tools without dust extraction
- Works with Festool IAS 3 interface sanders
- Increase speed for jobs such as finishing work where dust evacuation is not a priority
- Allows greater consistency no need to change from Festool equipment for specific jobs

Part No.	Size	Case Qty.
29917	90mm	1/Case



# Festool Automotive Systems Compressed Air Module

- Compressed air module is ideal for high production environments
- Air module drives pneumatic sanders with tool triggered activation
- Required accessory for use with all Festool pneumatic tools

Part No.	Use With	Case Qty.
29901	Festool CT 26/36 dust extractors	1/Case



# Festool Automotive Systems Sortainer Sys 4 TL SORT/3

- Contains three large drawers for convenient storage and transport
- Drawers are flexibly divisible for smaller parts
- Drawers lock in place, preventing equipment loss during transport
- Flush construction drawers won't jam even if equipment shifts
- T-LOC system allows for easy connection with Systainers, Sortainers and Festool CT **Dust Extractors**

Part No.	Dimensions	Case Qty.
29964	15.6 in x 11.7 in x 12.7 in (396mm x 296mm x 322mm)	1/Case



# Festool Automotive Systems Workcenter WCR 1000

- Compact and mobile connects without tools to nearly any Festool mobile dust extractor
- Adjustable height columns help keep equipment within easy reach, allow for Systainer storage
- Grooved columns accept a range of hooks and holders
- Metal pegboard and peg hooks allow for personalized configuration
- Includes storage shelf, peg hooks, pivoting tray and two double hooks for hanging tools

Part No.	Dimensions	Case Qty.	Features
29921	41.3 in x 14.3 in x 21.5–30.9 in (1050mm x 362mm x 545–785mm)	1/Case	Customize with additional hooks, trays and accessories




# Festool Automotive Systems Toolcenter TC 3000/2

- Durable, mobile storage and transport of machines and tools
- Lockable cabinet provides secure storage for tools and machines
- Lower dock is designed for attaching and storing Festool dust extractors
- Includes hose holder hook: additional accessories available

Part No.	Size	Case Qty.	Features
29948	470mm x 1070mm x 960mm	1/Case	Weight 43 kg / 94.8 lbs

# **Festool Automotive Systems Main Filter**



- Filter design allows full use of canister and filter bag volume
- High efficiency system reduces dust in a shop environment
- Filter is compliant with EPA RRP guidelines
- Replacement filter for CT 26/36 models

Part No.	Size	Case Qty.
29938	HEPA-HF-CT, 26/36/48	1/Case



# **Festool Automotive Systems Self Cleaning Filter Bags**

- High-quality cloth filter bag works with mobile dust extractors
- Self-cleaning feature cleans dust deposits inside the filter bag automatically
- High suction power offer efficient cleaning
- Fleece filter eliminates caking inside the bag

Part No.	Use With	Case Qty.
29905	CLEANTEC 26 and CLEANTEC 36	5/Case



# **Festool Automotive Systems Cleaning and Lubricating Oil**

- Formula is suitable for LEX and LRS models
- Cleaning properties keep residue from building up
- Lubricating properties allow gears to operate smoothly

Part No.	Size	Case Qty.
29894	50mL bottle	10/Case



# Festool Automotive Systems Replacement Air Inlet LEX 3

- Part is designed to exchange a damaged air connection piece
- Genuine Festool replace part offers compatibility to the system
- Replacement piece is designed to maintain optimal performance




Part No.	Tool	Case Qty.
29931	LEX 3/77	5.40
29932	LEX 3/150	5/Case



# **Festool Automotive Systems O-Rings**

- Replacement o-rings for Festool sanders including LEX 3 and LRS
- Provides an airtight seal inside the tool attachment at the extractor hose
- Helps ensure peak performance of sanding and dust extraction equipment

Part No.	Size	Case Qty.
29954	Universal	20/Case





# **3M<sup>™</sup> Versaflo<sup>™</sup> Powered Air Purifying Respirator**

- The TR-800 is a PAPR blower rated at Division I for Classes I, II, and III under the most current UL standard (UL 60079, 6th Edition, 2013)
- More options for more tasks choose from particulate filters or gas and vapor combination cartridges for protection in a variety of environments
- Work at your own speed multiple airflow rates put you in control of your comfort
- When clean is critical easy-to-clean belt and disposable breathing tube covers save time and effort, paving the way for more productivity

Part No.	Contain	ns	Case Qty.
3M <sup>™</sup> Versa	aflo™ Powered Air Purifying Respirator	Painter's Kit TR-800-PSK	
94248	<ul> <li>M-206 Respiratory Faceshield Assembly</li> <li>BT-20L Breathing Tube</li> <li>TR-6510N (OV/HE) Cartridge</li> <li>TR-641N Single Station Battery Charger</li> <li>BT-922 Breathing Tube Cover</li> <li>TR-802N Intrinsically Safe PAPR Unit</li> </ul>	<ul> <li>TR-830 Intrinsically Safe Battery</li> <li>TR-838 Battery Attachment Tool</li> <li>TR-627 Easy Clean Belt</li> <li>TR-6500 Filter Cover</li> <li>TR-971 Airflow Indicator</li> <li>TR-653 Storage and Cleaning Kit</li> </ul>	1/Case
Accessori	es		

Accessori	es	
37361	3M <sup>™</sup> Versaflo <sup>™</sup> Organic Vapor/HEPA Cartridge TR-6510N, for TR-600/800 PAPR	5/Case
37381	3M™ Versaflo™ Filter Cover TR-6500FC, for TR-6500 Series Cartridges	1/Case
37299	3M <sup>™</sup> Versaflo <sup>™</sup> Respiratory Faceshield Assembly M-206, with Comfort Faceseal	1/Case
37323	3M™ Versaflo™ Standard Visor M-925	5/Case
17379	3M™ Versaflo™ Length Adjusting Breathing Tube BT-30	1/Case
37385	3M™ Versaflo™ Back Pack Adaptor TR-655, for TR-600/800 PAPR	1/Case
17358	3M <sup>™</sup> Versaflo <sup>™</sup> Back Pack BPK-01 for TR-600/800 PAPR	1/Case







# **Particulate Respirators**

- NIOSH approved for at least 95% filtration efficiency against certain non-oil based particles
- Designed for use in grinding, sanding and buffing applications in the automotive aftermarket
- Adjustable M-noseclip helps to reduce eyewear fogging and helps a better seal and fit
- 3M Advanced Electret Media (AEM) is designed for ease of breathing
- Disposable

Part No.	Description	Case Qty.
07048	3M <sup>™</sup> Particulate Respirator, N95	20/Case
07185	3M <sup>™</sup> Particulate Respirator 8511, N95	80/Case
07189	3M™ Particulate Welding Respirator 8515, N95	80/Case







# Half and Full Facepiece Respirators

- NIOSH approved for respiratory protection against certain organic vapors and particulates
- Lightweight well-balanced design enhances comfort
- Disposable model helps reduce maintenance issues for greater convenience
- Half facepiece design is ideal for intermittent use

Part No.	Description	Size	Case Qty.
Disposable R	espirators		
07192	3M™ Half Facepiece Disposable Respirator Assembly 52P71	М	12/Case
07193	3M <sup>™</sup> Half Facepiece Disposable Respirator Assembly 53P71	L	12/Case
Reusable Res	pirators		
37082	3M™ Half Facepiece Reusable Respirator 7502	М	10/Case
37083	3M <sup>™</sup> Half Facepiece Reusable Respirator 7503	L	10/Case
89421	3M™ Ultimate FX Full Facepiece Reusable Respirator FF-402	М	4/Case
89424	3M™ Ultimate FX Full Facepiece Reusable Respirator FF-403	L	4/Case
Accessories			
17309	3M <sup>™</sup> Organic Vapor Monitor 3510 with Prepaid Analysis		5/Case
89486	3M <sup>™</sup> Lens Cover FF-400-15		100/Case
89487	3M <sup>™</sup> Semi-Permanent Lens Protector FF-400-17		20/Case
07046	3M <sup>™</sup> Organic Vapor Cartridge		30/Case
07194	3M™ Particulate Filter 5P71, P95		100/Case
17668	3M <sup>™</sup> Filter Retainer 501		100/Case
07184	3M™ Particulate Filter 2097, P100		100/Case















# 3M™ H8A Headgear/WP96 Faceshield

- Safety system comes with headgear and faceshield together
- Molded faceshield provides impact protection
- Five position crown strap and thirteen position ratchet suspension offer customized fit
- Meet the requirements of ANSI Z87+

Part No.	Size	Case Qty.	Features
82783	Standard	5/Case	Headgear H8A and Faceshield WP96
82701		10/Case	Faceshield WP96



# 3M™ Disposable Protective Coverall

Size

Part No.

• Protective coverall helps protect against certain light liquid splashes and hazardous dusts

**Features** 

- Microporous PE laminate offers a barrier against hazardous particles and liquid splashes
- Breathable, SMMMS fabric back panel helps improve air ventilation and helps reduce heat build-up
- Reinforcement gusset between the legs to help provide increased durability during bending and squatting

Case Qty.

3M™ Disposable Protective Coverall 4540+						
49806	М	25/Case	<ul> <li>Elasticized hood, ankles and waist</li> <li>2 way zip with fully sealable storm flap</li> <li>3-panel hood</li> <li>Knitted cuffs</li> </ul>			
49807	L					
49808	XL					
49809	XXL		Low linting			
49810	3XL		<ul> <li>Collared and hooded available</li> <li>Anti-static</li> </ul>			
49811	4XL					
3M™ Disposable	3M <sup>™</sup> Disposable Protective Coverall 4535					
46815	М					
46822	L		<ul> <li>Elasticized hood, ankles and waist</li> </ul>			
46823	XL	20/000	2 way zip with storm flap     Knitted cuff			
46825	XXL	20/Case	Low linting			
55879	3XL		Anti-static			
55880	4XL					



3M <sup>™</sup> Disposable Overboot Covers 450	
	Flastic

			<ul> <li>Elastic at the calf</li> </ul>
52570	Universal	100 Pair/Case	<ul> <li>Reduced slip sole</li> </ul>
			Δnti-static







# **Hearing Protection**

Part No.	Description	Case Qty.	Features
Earmuffs			
93726	3M™ PELTOR™ X4 Earmuffs X4A	10/Case	Over-the-head
08071	3M™ PELTOR™ Optime™ 101 Earmuffs H7A	10/Case	Over-the-head
08062	3M <sup>™</sup> PELTOR <sup>™</sup> Optime <sup>™</sup> 95 Earmuffs H6B/V	10/Case	Over-the-ear
Earplugs			
93401	3M™ E-A-R™ Pistonz™ Earplugs P1400	400 Pair/Case	Uncorded
93402	3M <sup>™</sup> E-A-R <sup>™</sup> Pistonz <sup>™</sup> Earplugs P1401	400 Pair/Case	Corded
92952	3M™ E-A-R™ Skull Screws™ Earplugs P1301	480 Pair/Case	Corded
12002	3M™ E-A-R™ Classic™ Earplugs 312-1201	2000 Pair/Case	Uncorded









# **Safety Eyewear**

Part No.	Description	Case Qty.	Features
65717	3M <sup>™</sup> SecureFit <sup>™</sup> Protective Eyewear SF201AF	20/Case	Clear
65721	3M™ SecureFit™ Safety Glasses SF202AS	20/Case	Gray
27475	3M <sup>™</sup> SecureFit <sup>™</sup> Safety Glasses SF401AF-FM	20/Case	Foam/Clear
66211	3M <sup>™</sup> SecureFit <sup>™</sup> Protective Eyewear SF401AF	20/Case	Clear Anti-fog
66212	3M™ SecureFit™ Protective Eyewear SF402AF	20/Case	Gray Anti-fog
11872	3M™ Virtua™ CCS Protective Eyewear 11872-00000-20	20/Case	Foam/Gray Anti-fog
27185	3M™ Solus™ 1000-Series Safety Glasses S1201SGAF-KT	20/Case	Foam/Clear Anti-Fog
27455	3M™ GoggleGear™ 500 Series GG501SGAF	20/Case	Clear Anti-Fog
11476	3M <sup>™</sup> Light Vision <sup>™</sup> 2 Protective Eyewear 11476-00000-10	10/Case	Clear Anti-Fog

### **▲** WARNING: HEARING PROTECTION

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For correct use, consult supervisor and the products *User Instructions*, or call 3M Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

### **A WARNING: RESPIRATORS**

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the User Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 29 CFR 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in sickness or death. For correct use, consult supervisor and the products User Instructions, or call 3M Technical Service in U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.



## **A** WARNING: PROTECTIVE EYEWEAR

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For correct use, selection, and applications against flying particles, optical radiation and/or splash consult supervisor, and the products *User Instructions* and WARNINGS on the package, or call 3M Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.

# For more information, visit 3MCollision.com





3M Automotive Aftermarket Division 3M Center, Building 223-06S-07 St. Paul, MN 55144 USA

Phone 1-877-666-2277 Web 3MCollision.com









Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, <u>customer</u> is solely responsible for proper evaluation (including, but not limited to, fitness for purpose and suitability of application), selection, and use of 3M products. Safety products should always be selected and used in accordance with all applicable regulations and standards (e.g., OSHA, ANSI, and others), after conducting a proper hazard assessment. Failure to properly evaluate, select, and use a 3M product may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

3M, Cool Flow, Cubitron, Hookit, Optime, PELTOR, Pistonz, Platinum, Roloc, Scotch-Brite and Virtua are trademarks of 3M Company. All other trademarks are property of their respective owners. Please recycle. Printed in USA. © 3M 2019. All rights reserved. 60-4402-8006-7