



*The Finest of  
Finishing Products™*

PRODUCT CATALOG



Presta® Products is dedicated to serving the professional market by providing high-quality, specialty finishing and cleaning products such as compounds, polishes, detailing chemicals and accessories to automotive, industrial, and recreation customers.

These products have been specifically formulated to deliver exceptional results for all your high-end needs. Clear coat, single stage, gel coat, new or old – Presta’s products create a dazzling, mirror-like finish. And we know our products are the finest available because our customers have helped design them for their needs!

Our operating principles are built on the philosophy of being “Our Customers’ Best Partner” and we bring this to life at every interaction:

- On-site, proprietary R&D lab where our products are developed and tested
- Specialized sales team offering a systematic approach to operating with documented processes, regulatory knowledge and workplace safety training
- Dedicated customer service team to assist with product knowledge
- A comprehensive line that meets the needs of a wide variety of customers
- An exceptional value, Presta products combines best-in-class performance with time and cost savings
- Partnerships with a wide variety of businesses including body shops, distributors and OEMs
- Part of the I-CAR® Industry Training Alliance™ helping to educate industry professionals

Today, our innovative spirit and commitment to quality is alive and well in Barberton, Ohio. A part of Malco Products, Inc., we’ve been owned and operated by the same family through three generations since 1953. Every day, the Presta story is told in collision shops in small towns and major cities across the country.

We’re excited to share our products and services in this catalog. Please contact your Presta representative or distributor if you have questions or would like to share your insight with us. We think you will agree, Presta is The Finest of Finishing Products™.

Welcome to Presta Products!

Stuart Glauberman  
President

Seth R. Glauberman  
VP of Sales and Marketing




## TABLE OF CONTENTS

SURFACE PREPARATION	Scuff Stuff® is the most efficient & effective paint prep product on the market	2
BUFFING SYSTEM SELECTION	Choose the right buffing system to fit your needs	3
PACE™ PAINT FINISHING SYSTEM	A one-step system designed to work with a dual-action orbital polisher, PACE cuts P1500 sand scratches and finishes without swirls for a show-car finish	4
ULTRA 2 STEP® BUFFING SYSTEM	Everything you need when using a rotary buffer, from compounding to polishing to protecting your flawless, swirl-free finish	6
ULTRA BUFFING SYSTEM	The tried-and-true, industry standard	8
STANDARD OPERATING PROCEDURES	Pick the right solution to rotary buff and polish clears	10
SPECIALTY BUFFING COMPOUNDS	Effective buffing compounds to meet specific job needs and preferences	11
BUFFING PADS	Choose the pad that works for you	12
EXTERIOR DETAILING	Professional cleaning and pre-delivery appearance products	15
INTERIOR DETAILING	Complete professional appearance products for vehicle interiors	21
HEADLIGHT LENS RESTORATION	Durable and effective system restores dull, yellow headlight lenses to a like-new appearance	22
ACCESSORIES	Everything a shop needs: delivery systems to storage options; sprayers to microfiber cloths	24
EDUCATION & WORK PLACE SAFETY	Presta® offers a variety of courses through the I-CAR® Industry Training Alliance™, and provides GHS-Compliant packaging	26





SCUFF STUFF® SURFACE PREP



Proper surface preparation is critical during and after the painting process as surfaces need to be properly prepared for lasting paint adhesion to take place. Two of the most common concerns for improper topcoat adhesion typically occur in blend areas and on plastic surfaces such as bumper covers.

**Scuff Stuff® Surface Prep** is the ideal paint prep product for these types of common concerns because it's efficient and effective, saving you time and money:

- Contains super-fine abrasives that create a consistent surface profile helping coatings spread flatter and bond more securely to the treated surface
- Water-soluble formula that cleans away waxes, road films and dirt at the same time without causing sand scratch swelling

**32 FL. OZ. #131732**  
**3 KG (6.6 LB. TUB) #131730**



SELECTING THE RIGHT PRODUCTS

Selecting the best product for each job is critical in achieving high-performance results, and saving both time and money. On the next few pages you will find a wide variety of buffing and polishing products to help you accomplish the desired outcome of a flawless, swirl-free show-car finish.

What's Best for Me?

Achieving optimal results when correcting and finishing vehicle surfaces requires a system of buffing compounds, polishes, pads and accessories. Presta's systems – for both dual-action orbital polishers and rotary buffers – are geared to the broad-range demands from a fast-paced production environment to a custom shop.

FOR ORBITAL POLISHERS



- PACE™ Paint Finishing System (See page 4)**
- One-step process that reduces inventory, uses less product and eliminates the guess work
  - Designed to work with a dual-action orbital polisher
  - Cuts P1500 sand scratches and finishes without swirls
  - Great cutting power and polishing action uses less sand paper, saving time and money

FOR ROTARY BUFFERS



- Ultra 2 Step® Buffing System (See page 6)**
- Everything needed for complete paint refinishing after sanding
  - Designed to work with a rotary buffer
  - Two-step system that cuts P1500 sand scratches and leaves a swirl-free finish
  - Works with both hard and standard clears

- Ultra Buffing System (See page 8)**
- Three-step system that cuts P1500 sand scratches and leaves a swirl-free finish
  - Designed to work with a rotary buffer
  - Works with both hard and standard clears

Our color-coded, stepped-approach systems allow you to select the number of steps that fit your job. From our one-step PACE™ Paint Finishing System to our multi-step Ultra Buffing Systems, Presta has the right combination for your needs. And best of all, each system pairs the tool with the compound with the pad so you don't have to worry about having the wrong component.

Let's find the right system for you!





PACE™ PAINT FINISHING SYSTEM KIT 133090S



**PACE™ Paint Finishing System** is a one-step process that's easy to use, reduces inventory, uses less product and eliminates the guess work. Designed to work with a dual-action orbital polisher, PACE allows collision centers to cut P1500 sand scratches and finish without swirls. The great cutting power and polishing action lets you use less sand paper, saving time and money. Coupled with its ease of use, shops will see cycle times improve ... and that means more cars out the door. Each kit contains the following:

- 16 fl. oz. PACE™ Heavy Cut Compound #133116
- 16 fl. oz. PACE™ Medium Cut Compound #133216
- 16 fl. oz. PACE™ Ultimate Polish #133316
- 16 fl. oz. Protective Glaze #133716
- PACE™ Purple Foamed Wool Heavy Cut Pad (6.25") #890197
- PACE™ Grey Foam Heavy Cut Pad (6.5") #890194
- PACE™ Orange Foam Medium Cut Pad (6.5") #890195
- PACE™ Black Foam Ultimate Polish Pad (6.5") #890196
- Foam Pad Conditioning Brush #890080
- 5 Ultra-Soft Edgeless Microfiber Cloths #800136
- PACE Poster #800596R

PACE™ HEAVY CUT COMPOUND



A correcting and polishing compound that removes up to P1500 sand scratches.

- Polishes to a deep gloss in one step
- Reduces cycle times
- Specially formulated for use with dual-action orbital polishers
- Contains no filler, waxes or silicones

32 FL. OZ. #133132  
16 FL. OZ. #133116  
8 FL. OZ. #133108

PACE™ MEDIUM CUT COMPOUND



A correcting and polishing compound that removes up to P2500 sand scratches.

- Polishes to a deep gloss in one step
- Reduces cycle times
- Specially formulated for use with dual-action orbital polishers
- Contains no filler, waxes or silicones

32 FL. OZ. #133232  
16 FL. OZ. #133216  
8 FL. OZ. #133208

PACE™ ULTIMATE POLISH



Can be used as a one-step finish for enhancing the appearance of a vehicle where light correction with a deep gloss is desired.

- Can also be used as a final step after PACE™ Heavy Cut Compound or PACE™ Medium Cut Compound to achieve a deep, show-car-level gloss
- Specially formulated for use with dual-action orbital polishers

32 FL. OZ. #133332  
16 FL. OZ. #133316  
8 FL. OZ. #133308

PACE™ PROTECTIVE GLAZE



A breathable and durable product that is an ideal last step in the PACE™ Paint Finishing System process. This advanced formula goes on easily and wipes off quickly, producing a deep, long-lasting gloss.

- Beautifies and protects freshly painted surfaces
- Allows surfaces to fully cure without causing solvent pop
- Can also be used to heighten gloss on nonrepaired vehicle areas, making it ideal for pre-delivery prep

16 FL. OZ. #133716

FINAL SANDING GRIT	ONE-STEP PRODUCT	PAD SELECTION
P1500 <b>ONE STEP HEAVY</b>	 Heavy Cut Compound	<div>Hard Clears → </div> <div>Soft Clears → </div>
P2500 <b>ONE STEP MEDIUM</b>	 Medium Cut Compound	

GLOSS ENHANCERS/PROTECTION	PAD SELECTION
 Ultimate Polish  Protective Glaze	

**PRESTA®-BRANDED FLEX ORBITAL POLISHER**

Presta has partnered with FLEX to bring you one of the leading and most innovative dual-action orbital polishers to use with the PACE™ Paint Finishing System. The FLEX XC3401VRG dual-action orbital polisher's smooth acceleration and uniform, controlled motion makes it ideal for novices and pros alike.

- Box and machine are co-branded Presta and FLEX
- Machine will come with a 5½" backing plate that will work with the 6.5" pad
- 1-year warranty

**Dual-Action Orbital Polisher #890009**



ULTRA 2 STEP® BUFFING SYSTEM SHOP PAK #139090S



The buffing and accessory items in the **Ultra 2 Step® Buffing System** Shop Pak provide everything you need for complete paint refinishing after sanding - from compounding to polishing to protecting your flawless, swirl-free finish. Each kit contains the following:

- 32 fl. oz. Ultra 2 Step MaxCut™ Compound #139032
- 32 fl. oz. Ultra 2 Step Finishing Polish #139432
- 32 fl. oz. Ultra Complete Glaze™ #144132
- 22 fl. oz. Spray 'N Shine™ Instant Detailer #130922
- Black & White Wool Compounding Pad #890146
- White Foam Waffle Compounding Pad #890171
- Grey Foam Waffle Polishing Pad #890172
- Yellow Foam Backing Plate #810116
- 5 Ultra-Soft Edgeless Microfiber Cloths #800136

**ULTRA 2 STEP® MAXCUT™ COMPOUND**

A fast-cutting compound specifically designed to remove P1500 and finer sand scratches on hard or fast-drying production clear coats.

- Super-hard abrasive engineered for the latest clear coat technologies
- Cleans up quickly
- Contains no fillers, waxes or silicones

**1 GAL. #139001**  
**32 FL. OZ. #139032**  
**8 FL. OZ. #139008**



**ULTRA 2 STEP® CUTTING COMPOUND**

A fast-cutting compound designed to remove P1500 and finer sand scratches on most new and aged clear coats.

- See-through formula for visibility of performance while buffing
- Cleans up quickly
- Contains no fillers, waxes or silicones

**1 GAL. #139301**  
**32 FL. OZ. #139332**  
**8 FL. OZ. #139308**



**ULTRA 2 STEP® FINISHING POLISH**

An advanced all-in-one polish and swirl remover for use on both new and aged clear coat painted surfaces after compounding.

- Time-saving, single step creates a flawless, swirl-free finish
- Cleans up quickly
- Contains no fillers, waxes or silicones

**1 GAL. #139401**  
**32 FL. OZ. #139432**  
**8 FL. OZ. #139408**



**ULTRA COMPLETE GLAZE™**

Ultra Complete Glaze™ offers durable yet breathable paint protection that won't cause solvent pop.


- Easy-on / easy-off application for quick pre-delivery prep
- Breathable film ideal for freshly-cured paint
- Silicone-free formula offers 30 days of protection

**32 FL. OZ. #144132**  
**8 FL. OZ. #144108**



STEP 1


**Ultra 2 Step MaxCut™ Compound**  
Great for Fresh and Hard Clear Applications



White FoamPad (#890171)  
Speed = 1200-1600 rpm / Recommended Speed = 1400 rpm  
Black & White Wool Pad (#890146)  
Speed 1600-2200 rpm / Recommended Speed = 1800 rpm

OR

**Ultra 2 Step Cutting Compound**  
Great for Standard and Aged Clear Applications



White FoamPad (#890171)  
Speed = 1200-1600 rpm / Recommended Speed = 1400 rpm  
Black & White Wool Pad (#890146)  
Speed 1600-2200 rpm / Recommended Speed = 1800 rpm

STEP 2

Remove lighter scratches/swirls with  
**Ultra 2 Step Finishing Polish**



Grey Waffle Foam Pad (#890172)  
Speed = 1000-1600 rpm  
Recommended Speed = 1400 rpm

PROTECTION

Add breathable protection with  
**Ultra Complete Glaze™**



Apply by hand



**NEW SOP's** (Standard Operating Procedures) for Clearcoat Buffing

CLEARCOAT BUFFING STANDARD OPERATING PROCEDURE

Most Popular Clearcoat Brands

PROCESS: AFTER 24 HOUR CURE - USE PROCESS BELOW

When Clearcoat has cured longer than 24 hours refer to applicable SOP

STEP	COMPOUND	BUFFING PAD	BUFFING SPEED
1	Ultra 2 Step MaxCut Compound	White Foam Pad	1400 RPM
2	Ultra 2 Step Finishing Polish	Grey Waffle Foam Pad	1400 RPM

**SEE PAGE 10 AND PICK THE RIGHT SOLUTION TO ROTARY BUFF AND POLISH CLEARS**



ULTRA BUFFING SYSTEM SHOP PAK #136089S



The buffing and accessory items in the **Ultra Buffing System** Shop Pak provide everything you need for complete paint refinishing after sanding - from compounding to polishing to protecting your flawless, swirl-free finish. Each kit contains the following:

- 32 fl. oz. Ultra Cutting Crème™ #131932
- 32 fl. oz. Ultra Polish #133532
- 32 fl. oz. Swirl Remover #133632
- 32 fl. oz. Ultra Complete Glaze™ #144132
- 22 fl. oz. Spray 'N Shine™ Instant Detailer #130922
- Single-Sided Black Wool Pad #890140
- Single-Sided Green Wool Pad #890143
- Single-Sided Blue Foam Pad #890145
- Yellow Foam Backing Plate #810116
- 5 Ultra-Soft Edgeless Microfiber Cloths #800136

ULTRA CUTTING CREME™



Aggressive compound developed to remove P1500 & finer sand scratches on new & aged clear coat paint.

- Removes medium/heavy scratches & produces a high-gloss finish
- Cleans up quickly
- Contains no waxes, fillers or silicones

1 GAL. #131901  
32 FL. OZ. #131932  
3 KG (6.6 LB. TUB) #131905  
8 FL. OZ. #131908-6  
POUCH #131903



ULTRA POLISH



A polish/cleaner that removes minor surface imperfections from new or aged automotive paint.

- Removes compounding swirls to produce a high-gloss finish
- Cleans up quickly
- Contains no waxes, fillers or silicones

1 GAL. #133501  
32 FL. OZ. #133532  
8 FL. OZ. #133508



SWIRL REMOVER



The final step for the ultimate, flawless, swirl-free finish. Perfect for dark colored cars.

- Removes swirl marks from fresh and cured paint surfaces
- Cleans up quickly
- Contains no waxes, fillers or silicones

1 GAL. #133601  
32 FL. OZ. #133632  
8 FL. OZ. #133608



ULTRA COMPLETE GLAZE™



Ultra Complete Glaze™ offers durable yet breathable paint protection that won't cause solvent pop.

- Easy-on / easy-off application for quick pre-delivery prep
- Breathable film ideal for freshly-cured paint
- Silicone-free formula offers 30 days of protection

32 FL. OZ. #144132  
8 FL. OZ. #144108



ULTRA BUFFING SYSTEM

STEP 1



Ultra Cutting Crème™

Buff sand scratches with Ultra Cutting Crème™ and Black Wool Pad (#890140)

Speed = 1600-2200 rpm  
Recommended Speed = 1800 rpm

STEP 2



Ultra Polish

Remove lighter scratches/swirls with Ultra Polish and Green Wool Pad (#890143)

Speed = 1200-1800 rpm  
Recommended Speed = 1600 rpm

STEP 3

If you have a light/medium color vehicle, skip this step and go to "Protection"

FOR DARKER VEHICLES



Swirl Remover

Use Blue Foam Pad (#890145)

Speed = 1000-1600 rpm  
Recommended Speed = 1400 rpm

PROTECTION



Ultra Complete Glaze™

Add breathable protection with Ultra Complete Glaze™



Apply by hand



**SEE PAGE 26**  
FOR A VARIETY OF  
COURSES OFFERED  
THROUGH THE I-CAR®  
INDUSTRY TRAINING  
ALLIANCE™



# Pick the right solution to Rotary Buff & Polish Clears

**NEW SOP's** (Standard Operating Procedures) for Clearcoat Buffing



## CLEARCOAT BUFFING STANDARD OPERATING PROCEDURE

**CLEARCOAT:** Most Popular Clearcoat Brands

**PROCESS:** AFTER 2 HOUR CURE - USE PROCESS BELOW

When clearcoat has cured longer than 24 hours refer to alternate SOP

APPROVED BY:  
Applications & Technical  
Support Team

### P1500 FINAL SAND SCRATCHES\*

STEP 1	COMPOUND	BUFFING PAD	BUFFING SPEED
	 Buff sand scratches with Ultra 2 Step® MaxCut™ Compound 32 OZ. #139032 1 GAL. #139001	 BLACK & WHITE WOOL #890146	1400 RPM

STEP 2	POLISH	BUFFING PAD	BUFFING SPEED
	 Remove lighter scratches & swirls with Ultra 2 Step® Finishing Polish 32 OZ. #139432 1 GAL. #139401	 GREY WAFFLE FOAM #890172	1000 RPM

\* When compounding with white waffle foam pad #890171, sand to P3000 and buff at 1400 RPM.  
CAUTION: Adhere to all paint manufacturer application recommendations including direction on dry times, cure methods, temperature and humidity variations among others. Departure from paint manufacturer recommended procedures may have adverse effects on quality of final finish.

**OPTIMAL PROTECTION**  
For durable and breathable paint protection for up to 30 days, apply Ultra Complete Glaze™ by hand.

PRESTA PRODUCTS • 800.860.4488 • [www.PRESTAPRODUCTS.com](http://www.PRESTAPRODUCTS.com)

At Presta, we've created Standard Operating Procedures to help you determine the correct rotary buffing system, pad, and speed for any clearcoat.



## SPECIALTY BUFFING COMPOUNDS

### SUPER CUT COMPOUND + WHITE WOOL

A very aggressive cutting compound designed to remove P800 and finer sand scratches on Fiberglass, gel coat and painted surfaces in marine and industrial applications. For heavy oxidation.



**WHITE WOOL PAD #890141**  
1 GAL. #134501  
32 FL. OZ. #134532  
8 FL. OZ. #134508-6

**RANGE:** 1600 - 2200 rpm  
Recommended buffing speed: 1800 rpm



### GEL COAT COMPOUND + WHITE WOOL

A quick-cutting compound designed to remove P1000 and finer sand scratches on Fiberglass, gel coat and painted surfaces in marine and industrial applications. For moderate oxidation.



**WHITE WOOL PAD #890141**  
1 GAL. #138501  
32 FL. OZ. #138532  
8 FL. OZ. #138508-6

**WOOL RANGE:** 1600 - 2200 rpm  
Recommended buffing speed: 1800 rpm



### ULTRA CUTTING CRÈME LIGHT™ + YELLOW WOOL & FOAM

A mildly abrasive compound designed to remove P2000 grit or finer sand scratches from any painted surface. Removes light scratches and helps match gloss of non-repaired areas to refinished surfaces. For light oxidation



**YELLOW WOOL PAD #890142**  
**YELLOW FOAM PAD #890154**  
1 GAL. #133401  
32 FL. OZ. #133432  
8 FL. OZ. #133408

**WOOL RANGE:** 1400 - 2000 rpm  
Recommended buffing speed: 1800 rpm  
**FOAM RANGE:** 1000 - 1600 rpm  
Recommended buffing speed: 1400 rpm













**B** = BODY SHOP SAFE **VOC** = VOC COMPLIANT **W** = WATER-BASED

SPECIALTY BUFFING  
COMPOUNDS

Visit [www.PrestaProducts.com](http://www.PrestaProducts.com) to find the right SOP for Rotary Buffing



<div> CORE ROTARY BUFFING PADS</div>		
BLACK & WHITE - HEAVY CUT	REMOVES HEAVY TO MEDIUM SAND SCRATCHES	
100% WOOL - 9" SINGLE-SIDED HOOK & LOOP	890146	
BLACK - HEAVY CUT	REMOVES HEAVY TO MEDIUM SAND SCRATCHES	
WOOL - 9" SINGLE-SIDED HOOK & LOOP	890140	
WOOL - 9" DOUBLE-SIDED SCREW-ON	890161	
WOOL - 9" DOUBLE-SIDED QUIK CONNECT	890083WD	
WHITE - HEAVY CUT	REMOVES HEAVY TO MEDIUM SAND SCRATCHES	 
100% WOOL - 9" SINGLE-SIDED HOOK & LOOP	890141	
100% WOOL - 9" DOUBLE-SIDED SCREW-ON	810073	
100% WOOL - 9" DOUBLE-SIDED QUIK CONNECT	890082WD	
FOAM WAFFLE - 8.5" SINGLE-SIDED HOOK & LOOP	890171	
YELLOW - MEDIUM CUT	REMOVES MEDIUM TO LIGHT SAND SCRATCHES	 
BLENDED WOOL - 9" SINGLE-SIDED HOOK & LOOP	890142	
BLENDED WOOL - 9" DOUBLE-SIDED SCREW-ON	810074	
BLENDED WOOL - 9" DOUBLE-SIDED QUIK CONNECT	890084WD	
FOAM - 8.5" SINGLE-SIDED HOOK & LOOP	890154	 
GREEN - LIGHT CUT/POLISH	REMOVES LIGHT SAND SCRATCHES	
BLENDED WOOL - 9" SINGLE-SIDED HOOK & LOOP	890143	
BLENDED WOOL - 9" DOUBLE-SIDED SCREW-ON	890163	
BLENDED WOOL - 9" DOUBLE-SIDED QUIK CONNECT	890085WD	
FOAM - 8.5" SINGLE-SIDED HOOK & LOOP	890156	
GREY - POLISH / FINISH	FOR POLISHING & SWIRL REMOVAL	
FOAM WAFFLE - 8.5" SINGLE-SIDED HOOK & LOOP	890172	 
BLUE - SOFT POLISH	FOR FINE POLISHING & SWIRL REMOVING	
BLENDED WOOL - 9" SINGLE-SIDED HOOK & LOOP	890144	
BLENDED WOOL - 9" DOUBLE-SIDED SCREW-ON	890164	
BLENDED WOOL - 9" DOUBLE-SIDED QUIK CONNECT	890086WD	
FOAM - 8.5" SINGLE-SIDED HOOK & LOOP	890145	
WHITE - SUPER SOFT POLISH	FOR FINISHING & GLAZING	
FOAM - 8.5" SINGLE-SIDED HOOK & LOOP	890155	

<div> PAINT FINISHING SYSTEM ORBITAL PADS</div>		
PACE™ PURPLE FOAMED WOOL HEAVY CUT PAD	RECOMMENDED FOR <i>HARD</i> CLEARS REMOVES 1500 TO HEAVY SAND SCRATCHES	
WOOL - 6.25" SINGLE-SIDED HOOK & LOOP WOOL - 5.25" SINGLE-SIDED HOOK & LOOP	890197 890193	
PACE™ GREY FOAM HEAVY CUT PAD	RECOMMENDED FOR <i>SOFT</i> CLEARS REMOVES 1500 TO HEAVY SAND SCRATCHES	
FOAM - 6.5" SINGLE-SIDED HOOK & LOOP FOAM - 5.5" SINGLE-SIDED HOOK & LOOP	890194 890190	
PACE™ ORANGE FOAM MEDIUM CUT PAD	REMOVES 2500 TO LIGHT SAND SCRATCHES	
FOAM - 6.5" SINGLE-SIDED HOOK & LOOP FOAM - 5.5" SINGLE-SIDED HOOK & LOOP	890195 890191	
PACE™ BLACK FOAM ULTIMATE POLISH PAD	FOR FINE POLISHING & SWIRL REMOVING	
FOAM - 6.5" SINGLE-SIDED HOOK & LOOP FOAM - 5.5" SINGLE-SIDED HOOK & LOOP	890196 890192	

<div> SPECIALTY PADS FOR ROTARY BUFFERS</div>		
BLACK - HEAVY CUT	REMOVES HEAVY TO MEDIUM SAND SCRATCHES	
WOOL - 6" DOUBLE-SIDED SCREW-ON	810117	
WHITE - HEAVY CUT	REMOVES HEAVY TO MEDIUM SAND SCRATCHES	
100% WOOL - 6" DOUBLE-SIDED SCREW-ON	810113	
YELLOW - MEDIUM CUT	REMOVES MEDIUM TO LIGHT SAND SCRATCHES	
FOAM CCS - 8.5" SINGLE-SIDED HOOK & LOOP	890136	
FOAM - 8.5" DOUBLE-SIDED QUIK CONNECT	890089FD	
BLENDED WOOL - 6" DOUBLE-SIDED SCREW-ON	810114	
ORANGE - HEAVY CUT	REMOVES HEAVY TO MEDIUM SAND SCRATCHES	
FOAM CCS - 8.5" SINGLE-SIDED HOOK & LOOP	890135	
GREEN - LIGHT CUT/POLISH	REMOVES LIGHT SAND SCRATCHES	
FOAM CCS - 8.5" SINGLE-SIDED HOOK & LOOP	890137	
FOAM - 8.5" DOUBLE-SIDED SCREW-ON	890166	
FOAM - 8.5" DOUBLE-SIDED QUIK CONNECT	890090FD	
BLENDED WOOL - 6" DOUBLE-SIDED SCREW-ON	810118	
BLUE - SOFT POLISH	FOR FINE POLISHING & SWIRL REMOVING	
FOAM CCS - 8.5" SINGLE-SIDED HOOK & LOOP	890138	
FOAM - 8.5" DOUBLE-SIDED SCREW-ON	890165	
FOAM - 8.5" DOUBLE-SIDED QUIK CONNECT	890091FD	
FOAM - 6" DOUBLE-SIDED SCREW-ON	810119	
WHITE - SUPER SOFT POLISH	FOR FINISHING & GLAZING	
FOAM CCS - 8.5" SINGLE-SIDED HOOK & LOOP	890139	



PRESTA®-BRANDED FLEX ORBITAL POLISHER & BACKING PLATES



**NEW!**

PRESTA®-BRANDED FLEX ORBITAL POLISHER	890009
5 1/2" FLEX BACKING PLATE FOR 6.5" PAD	810150
4 3/8" FLEX BACKING PLATE FOR 5.5" PAD	810146

DEWALT® ROTARY BUFFER & BACKING PLATES




DEWALT® DW-849X SOFT-START BUFFER	810033-01
RIGID PAD BACKING PLATE - 5/8"-11	810093
YELLOW FOAM BACKING PLATE - 5/8"-11	810116
DOUBLE SIDED ADAPTOR - 5/8"-11	810079
QUIK PAD™ SPINDLE ADAPTER - 5/8"-11	890099

BUFFING ACCESSORIES



A - FOAM PAD CONDITIONING BRUSH	890080
B - WOOL BUFFING SPUR	810007
C - WOOL BUFFING PAD WASHER	810057P
D - PRESTA APRON	800130

SPECIALTY PAD KITS



A - WHEEL & SPOT DETAILING KIT - 3"	890111
B - WHEEL & SPOT REPLACEMENT PAD - 3"	890116

FAST WAX®



A low-dusting, liquefied paste wax that forms a protective coating on painted surfaces. Easy-on / easy-off application for quick pre-delivery prep. Breathable film ideal for freshly-cured paint. Provides 30-60 days of protection.

1 GAL. #132501  
32 FL. OZ. #132532

VOC COMPLIANT FAST WAX®



A low-dusting, liquefied paste wax that forms a protective coating on painted surfaces. Easy-on / easy-off application for quick pre-delivery prep. Breathable film ideal for freshly-cured paint. Provides 30-60 days of protection.

1 GAL. #134101  
32 FL. OZ. #134132


BEST WAX™



A crème wax that provides a deep gloss with long-lasting environmental protection. Easy-on / easy-off application. Provides 90-180 days of protection.

16 FL. OZ. #130516

SPRAY 'N SHINE™



A ready-to-use, premium vehicle appearance enhancer. Makes pre-delivery cleanup fast and easy. Removes fingerprints and light soils. Breathable film that won't cause solvent pop.

5 GAL. #130905  
1 GAL. #130901  
22 FL. OZ. #130922

ULTRA COMPLETE GLAZE™



Ultra Complete Glaze™ offers durable yet breathable paint protection that won't cause solvent pop.


- Easy-on / easy-off application for quick pre-delivery prep
- Breathable film ideal for freshly-cured paint
- Silicone-free formula offers 30 days of protection

32 FL. OZ. #144132  
8 FL. OZ. #144108

**B** = BODY SHOP SAFE   **V** = VOC COMPLIANT   **W** = WATER-BASED



PAINT PROTECTION COMPARISON



CAR WASH COMPARISON

PRODUCT	COLOR	SCENT	DILUTION	SHEETING VS. BEADING
SUDZZ™ CAR WASH #1355	Pink	Bubble Gum	1:128	N/A
ULTRA CONCENTRATED CAR WASH #1381	Pink	Cherry	1:400	N/A
WASH & WAX #1407	Blue	Pomegranate	1:128	Sheeting

SUDZZ™ CAR WASH



B

T

PF

W

A hard-working cleaner that washes away dirt, grease and grime. High-foaming formula for easy washing. Rinses away cleanly, leaving a film-free surface (1:128 dilution)

5 GAL. #135505  
1 GAL. #135501

ULTRA CONCENTRATED CAR WASH



B

T

PF

W

A highly concentrated cleaner that washes away dirt, grease and grime. High-foaming formula for easy washing. Highly concentrated for low cost per use. (1:400 dilution)

5 GAL. #138105  
1 GAL. #138101

WASH & WAX



T

PF

W

Clean, shine and protect surfaces in one easy, time-saving step. Powers away dirt and grime. Leaves vehicles with a durable, high-gloss shine. (1:128 dilution)

5 GAL. #140705  
1 GAL. #140701

CONQUEST™ HEAVY-DUTY CLEANER



B

T

PF

W

A powerful, biodegradable cleaner / degreaser formulated for the needs of body shops. Dilute to clean a variety of surfaces and soil levels. Aluminum safe, non-caustic formula. Heavy-duty (Dilution 1:1) / General purpose (Dilution 1:5) / Interiors (Dilution 1:10)

5 GAL. #131105  
1 GAL. #131101

NON ACID TIRE & WHEEL CLEANER



B

T

PF

W

An acid-free blend of cleaners that dissolve and loosen baked-on brake dust, grease, oil and dirt. Time-saving, one-step formula. Cleans both tires and wheels for quick pre-delivery prep.

5 GAL. #135605  
1 GAL. #135601  
22 FL. OZ. #135622

COSMOLINE REMOVER



B

PF

Quickly and easily remove cosmoline and other petroleum-based transit coatings from vehicles. Ideal for showroom or lot prep of new vehicles. Will not soften, dull or discolor finishes.

 **WARNING:** Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

5 GAL. #140805  
1 GAL. #140801

B

 = BODY SHOP SAFE    

T

 = VOC COMPLIANT    

W

 = WATER-BASED    

PF

 = PHOSPHATE FREE



DRESSING COMPARISON

PRODUCT	COLOR	SCENT	GLOSS	DURABILITY	MAX DILUTION
RADIANT™ Waterborne #1374	Clear	Melon	5	4	1:2
RADIANT™ Non-Silicone #1342	Blue	None	3	2	N/A
WATER-BASED #1405	Blue	None	4	4	1:3
ALL WEATHER #1379	Blue	Cherry	3	3	N/A

5 = HIGHEST PERFORMANCE

RADIANT™ WATERBORNE DRESSING

A silicone-free, water-based formula for superior performance on interior and exterior surfaces. Produces a durable, lustrous shine. Dilute up to 1:2.



5 GAL. #137405  
1 GAL. #137401

VOC-COMPLIANT RADIANT™ NON-SILICONE DRESSING

A non-silicone, solvent-based dressing formulated to restore color and gloss to rubber, leather and vinyl surfaces.



5 GAL. #134205  
1 GAL. #134201  
22 FL. OZ. #134222

WATER-BASED DRESSING

A silicone-suspended dressing formulated for superior water-based performance on interior and exterior surfaces, producing a durable, lustrous shine. Dilute up to 1:3.



5 GAL. #140505  
1 GAL. #140501

ALL WEATHER DRESSING

A solvent-based, silicone dressing that produces a rich, long-lasting shine. Ideal for use on all vehicle interior and exterior vinyl, rubber and plastic.



5 GAL. #137905  
1 GAL. #137901

REGULATOR™ CLEANING SYSTEM

Creates accurate dilutions of your cleaning products, while housing six specialty 5-gallon containers on a sturdy rack system.

- (1) 5 gal. Sudzz™ Car Wash
- (2) 5 gal. Conquest™ Cleaner
- (1) 5 gal. Ultra Concentrate Glass Cleaner
- (1) 5 gal. Radiant™ Waterborne Tire Dressing
- (1) 5 gal. Non Acid Tire and Wheel Cleaner
- (3) Carboy Spigot
- (3) Spray Bottle
- (1) Red Trigger Sprayer
- (2) Grey Trigger Sprayer
- Regulator
- Regulator Shelving System

KIT #136530



REGULATOR™ PROPORTIONING SYSTEM



Provides both the performance and economy of a proportioning system because the cleaning products will be automatically diluted to the proper strength without the inaccuracies, waste or mess that's common with hand mixing.

EACH #800100

ULTRA CONCENTRATED GLASS CLEANER



Quickly and easily cuts through dirt, grease, grime, bugs, oily films and other soils on glass and other hard shiny surfaces. Fast-drying, streak-free formula. Ammonia-free formula safe for use on glass with aftermarket tint. Dilute up to 1:13.

5 GAL. #138305  
1 GAL. #138301

GLASS CLEANER AEROSOL



An ammonia-free cleaner that powers away films and grime to leave glass, chrome, tile and mirrors clean and streak-free. Safe for use on windows with aftermarket tint.

19 OZ. #132920

METAL POLISH



A metal restoration cleaner and polish designed to eliminate surface oxidation, brake dust and oily residue.

16 FL. OZ. #135416



POLYMER CLAY WASH MITTS

Dual-action mitts work fast, achieve impressive results and are a great, hard-working alternative to clay bars. If dropped on the floor, simply rinse clean to use again.

**SIDE 1:** Scratch-free washing works great with **Sudzz™ Car Wash (#1355)** or **Ultra Concentrated Car Wash (#1381)**.


**SIDE 2:** Polymer coating that removes surface contaminants such as paint overspray, fresh tree sap, rail dust and more. Use with **Spray 'N Shine™ Instant Detailer (#1309)**.

**For Heavier Contamination**  
**MEDIUM GRADE WASH MITT - YELLOW #8130722**

**For Lighter Contamination**  
**FINE GRADE WASH MITT - BLUE #8130723**



POLYMER CLAY PAD



Fast way to remove surface contaminants from entire vehicle with its innovative polymer coating. 6" pad fits most dual-action orbital polishers. Available in two grades:

**MEDIUM GRADE PAD - YELLOW #8130711**  
**FINE GRADE PAD - BLUE #8130712**

DETAILING CLAYS



A special blend of abrasive and clay-type binder systems removes surface contaminants such as cured overspray and industrial fallout from automotive finishes and trim.

**HIGH PERFORMANCE**  
**HEAVY CUT CLAY BAR - PURPLE #8130710**  
**LIGHT CUT CLAY BAR - GRAY #8130708**

KOZAK® AUTODRYWASH™ CLOTH



Safely removes dust, fine dirt and other surface contaminants without water. Ideal for waterless spot detailing at dealerships, auctions, body shops, and for car enthusiasts and a variety of other applications. These cloths feature an anti-static formula that helps vehicles repel dust and light contaminants. Kozak cloths polish as they clean leaving the finish looking smooth, clean and bright.

**EACH #521081**

CLEAN 'N SHINE



Time-saving cleaner and dressing in one for leather, vinyl and plastic. Restores a like-new appearance without leaving a greasy residue.

**5 GAL. #138805**  
**1 GAL. #138801**  
**22 FL. OZ. #138822**

LEATHER & VINYL CLEANER



A powerful cleaner for vinyl, plastic and leather that goes deep into pores to remove grease and grime, leaving the surface film-free.

**5 GAL. #134905**  
**1 GAL. #134901**  
**22 FL. OZ. #134922**


LEATHER CONDITIONER



A non-greasy formula that cleans, revives and conditions aged and dried leather surfaces, leaving a semi-gloss finish.

**16 FL. OZ. #134616**

LUBRI-SUDS™ ALL-PURPOSE SHAMPOO



A carpet and upholstery cleaner that lifts away all types of dirt and grime. Concentrated formula for variety of cleaning applications, including lubricant for wet sanding. Dilute up to 1:256.

**1 GAL. #131001**

ODOR ELIMINATOR



Special formula neutralizes unpleasant odors at their source, leaving no masking fragrance.

**22 FL. OZ. #141122**





RENULITE® WIPE-ON HEADLIGHT LENS RESTORATION KIT

ReNuLite® Wipe-On Headlight Lens Restoration Kit will restore 20 faded and yellowed headlights to a like new appearance. Sealant is UV curable and provides maximum protection for long-lasting clarity.

WIPE-ON KIT #136057

Components to restore 20 headlights:

- ReNuLite® Wipe-On Sealant 0.5 fl. oz. bottles, 10
- Lens Drier 8 oz., 1
- 600 Grit Sand Paper, 20
- 2000 Grit Sand Paper, 10
- Plastic dipping tray, 10
- Coralite® Sponge, 10
- 1500 Grit Sand Paper, 10
- 1 1/2" roll of masking tape, 1
- Vinyl Gloves, 10

SEALANT #139603 (BOX OF 10)

LENS DRIER #138608 (BOX OF 12)



SINGLE USE WIPE-ON KIT #136059

- 600 grit sandpaper, 2
- 2000 grit sandpaper, 1
- Renulite® Sealant, 1
- Tray, 1
- 1500 grit sandpaper, 1
- Renulite® Lens Drier, 1
- Coralite® Sponge, 1



UV CURING LIGHT



Designed to quickly cure the ReNuLite® Headlight Sealant when sunlight is unavailable.

UV LIGHT #890203

REPLACEMENT BULB #890204

POP DISPLAY



Stand-up counter display that provides key information about the ReNuLite Headlight Lens Restoration System.

DISPLAY KIT #800550

ADDITIONAL BROCHURES - 25 PACK #800546

4 Steps to clearer, brighter, safer lights for your vehicle!

Factory headlight lenses are made from polycarbonate to be impact and scratch resistant. A special coating is applied during production to provide UV protection. Over time this coating decays, causing the unprotected lenses to become yellow and cloudy from overexposure to UV rays. As light passes through the damaged surface, it is diffracted at an angle resulting in decreased headlight output by up to 70%.



DAMAGED HEADLIGHT LENS



ReNuLite® is a system of products for professional headlight lens restoration that will show a 50%-100% increase in light output through the restored lens.

STEP 1 - COATING REMOVED



The lens can be wet sanded or dry sanded by hand with a sanding block or with a dual-action sander.

STEP 2 - SURFACE POLISHED



Scratch refinement can be accomplished by progressive sanding followed by a Lens Drier application to achieve a finish optimal for sealant.

STEP 3 - SEALANT APPLIED



The wipe-on sealant provides a lasting protection to the polycarbonate lens.

STEP 4 - SEALANT CURED



Use natural sunlight or the Presta UV Curing Light to cure the sealant on the restored lens. Headlight lenses properly restored with ReNuLite will last 1 year or more with the wipe-on application.



TOWER OF POWER

Features four 5-gallon carboys of our most popular detailing products including:

- Non-Acid Tire and Wheel Cleaner
- Conquest™ Heavy-Duty Cleaner
- Sudzz™ Car Wash
- Leather & Vinyl Cleaner
- Carboy rack
- 3 labeled trigger sprayers
- 4 carboy spigots

KIT #137045



4-SHELF CARBOY RACK



Compatible with most 5-gallon containers.  
Size: 54"H x 12.3"W x 13.75"D

#841004R

3-SHELF DETAIL SUPPLY CART




Size: 24"W x 15.75"D x 33.5"H

#860400

5-GALLON CARBOY PUMP

Easy-to-use, screw on pump for five gallon carboy containers makes product dispensing quick, easy and reduces mess.

#841001



GHS-COMPLIANT SPRAY BOTTLE

Durable, solvent-resistant bottle designed for use with trigger sprayers. Conveniently marked with hazard pictograms to be checked for GHS compliance.

32 FL. OZ. #810099



TRIGGER SPRAYER - GREY

Heavy-duty solvent resistant sprayer with adjustable nozzle.


#845001



TRIGGER SPRAYER - RED

All-purpose trigger sprayer with adjustable nozzle.

#800026



WATER SPRITE® PLUS



Highly absorbent, 5 sq. ft. chamois that is mildew resistant. Absorbs water, dirt and grime away from the surface, leaving it clean and dry.

#800033

GHS-COMPLIANT KETCHUP BOTTLE

Solvent-resistant, flexible plastic works great for easy application of buffing chemicals. Conveniently marked with hazard pictograms to be checked for GHS compliance.

12 FL. OZ. #810098



RIBBON DISPENSER CAP

For use with ketchup bottle.

#810193



CHAPIN STYLE SPRAYER

Pressurized pump sprayer makes it easy to apply cleaning chemicals to large surfaces or engine bays quickly with complete control of spray pattern and direction of spray.

#800105



MICROFIBER CLOTHS

16" x 16", 300 GSM general purpose micro-fiber detailing cloth. Four pack.


#800135



SQUARE WAX APPLICATOR PAD

4" x 5.25" terry cloth applicator.

#810011



ULTRA SOFT EDGELESS MICROFIBER CLOTHS

16"x16", 420 GSM

5 PACKS OF 5 #800136CS



5-GALLON CARBOY WITH CAP

Durable, tight head jug constructed of solvent resistant HDPE plastic. Convenient 3/4" tap for spigot attachment and comes with a cap.

#800150



TERRY CLOTH TOWELS

16" x 27" Terry cloth cotton towels. 12 pack.

#810044



CARBOY SPIGOT

Narrow neck, easy-to-use, screw-in spigot for five gallon carboy containers makes dispensing product into smaller containers quick and easy. Tap size: 3/4"

#810124



LARGE WASH MITT

8" x 11" soft fiber mitt.

#810008







The I-CAR® Industry Training Alliance™ exists to recognize training accomplishments through approved providers. All programs approved for inclusion into the Training Alliance must support the I-CAR vision that every person in the collision repair industry has the information, knowledge and skills required to perform complete and safe repairs for the ultimate benefit of the customer.

For years, Presta® has proudly supported the I-CAR vision as a participant in the I-CAR Industry Training Alliance. Educating body shop professionals to provide the best service and outcomes for their customers is a top priority for Presta. That is why Presta offers courses for the I-CAR Professional Development Program™ for Gold Class™ Shops and Platinum Individuals™.

To learn more about the training from Presta through the I-CAR Industry Training Alliance, visit [www.i-car.com](http://www.i-car.com).

Available courses from Presta include:

**SANDING & BUFFING**

**3 Credit Hours**

Refinish Technician

**PROFESSIONAL HEADLIGHT RESTORATION**

**CATEGORY EXCLUSIVE!**

**1 Credit Hour**

Refinish Technician  
Auto Physical Damage Appraiser  
Estimator  
Non-Structural Technician

**INTERIOR DETAILING**

**1 Credit Hour**

Refinish Technician  
Auto Physical Damage Appraiser  
Estimator

**EXTERIOR DETAILING**

**1 Credit Hour**


Refinish Technician  
Auto Physical Damage Appraiser  
Estimator



Understanding surface imperfections and the stages of defect removal is needed before choosing a buffing product and pad. The graphics below illustrate the vehicle surface and the steps required to remove defects and complete the refinishing process.


**SURFACE DEFECTS**

Defects can range from dirt nibs to orange peel. Sanding and then buffing are often the steps required to recreate the smooth surface needed for light to reflect in the right way to produce gloss equal to the original surface condition.




**REMOVING THE DEFECTS**

Sanding the surface removes the defect but leaves scratches that will keep gloss from appearing. After sanding, compounding will remove the sand scratches, and polishing will remove all remaining scratches and swirls to leave a smooth surface and a brilliant gloss. Glaze is often added at this point to protect the refinished surface.



**NO FILLERS**

Presta's buffing compounds and polishes do not contain fillers, waxes or silicones. These substances can be used to temporarily fill scratches but do not remove them. This method of reproducing gloss will eventually wash away and the scratches reappear, reducing or eliminating any gloss that was created. This is commonly referred to as die back and can lead to costly rework.





WORK PLACE SAFETY

Workplace safety for chemical products is important. Keeping customers informed, helping to understand the rules, making it easy for businesses to comply and being in compliance as a manufacturer are all part of Presta's promise to be "Our Customers' Best Partner".

- **Labels** - Presta product labels are GHS compliant.
- **SDS Sheets** - In the U.S., MSDS sheets are now called Safety Data Sheets (SDS). Current SDS sheets (along with Canadian SDS sheets available in English and French) are

available on [prestaproducts.com](http://prestaproducts.com) around the clock. The requirement is to have access to the SDS sheets for the products you carry and / or sell. Our new SDSs are in single language format and are available for the US in English and Spanish.

- **Presta GHS Resources** – information is available from your Presta Representative, Presta Customer Service or our Corporate Regulatory Team. Contact Presta directly at 800.860.4488 for more help understanding GHS changes and the impact on your business.



PRE-PRINTED SECONDARY BOTTLES AND LABELS

Buying compounds, glass cleaners and dressings in larger sizes makes good economic sense. Using the product directly from these large containers is awkward or just not feasible. Presta® offers smaller dispensing containers like spray bottles (#810099) and ketchup bottles (#810098) which are GHS compliant when appropriate hazard pictograms are checked. When transferring to a blank bottle, you need to apply the appropriate secondary label.

PRODUCT	PART #
ALL WEATHER DRESSING	831379
CLEAN 'N SHINE	831388
CONCENTRATED ACID WHEEL CLEANER	831406
CONQUEST™ HEAVY-DUTY CLEANER	831311
COSMOLINE REMOVER	831408
FAST DRY ALL WEATHER DRESSING	831415
FAST WAX®	831325
VOC FAST WAX®	831341
GEL COAT COMPOUND	831385
INTERIOR CLEANER CONCENTRATE	831414
LEATHER & VINYL CLEANER	831349
NANO FINISHING SPRAY	831392
NON-ACID TIRE & WHEEL CLEANER	831356
RADIANT™ SOLVENT DRESSING	831342

PRODUCT	PART #
RADIANT™ WATERBORNE DRESSING	831374
SCUFF STUFF® SURFACE PREP	831317
SPRAY 'N SHINE™ INSTANT DETAILER	831309
SUPER CUT COMPOUND	831345
SWIRL REMOVER	831336
ULTRA 2 STEP® CUTTING COMPOUND	831393
ULTRA 2 STEP® FINISHING POLISH	831394
ULTRA 2 STEP® MAXCUT™ COMPOUND	831390
ULTRA COMPLETE GLAZE™	831441
ULTRA CONCENTRATED GLASS CLEANER	831383
ULTRA CUTTING CRÈME™	831319
ULTRA CUTTING CRÈME LIGHT™	831334
ULTRA POLISH	831335
WATER-BASED DRESSING	831405

SET THE PACE

PAINT RUNS, OVERSPRAY, ORANGE PEEL OR DIRT NIBS?

One-step process: easy to use, reduce inventory, use less product and eliminate guess work.

Introducing the PACE™ Paint Finishing System.

Designed to work with an orbital, the PACE Paint Finishing System includes everything needed to aggressively cut and finish in a single step.

Reduce cycle times.  
Improve image depth.  
SET THE PACE.



THE FINEST OF FINISHING PRODUCTS™







**Presta Products**

361 Fairview Ave.  
Barberton, Ohio 44203  
800.860.4488

[www.PrestaProducts.com](http://www.PrestaProducts.com)