

3M™ Fire Barrier Mortar



3M™ Fire Barrier Mortar is a lightweight cementitious firestop product.

Features:

- Has a variable mix ratio, permits self-leveling as well as no-sag (no forming) application consistencies, resulting in labor savings.
- Excellent adhesion, will bond to concrete, metals, wood, plastic and cable jacketing and is reenterable without use of power tools.
- Results in lower maintenance costs due to ease of making cable changes.

Learn More:

- MSDS (United States)



Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
Mortar 98-0400-2646-4 0 51115 07559 9	44 lb Bag	30 bags	44.0000 lbs 19.9581 kg	17.0" 0.432m	12.5" 0.318m	5.2" 0.133m


3M™ Fire Barrier Plastic Pipe Device



Used to firestop a 6" non-metallic pipe. One piece metal collar assembly encasing 3M's heat expanding FS-195+, used for new and retrofit installations to achieve up to 3 hour fire ratings.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
PPD 6 98-0400-2944-3 0 51115 08253 5	10.3 oz	5	20.2000 lbs 9.1626 kg	13.9" 0.353m	11.9" 0.302m	16.0" 0.406m

3M™ Fire Barrier Restricting Collar



The RC-1 Restricting Collar is used with Fire Barrier Wrap/Strip to restrict openings and direct the intumescence of the wrap/strip inward, filling all voids.

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
RC-1	2" x 25'		5.4000 lbs	6.5"	6.5"	6.0"
80-0080-0656-3			2.4494 kg	0.165m	0.165m	0.152m
0 54007 08324 5		1				

3M™ Fire Barrier Silicone Cartridge 2000+



A premium nonslump sealant bonds to most common construction materials to form a flexible seal. Superior Adhesion. Remains elastomeric and is weather resistant. This product is great for through penetrations and may also be used for fire rated construction joints.

Features:

- Provides up to a four-hour fire-rating.
- Compression/extension recovery of + or - 15% or original joint width.

Learn More:

- MSDS (United States)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
2000+	10.3 oz		14.0000 lbs	12.5"	8.0"	6.0"
98-0400-5299-9			6.3503 kg	0.318m	0.203m	0.152m
0 51115 11558 5		12				

3M™ Fire Barrier Silicone RTV Foam

3M Fire Barrier 2001 Silicone Foam is a two-part, liquid-silicone elastomer that foams in place when mixed. It firestops and seals large and complex penetrations.

Features:

- Foams in place to seal complex penetrations.
- Cures in 1-5 minutes to form a compression seal.
- Elastomeric compression seal.
- Reenterable/repairable; excellent sound barrier properties.
- No ampacity derating of cables when used properly.
- Provides up to 3-hour fire rating.
- Easily mixed by hand (small amounts) or automated mixing and dispensing equipment (large amounts).
- FireBarrierFoam2001 + pdf – Data Sheet (PDF 72.9 K)



Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
2001	7 oz		8.8000 lbs	14.8"	7.5"	6.2"
98-0400-2563-1			3.9916 kg	0.375m	0.191m	0.159m
0 51115 07502 5		12				

3M™ Interam™ FireDam™ Caulk 150



An economical alternative caulk for metal pipe applications in an endothermic, non-intumescent, water-based form. Provides up to a 3 hour fire rating.

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
150	10.5 Fluid oz Cartridge		16.6000 lbs	12.4"	12.4"	4.6"
98-0400-0626-8			7.5296 kg	0.315m	0.315m	0.117m
0 51115 02658 4		12				

3M™ Interam™ Ultra GS Strip with Laminate




Intumescent and endothermic Ultra GS wrap/strip roll. No waste – roll out and cut as much material as you need from the 40-foot (12 m) roll. Works with most non-metallic and metallic insulated pipes.

Features:

- Can be used with the 3M™ Fire Barrier RC-1 Restricting Collar or with in hole applications.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
Ultra GS Strip 98-0400-5398-9 0 51115 16507 8	2" x 40'	5	29.0000 lbs 13.1542 kg	13.6" 0.346m	11.0" 0.279m	11.3" 0.287m

3M™ Fire Barrier Composite Sheet



Ideal for fire-stopping blank openings and through-penetrations of multiple cable, pipe ducts, buss ducts and cable trays.

Features:

- Intumescent.
- Lightweight and easy to handle – just cut and form to fit.
- Easy to install using common trade tools.
- Easy to fasten – bolt punch or drill through and use selftapping screws or anchor bolts.
- Bottom-of-floor applications available.
- No mixing or damming required.
- Re-enterable.
- Documented aging properties.
- 3M Fire Barrier CS-195+ Composite Sheets – Data Sheet (PDF 97.8 K)
- InteramTapeT49 + pdf - Data Sheet (PDF 15.0 K)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
FS-195+ 98-0400-2222-4 0 51115 07115 7	2" x 24"	10	7.7300 lbs 3.5063 kg	25.0" 0.635m	3.4" 0.086m	2.5" 0.064m
CS-195+ 98-0400-2407-1 0 51115 07220 8	36" x 24"	1	18.5500 lbs 8.4141 kg	41.8" 1.062m	24.8" 0.630m	1.0" 0.025m
CS-195+ 98-0400-2408-9 0 51115 07222 2	36" x 36"	1	30.2100 lbs 13.7030 kg	41.1" 1.045m	36.7" 0.933m	0.8" 0.019m
CS-195+ 98-0400-2409-7 0 51115 07224 6	36" x 41"	1	34.9000 lbs 15.8304 kg	41.8" 1.062m	41.5" 1.054m	1.0" 0.025m
CS-195+ 98-0400-2601-9 0 51115 07437 0	16" x 28"	1	10.6000 lbs 4.8081 kg	31.5" 0.800m	17.0" 0.432m	1.1" 0.029m

3M™ Fire Barrier Water Tight Silicone Sealant



Fire Barrier Water Tight Sealant 1000 NS and 1003 SL are used to firestop openings and penetrations fire rated floor slabs, walls, other building partitions and assemblies. The Fire Barrier Water Tight Sealant 1003 SL formulation is used in floor applications only. Fire Barrier Water Tight Sealants, when properly installed, will help control the spread of fire, smoke and noxious gases.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
1000 NS 98-0400-5276-7 0 51115 11535 6	10.1 oz (300ml) Nonslump	12	13.3000 lbs 6.0328 kg	8.2" 0.208m	6.2" 0.157m	12.0" 0.305m
1003 SL 98-0400-5279-1 0 51115 11538 7	10.1 oz (300ml) Self-levelling	12	12.5000 lbs 5.6699 kg	9.5" 0.241m	8.0" 0.203m	6.2" 0.159m

3M™ Fire Barrier Ultra Plastic Pipe Devices



A plastic pipe firestop system. A one piece metal collar assembly encasing 3M's heat expanding Ultra GS material, used for new and retrofit installations.

Features:

- Used to Firestop 1.5 to 6" non-metallic pipe for up to 3 hours.
- Used in conjunction with the 3M™ Ultra Fast Anchors can be installed in about one minute.
- May also be installed using conventional fasteners.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
UPPD1-1/2 98-0400-5260-1 0 51115 08378 5	1½"	10	3.9000 lbs 1.7690 kg	22.4" 0.569m	5.4" 0.137m	5.8" 0.147m
UPPD2 98-0400-5261-9 0 51115 08379 2	2"	10	4.5000 lbs 2.0412 kg	22.4" 0.569m	5.4" 0.137m	5.8" 0.147m
UPPD3 98-0400-5262-7 0 51115 08380 8	3"	10	8.1000 lbs 3.6741 kg	22.4" 0.569m	7.4" 0.188m	7.8" 0.198m
UPPD4 98-0400-5263-5 0 51115 08381 5	4"	10	11.9000 lbs 5.3977 kg	22.4" 0.569m	7.4" 0.188m	7.8" 0.198m

Sorbent products are available in many shapes and sizes to meet all spill response needs, and can be used in a wide variety of applications ranging from simple maintenance to emergency spills and cleanups.

Chemical Sorbents



3M™ Sorbent Products are designed to absorb a variety of maintenance fluids and lubricants, oil and petroleum-based liquids, and chemicals. They are lightweight and versatile, and take just minutes to put in place. 3M™ Chemical Sorbents are powerful enough to handle acids (including hydrofluoric acid), bases, coolants, and most other hazardous fluids.



Chemical Spill Kit – Folded C-SKFL5

Compact for easy storage, and ideal for rapid response. Can be squeezed/molded into confined areas such as behind truck seats and in the trunks of cars. 3 spill kits/case and each kit contains 1-chemroll, 5 inches by 26 feet and one temporary disposal bag

Learn More:

- MSDS (United States)
- Specifications and Ordering Info for Chemical Sorbents - Folded - Product Selection Guide (PDF 4.7 K)
- Specifications and Ordering Info for Folded Sorbent Dispenser Rac - Product Selection Guide (PDF 4.8 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
C-SKFL5 70-0706-1181-2 0 51138 46288 3	Chemroll, 5 Gallon	3				

Chemical Spill Response Kit C-SKFL31



Can be stored in various locations throughout a facility. Yellow color for easy identification. Handles are molded for easy transportation. Packed in an element-resistant 20 gallon drum with 2 rolls of folded sorbent, 30 pads, 3 disposal bags and ties.

Learn More:

- MSDS (United States)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
C-SKFL31 70-0706-1180-4 0 51138 46287 1	31 Gallon Kit	1	20.0000 lbs 9.0718 kg	22.5" 0.572m	22.5" 0.572m	18.5" 0.470m

Chemical Sorbents

3M™ Chemical Sorbent Mini-Booms P-200



Ideal for placing around hazardous liquid spills to help prevent spreading. Mini-booms are typically used to encircle spills and to contain leaks. Each boom (7.5 cm diameter by 1.2 meters) will absorb 3.8 litres per boom.

Features:

- They work quickly while providing time to ensure proper cleanup.
- Each case contains 12 booms.

Learn More:

- MSDS (United States)
- 3M Spill Control Catalogue - Brochure (PDF 932.5 K)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
P-200	3" dia. x 4' / 7.6cm dia. x 1.2m		13.7400 lbs	24.0"	16.0"	13.7"
70-0701-8931-4	Capacity: 1 gal / 3.8 L per Boom		6.2324 kg	0.610m	0.406m	0.348m
0 51138 17596 2		12				

3M™ Chemical Sorbent Mini-Boom P-208



Ideal for placing around hazardous liquid spills to help prevent spreading. They work quickly, providing time to ensure proper cleanup while maintaining employee exposure. Each case contains 6 booms (3 inches diameter by 8 feet) which sorb 12 gallons/case.

Learn More:

- MSDS (United States)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
P-208	3" diameter x 8'		13.3000 lbs	24.0"	16.0"	13.7"
70-0702-2130-7			6.0328 kg	0.610m	0.406m	0.348m
0 51138 21343 0		6				

Chemical Sorbents

3M™ Chemical Sorbent Pad C-PD914DD



Ideal for cleaning up small spills and wiping down contaminated areas. Capacity 15 litres per box. (capacity 15 litres per box) with 25 (23cm by 36cm) pads per box.

Features:

- A low-profile design, so that it can be easily placed in tight areas.
- High capacity sorbents have a scrim on one side to increase strength and eliminate linting.
- Conveniently sized pads allow the user to quickly apply the sorbent in the path of a spill.
- Pads may also be used on a work surface in anticipation of a spill or as a wipe.

Learn More:

- MSDS (United States)
- 3M Spill Control Catalogue - Brochure (PDF 932.5 K)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
C-PD914DD	9 ¹ / ₄ " x 14 ¹ / ₂ " / 23.4cm x 36.8cm		11.9 lbs	21.0"	16.0"	21.0"
70-0704-0823-5	Capacity: 23.5 gal / 89 L per Case		5.3977 kg	0.533m	0.406m	0.533m
500 51138 29096 7		6				

3M™ Chemical Sorbent Pad P-110



Designed with quick and easy response in mind. Packaged in convenient dispenser boxes, for storage in confined spaces or mounting on a wall near where spills may occur. Able to sorb 17 Gallons/Case.

Learn More:

- MSDS (United States)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
P-110	11" x 13"		14.3000 lbs	26.4"	12.7"	14.7"
70-0701-8928-0	50 pads/Dispenser, 4 Dispensers/Case		6.4864 kg	0.671m	0.323m	0.373m
0 51138 17593 1		4				

Chemical Sorbents

3M™ Chemical Sorbent Pillow P-300



Pillows are designed with a scrim that encases particulate sorbent material. Pillows are used in areas where more capacity is desired than can easily be achieved using a sorbent pad.

Learn More:

- MSDS (United States)
- 3M Spill Control Catalogue - Brochure (PDF 932.5 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
P-300 70-0701-8932-2 0 51138 17597 4		16	7.4900 lbs 3.3974 kg	15.9" 0.404m	14.0" 0.356m	13.8" 0.351m

3M™ Chemical Sorbent Roll P-130



Designed to cover large surfaces and may be easily cut to fit tight corners. Can also be used to cover large spills or as a precaution in areas where large spills may occur. Able to sorb 19 Gallons/Case.

Learn More:

- MSDS (United States)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
P-130 70-0701-8929-8 0 51138 17594 3	13" x 100'	2	15.0000 lbs 6.8039 kg	27.0" 0.686m	13.8" 0.351m	14.2" 0.361m

Chemical Sorbents

3M™ Chemical Sorbent Spill Response Pack SRP-CHEM



Encased in a box for easy storage. Designed to be easily identifiable, and includes both mini-booms and pad styled sorbents. Ideal for use in laboratories, shipping docks or other areas where hazardous chemicals are shipped, stored or transferred.

Learn More:

- [MSDS \(United States\)](#)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
SRP-CHEM						
70-0703-1718-8						
0 51138 28910 7		3				

Maintenance Sorbents

High capacity maintenance sorbents are available in pads, rolls, folded and drum covers. These products are ideal for general maintenance work in a wide range of job sites. They can sorb more fluids than a standard maintenance sorbent which allows them to not only be used longer but also reduce labor and disposal costs.

3M™ High Capacity Maintenance Sorbent Drum Cover



The sorbent drum cover is designed to be used on a 55 gallon drum to catch drips and spills that occur during the dispensing of all types of non-aggressive liquids used in daily operations. Contains 25 covers per case and sorbs 12 gallons/case.

Learn More:

- MSDS (United States)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
M-DC22DD 70-0704-0591-8 0 51138 28998 5	22"/60cm Diameter	25	6.3000 lbs 2.8576 kg	26.5" 0.673m	14.0" 0.356m	9.8" 0.249m

3M™ High Capacity Folded Maintenance Sorbent



Four sorbents in one. It can be used as a boom, pillow, pad, or roll, which means fewer products need to be stocked to meet your sorbent needs.

Features:

- The folded sorbent is perforated every 16 inches to allow you to select the length required
- Less wasted sorbent.
- It comes in a handy dispenser box for easy, on-site use.

Learn More:

- MSDS (United States)
- 3M Spill Control Catalogue - Brochure (PDF 932.5 K)
- Specifications and Ordering Info for Maintenance Sorbent - Folde - Product Selection Guide (PDF 4.7 K)
- Specifications and Ordering Info for Maintenance Sorbent - Rugs - Product Selection Guide (PDF 4.9 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
FL550DD 70-0704-0791-4 0 51138 29071 9	5" x 50' / 12.7cm x 15.2m Capacity: 31.5 gal / 119.2 L per Case	1	18.0000 lbs 8.1647 kg	21.0" 0.533m	16.0" 0.406m	21.0" 0.533m

Maintenance Sorbents

3M™ Maintenance Sorbent Mini Booms



Mini-booms are typically used because of their tube-like shape to encircle spills and to contain leaks. A 3 inches diameter scrim on the outside of the boom identifies the use while containing particulate sorbent material designed for the application.

Learn More:

- MSDS (United States)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
MB304 70-0703-1355-9 0 51138 21526 7		12	12.8000 lbs 5.8060 kg	24.0" 0.610m	16.0" 0.406m	13.7" 0.348m
MB308 70-0703-1356-7 0 51138 21527 4		6	13.3000 lbs 6.0328 kg	24.0" 0.610m	16.0" 0.406m	13.7" 0.348m

3M™ Maintenance Sorbent Pad M-PD1520DD



Ideal for placing in, under and around machines to catch drips. It is highly sorbent and non-granular so it will not damage plant equipment. Each case sorbs 37.5 gallons and contains 100 pads.

Learn More:

- MSDS (United States)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
M-PD1520DD 70-0704-0588-4 0 51138 28995 4	15.5" x 20.5'	100 Pads	11.7500 lbs 5.3297 kg	21.1" 0.536m	16.0" 0.407m	21.0" 0.532m

Maintenance Sorbents

3M™ Maintenance Sorbent Pillow M-PL715



Small and lightweight, pillows are tear-resistant and feature a high capacity for holding liquid. Ideal for use in a drip pan, under equipment or at the source of a leak. Each case contains 16 pillows (each 7 inch by 15 inch) which will sorb 0.5 gallons

Learn More:

- [MSDS \(United States\)](#)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
M-PL715	7" x 15"		7.8000 lbs	15.6"	14.0"	13.8"
70-0703-1360-9			3.5380 kg	0.396m	0.356m	0.351m
0 51138 21531 1		16				

3M™ High Capacity Maintenance Sorbent Production Pad M-PD720GG



Used to clean up small spills and wipe down oily tools and equipment. Designed to be placed on machinery to catch leaks at the source. Each case sorbs 31.5 gallons and contains 100 pads.

Learn More:

- [MSDS \(United States\)](#)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
M-PD720GG	7.5" x 20.5"		12.6000 lbs	21.0"	16.0"	21.0"
70-0704-0587-6			5.7153 kg	0.533m	0.406m	0.533m
0 51138 28994 7		100 Pads				

Maintenance Sorbents

3M™ Maintenance Sorbent Rug



This rug is designed for use in industrial maintenance applications where foot and vehicle traffic is a concern, and will sorb most non-aggressive liquids. Each rug comes in a roll 36 inches by 100 feet and sorbs 10.5 gallons per roll.

Learn More:

- [MSDS \(United States\)](#)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
M-RGC36100E	36" x 100'		21.7000 lbs	10.3"	10.3"	36.0"
70-0704-0623-9			9.8430 kg	0.260m	0.260m	0.914m
0 51138 29003 0		1				

Petroleum Sorbents

3M™ Petroleum Sorbents include a range of products designed for collecting and containing spills of pollutants on water. The products have exceptional absorbency for liquids such as oil and hydrocarbons, but are completely water repellent.



3M™ T-270 General Purpose Oil Sorbent Boom



Encased tube of particulate sorbent material secured by a UV resistant netting. This boom is an 8 inch by 10 foot scrim.

Features:

- Built-in attachment clips are provided at each end of the boom allowing the booms to be linked together, overlapping and preventing seepage between segments.

Learn More:

- MSDS (United States)
- 3M Spill Control Catalogue - Brochure (PDF 932.5 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
T-270 98-0711-0633-4 0 51138 21506 4	8" dia. x 10' / 20cm dia. x 3m 10 lbs / 4.5 kg per Boom Capacity: 20 gal / 75.7 L per Boom	1	53.0000 lbs 24.0404 kg	26.4" 0.671m	26.4" 0.671m	27.8" 0.706m

3M™ P-FL550DD Petroleum Sorbent-Folded



Four sorbents in one. It can be used as a boom, pillow, pad, or roll, which means fewer products need to be stocked to meet your sorbent needs.

Features:

- The folded sorbent is perforated every 16 inches to allow you to select the length required
- Less wasted sorbent.
- It comes in a handy dispenser box for easy, on-site use.

Learn More:

- MSDS (United States)
- Specifications and Ordering Info for Petroleum Sorbent - Folded - Product Selection Guide (PDF 4.7 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
P-FL550DD 70-0704-0897-9 0 51138 29141 4	5" x 50' / 12.7cm x 15.2m Capacity: 31.5 gal / 119.2 L per Case	3	18.0 lbs 8.1647 kg	21.0" 0.533m	16.0" 0.406m	21.0" 0.533m

Petroleum Sorbents

3M™ T-4 Petroleum Sorbent Mini-Boom



Mini-Booms are a selective sorbent which will “sorb” hydrocarbon-based liquids (oleophilic) and repel aqueous-based liquids (hydrophobic). Mini-booms are typically used because of their tube-like shape to encircle spills and contain leaks.

Features:

- A 3 inch diameter scrim on the outside of the boom identifies the use while containing particulate sorbent material.
- This highly sorbent pad features a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas.

Learn More:

- MSDS (United States)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
T-4 70-0702-2136-4 0 51138 21354 1	3" dia. x 4' Length 34" x 38" / 86 cm x 96 cm Capacity: 81 gal / 306.6 L per Bale	12	12.8000 lbs 5.8060 kg	24.0" 0.610m	16.0" 0.406m	13.7" 0.348m

3M™ T-8 Petroleum Sorbent Mini-Boom



Features:

- Each case contains 6 booms (each 3 inches in diameter by 8 feet) which will sorb 2 gallons each.

Learn More:

- MSDS (United States)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
T-8 70-0702-2137-2 0 51138 21355 8	3" dia. x 8' Length	6	13.3000 lbs 6.0328 kg	24.0" 0.610m	16.0" 0.406m	13.7" 0.348m

Petroleum Sorbents

3M™ HP-156 High Performance Oil Sorbent Pad

These pads are able to be used in numerous clean up and maintenance applications.

Features:

- Easy to apply and retrieve.
- These pads are highly absorbent and can be used on land and water.

Learn More:

- MSDS (United States)
- 3M Spill Control Catalogue - Brochure (PDF 932.5 K)



Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
HP-156	17" x 19" / 43cm x 48cm		11.0 lbs	19.9"	17.0"	21.0"
70-0703-1732-9	Capacity: 37.5 gal / 142 L per Bale		4.9895 kg	0.505m	0.432m	0.533m
0 51138 28911 4		100				

3M™ Petroleum Sorbent Pad HP-157



This highly sorbent pad features a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 75 gallons and contains 50 pads.

Learn More:

- MSDS (United States)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
HP-157	34" x 38"		38.0000 lbs	38.0"	40.0"	13.0"
70-0704-0855-7			17.2365 kg	0.965m	1.016m	0.330m
0 51138 29116 2		50				

Petroleum Sorbents

3M™ Petroleum Sorbent Pad T-151



This highly sorbent pad features a low-profile design, for easy placement in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 43.5 gallons, contains 200 pads

Learn More:

- [MSDS \(United States\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
T-151 98-0711-0197-0 0 21200 16049 3	17" x 19" 200 Pads/Bale	1	20.7500 lbs 9.4120 kg	18.9" 0.480m	18.0" 0.457m	20.5" 0.521m

3M™ Petroleum Sorbent Pad T-156



This high capacity sorbent pad features a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 37.5 gallons and contains 100 pads

Learn More:

- [MSDS \(United States\)](#)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
T-156 98-0711-0198-8 0 21200 16050 9	17" x 19" 100 Pads/Bale	1	21.5000 lbs 9.7522 kg	19.5" 0.495m	17.5" 0.445m	20.5" 0.521m

Petroleum Sorbents

3M™ T-240 Petroleum Sorbent Pillow



Pillows are used in areas where more capacity is desired than can be easily achieved by using a sorbent pad.

Features:

- Pillows are designed with a scrim that encases particulate sorbent material.

Learn More:

- MSDS (United States)
- 3M Spill Control Catalogue - Brochure (PDF 932.5 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
T-240 98-0711-0199-6 0 21200 16053 0	5" x 14" x 25" / 12.7cm x 35cm x 63cm 2.4 lbs / 1.1 kg per Pillow Capacity: 35 gal / 132.5 L per Bag	1	27.5000 lbs 12.4738 kg	22.0" 0.559m	18.0" 0.457m	24.0" 0.610m

3M™ HP-100 High Performance Oil Sorbent Roll



Ideal for fast coverage of large areas during oil or petroleum spills or during maintenance work.

Features:

- 3M Micro Bundle technology has excellent absorption capacity.

Learn More:

- MSDS (United States)
- 3M™ Sorbents 1995 – Bulletin

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
HP-100 70-0703-1378-1 0 51138 21542 2	38" x 144" / 96cm x 44m Capacity: 73 gal / 276 L per Roll	1	20.0 lbs 9.0718 kg	39.0" 0.991m	21.0" 0.533m	21.0" 0.533m

Petroleum Sorbents

3M™ Petroleum Sorbent Roll T-100



Designed to cover large surfaces and easy to cut to cover small areas or to fit tight corners. Can also be used as a precaution in areas where spills may occur. The T-100 roll sorbs 84 gallons and is 38 inches by 144 feet long.

Learn More:

- MSDS (United States)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
T-100 98-0711-0191-3 0 21200 16047 9	38" x 144'	1	40.0000 lbs 18.1437 kg	38.9" 0.988m	24.4" 0.620m	24.8" 0.630m

3M™ Petroleum Sorbent Spill Kit P-SKFL5



Compact for easy storage and ideal for rapid response. Can be stored in locations such as under seats or where other spill kits will not fit. 3 spill kits to a case and each kit contains 1 chemroll 5 inches by 26 feet and one temporary disposal bag.

Learn More:

- MSDS (United States)
- Specifications and Ordering Info for Petroleum Sorbent - Folded - Product Selection Guide (PDF 4.7 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
P-SKFL5 70-0706-1182-0 0 51138 46289 0	5 Gallon 5" x 26', 3 Rolls/Case	1	7.5000 lbs 3.4019 kg	16.0" 0.406m	13.5" 0.343m	13.5" 0.343m

Petroleum Sorbents

3M™ Petroleum Sorbent Spill Kit P-SKFL31



Can be stored indoors or outdoors. Easily identified by its bright white color. Packed in an element resistant 20-gallon drum. Combines both folded sorbent materials and high capacity pads which allow for selection of product for each response situation.

Learn More:

- MSDS (United States)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
P-SKFL31	31 Gallon Kit		20.0 lbs	21.5"	21.5"	18.5"
70-0706-1179-6			9.0718 kg	0.547m	0.547m	0.470m
0 51138 46286 4		1				

3M™ Petroleum Sorbent Spill Response Pack SRP-PETRO



Will sorb hydrocarbon based liquids and repel aqueous based liquids. The pack is encased in a cardboard box which can be used as a warning sign and includes both mini-booms and pads.

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
SRP-PETRO			12.7000 lbs	21.5"	17.3"	13.6"
70-0703-1784-0			5.7606 kg	0.547m	0.438m	0.345m
0 51138 28950 3		3				

Petroleum Sorbents

3M™ Petroleum Sorbent Sweep T-126



This sweep incorporates a rope which is attached to one side of the sorbent material. This allows the sorbent to be drawn across an “on water spill” to recover the petroleum product.


Learn More:

- [MSDS \(United States\)](#)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
T-126	1 Sweep/Bale		15.0000 lbs	21.0"	17.5"	19.5"
98-0711-0196-2			6.8039 kg	0.533m	0.445m	0.495m
0 21200 16048 6		1				

Scotchlite Diamond Grade Retroreflective Film

3M™ Diamond Grade™ Circle




Highly reflective, pressure sensitive circle used to enhance night time visibility and detection distance.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
22058 75-0300-7809-3 0 51138 22058 7	3" diameter Yellow	25				
22059 75-0300-7810-1 0 51138 22059 4	3" diameter Red	25				



Scotchlite Diamond Grade Retroreflective Film

983 Conspicuity Sheeting



Highly reflective microprismatic sheeting with pressure sensitive adhesive for application to sides and rear of large trucks, trailers, specialty trailers and other vehicles for increased visibility.

Features:

- Meets US DOT and NHTSA requirements.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
983-32 75-0301-2268-5 0 51138 67764 0	1½" x 150' 7"/11" Red/White Stripes	1	2.4000 lbs 1.0886 kg	8.1" 0.206m	8.1" 0.206m	2.5" 0.064m
983-10 ES 75-0301-2436-8	2" x 4" 100 per package	12				
983-10 ES 75-0301-2434-3 0 51135 31018 2	2" x 12" White 100 per package	6	11.1500 lbs 5.0576 kg	12.5" 0.318m	4.5" 0.114m	7.0" 0.178m
983-32 75-0301-2333-7	2" x 12" White	150				
983-326 75-0301-2430-1 0 51135 31014 4	2" x 50 yds Red/White	6	17.0000 lbs 7.7111 kg	15.7" 0.399m	8.1" 0.206m	6.8" 0.173m
983-71NL 75-0300-9611-1 0 51135 16997 1	2" x 50 yds Yellow	1	3.5000 lbs 1.5876 kg	8.1" 0.206m	8.1" 0.206m	2.5" 0.064m
983-10 75-0301-2365-9 0 51138 67639 1	2" x 150' White	1	3.1500 lbs 1.4288 kg	9.9" 0.251m	9.9" 0.251m	2.6" 0.066m
983-326 75-0301-2246-1 0 51138 67535 6	2" x 150' Red/White	1	3.5000 lbs 1.5876 kg	8.1" 0.206m	9.9" 0.251m	2.6" 0.066m
983-21 ES 75-0301-3468-0 0 51135 34294 7	2" x 150' Fluorescent Yellow	1	2.8500 lbs 1.2927 kg	8.1" 0.206m	8.1" 0.206m	2.5" 0.064m

Scotchlite Diamond Grade Retroreflective Film

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
983-21 ES 75-0301-2498-8	4" x 50 yds Fluorescent Yellow					
983-71NL 75-0301-2337-8 0 51135 30928 5	4" x 150' Yellow	1	7.4000 lbs 3.3566 kg	8.1" 0.206m	8.1" 0.206m	5.1" 0.130m
983-K1 75-0301-2257-8 0 51135 30857 8	48' Truck/Trailer Marking Kit	1	1.7000 lbs 0.7711 kg	8.6" 0.219m	2.6" 0.067m	8.7" 0.221m
983-K4 75-0301-2260-2 0 51135 30860 8	28' Truck/Trailer Marking Kit	1	1.2000 lbs 0.5443 kg	8.6" 0.219m	2.6" 0.067m	8.7" 0.221m

3M™ Diamond Grade™ Mounted Delineator

Delineator made from Series 3970 Diamond Grade™ reflective sheeting mounted on .063 in aluminum. Carries 3M warranty.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
DGRD-35 75-0300-3346-0 0 51138 57080 4	3" x 3" Red	100				
DGRD-33 75-0300-3347-8 0 51138 57081 1	3" x 5" Red	100				

Scotchlite Diamond Grade Retroreflective Film

Diamond Grade™ Cubed DG3



Series 4000 DG3 is a state-of-the-art, full cube prismatic reflective sheeting that delivers optimal performance at all sight distances. Its optical elements return almost 60 percent of available light to drivers—nearly double that of other prismatic sheetings. DG3 sheeting is a proposed ASTM Type XI and is designed as a replacement for all types of reflective sign sheetings in use today.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
4090 75-0001-1534-7	White					
4091 75-0001-1536-2	Yellow					
4092 75-0001-1538-8	Red					
4095 75-0001-1540-4	Blue					
4097 75-0001-1542-0	Green					
4081 75-0001-1544-6	Fluorescent Yellow					
4083 75-0001-1546-1	Fluorescent Yellow					
4084 75-0001-1549-5	Fluorescent Orange					



3M™ Scotchlite™ Linear Delineation System



Linear delineation system (LDS) panels are fabricated from 3M™ Diamond Grade™ Reflective Sheeting laminated onto thin gauge aluminum. LDS panels are formed to a unique shape and applied to concrete barriers and metal guardrails providing retroreflection across a wide range of entrance and observation angles.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions LengthWidthHeight		
34" x 4"						
LDS-R344 75-0300-9210-2 0 51135 16651 2	34" x 4" Red	50	17.7000 lbs 8.0286 kg	36.4" 0.925m	12.9" 0.328m	5.3" 0.135m
LDS-W344 75-0300-9212-8 0 51135 16653 6	34" x 4" White	50	17.4000 lbs 7.8925 kg	36.4" 0.925m	12.9" 0.328m	5.3" 0.135m
LDS-FO344 75-0300-9218-5 0 51135 16659 8	34" x 4" Fluorescent Orange	50	17.9500 lbs 8.1420 kg	36.4" 0.925m	12.9" 0.328m	5.3" 0.135m
LDS-FY344 75-0300-9216-9 0 51135 16657 4	34" x 4" Fluorescent Yellow	50	18.5500 lbs 8.4141 kg	36.4" 0.925m	12.9" 0.328m	5.3" 0.135m
34" x 6"						
LDS-R346 75-0300-9211-0 0 51135 16652 9	34" x 6" Red	50	26.2500 lbs 11.9068 kg	36.4" 0.925m	12.9" 0.328m	7.3" 0.185m
LDS-W346 75-0300-9213-6 0 51135 16654 3	34" x 6" White	50	25.5000 lbs 11.5666 kg	36.4" 0.925m	12.9" 0.328m	7.3" 0.185m
LDS-FO346 75-0300-9219-3 0 51135 16660 4	34" x 6" Fluorescent Orange	50	25.3000 lbs 11.4759 kg	36.4" 0.925m	12.9" 0.328m	7.3" 0.185m
LDS-FY346 75-0300-9217-7 0 51135 16658 1	34" x 6" Fluorescent Yellow	50	27.8000 lbs 12.6099 kg	36.4" 0.925m	12.9" 0.328m	7.3" 0.185m



Work area matting constructed of coiled vinyl loops designed to provide anti-fatigue, anti-slip and dirt trapping properties.

Nomad™ Carpet Matting 4000



3M™ Nomad™ Indoor Carpet Matting has dual fiber construction featuring a patented blend of polypropylene fibers for exceptional dirt and water removal. Coarse fibers scrape off small soil particles not removed by the outdoor scraper matting.

Features:

- Vinyl backing.
- Polypropylene material.
- Ribbed.

Learn More:

- 4000 – 3M™ Nomad™ Carpet Matting 4000 – Data Sheet (PDF 418.4 K)

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack		Length	Width	Height
		Case Qty.	lbs kg			
4000 70-0708-3629-4 0 48011 23768 3	3' x 5' Brown	1	10.5000 lbs 4.7627 kg	38.7" 0.983m	6.4" 0.163m	6.4" 0.163m
4000 70-0708-3630-2 0 48011 23769 0	3' x 5' Light Gray	1	10.5000 lbs 4.7627 kg	38.7" 0.983m	6.4" 0.163m	6.4" 0.163m
4000 70-0708-3652-6 0 48011 23791 1	4' x 6' Brown	1	16.2000 lbs 7.3482 kg	50.5" 1.283m	7.5" 0.189m	7.4" 0.187m
4000 70-0708-3653-4 0 48011 23793 5	4' x 6' Light Gray	1	16.2000 lbs 7.3482 kg	50.5" 1.283m	7.5" 0.189m	7.4" 0.187m



3M™ Nomad™ Scraper Matting 6050



Resilient vinyl loop construction traps, holds and hides dirt and sand so the surface stays neat and clean. Foam backing reduces creeping, provides added foot comfort. Available in a wide variety of colors and sizes to complement virtually any decor.

Learn More:

- 6050 - 3M™ Nomad™ Medium Traffic Scraper Matting 6050 - Product/Single Image- (TIFF)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
6050 70-0709-7438-4 0 48011 26445 0	3' x 5' Slate	1	10.5000 lbs 4.7627 kg	7.8" 0.198m	7.8" 0.198m	37.9" 0.963m
6050 70-0710-0813-3 0 48011 26187 4	3' x 5' Light Brown	1	10.5000 lbs 4.7627 kg	37.8" 0.960m	7.7" 0.196m	7.7" 0.196m
6050 70-0709-7445-9 0 48011 26452 8	4' x 6' Slate	1	16.5800 lbs 7.5206 kg	49.8" 1.265m	7.3" 0.185m	7.3" 0.185m
6050 70-0710-0815-8 0 48011 26189 8	4' x 6' Light Brown	1	16.5800 lbs 7.5206 kg	49.8" 1.265m	7.3" 0.185m	7.3" 0.185m

3M™ Nomad™ Scraper Matting 8100



Designed for exterior facility entrances or recessed wells. Traps dirt and moisture and makes it easy to clean up the debris that falls through the mat.

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
8100	3' x 20'		63.2500 lbs	38.1"	14.7"	14.7"
70-0710-1199-6	Slate		28.6897 kg	0.968m	0.373m	0.373m
0 48011 26291 8	Unbacked	1				
8100	3' x 20'		63.2500 lbs	38.1"	14.7"	14.7"
70-0710-1201-0	Light Brown		28.6897 kg	0.968m	0.373m	0.373m
0 48011 26293 2	Unbacked	1				
8100	4' x 20'		87.7500 lbs	50.1"	14.7"	14.7"
70-0710-1589-8	Slate		39.8027 kg	1.273m	0.373m	0.373m
0 48011 34635 9	Unbacked	1				
8100	4' x 20'		87.7500 lbs	50.1"	14.7"	14.7"
70-0710-1214-3	Light Brown		39.8027 kg	1.273m	0.373m	0.373m
0 48011 34501 7	Unbacked	1				

Nomad™ Heavy Traffic Scraper Matting Backed 8150




Designed for exterior or interior facility entrances or recessed wells. Keeps dirt and moisture from falling through the mat onto the floor underneath.

Features:

- Vinyl backing.
- Vinyl material.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
8150 70-0710-1275-4 0 48011 34562 8	3' x 20' Slate Without nosing	1	64.1000 lbs 29.0753 kg	38.1" 0.968m	13.4" 0.341m	13.4" 0.341m
8150 70-0710-1276-2 0 48011 34563 5	3' x 20' Light Brown Without nosing	1	64.1000 lbs 29.0753 kg	38.2" 0.970m	13.5" 0.343m	13.5" 0.343m
8150 70-0710-1270-5 0 48011 34557 4	4' x 20' Slate Without nosing	1	92.3500 lbs 41.8893 kg	50.1" 1.273m	13.9" 0.353m	13.9" 0.353m
8150 70-0710-1269-7 0 48011 34556 7	4' x 20' Light Brown Without nosing	1	92.3500 lbs 41.8893 kg	50.1" 1.273m	13.9" 0.353m	13.9" 0.353m

Photoluminescent Film 6900



Make “glow in the dark” signs that are easily cleaned and are resistant to chemicals and stains. Although this product contains no heavy metals or radioactive materials, luminance can be recharged in three minutes.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
3MN131PI 75-3468-4904-7 0 51128 49724 1	1" x 50 yd	1	1.1000 lbs 0.4990 kg	12.6" 0.320m	9.4" 0.239m	5.3" 0.135m
3MN132PI 75-3468-4905-4 0 51128 49725 8	2" x 50 yd	1	2.3500 lbs 1.0659 kg	12.6" 0.320m	9.4" 0.239m	5.3" 0.135m

Safety Stripe Tape



This diagonally striped vinyl tape is ideal for calling special attention to overhead hazards, stairs, forklift traffic and potentially dangerous pinch points on equipment.

Features:

- Black and yellow stripe, 5.4 mil (0.14 mm) vinyl backing with rubber adhesive.

Learn More:

- MSDS (United States)
- 3M™ Safety Stripe Tape 5700 – Data Sheet

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
5700 70-0060-0839-8 0 21200 03954 6	3" x 36 yds 5.4 mil (0.14mm) – Bulk White/Black	12	13.0 lbs 5.8967 kg	9.6" 0.244m	9.6" 0.244m	10.0" 0.254m
5702 70-0060-2605-1 0 21200 04585 1	2" x 36 yds 5.4 mil (0.14mm) – Bulk Black/Yellow	24	17.12 lbs 7.7655 kg	9.6" 0.244m	9.6" 0.244m	13.0" 0.330m
5702 70-0060-0835-6 0 21200 80453 3	3" x 36 yds 5.4 mil (0.14mm) – Bulk Black/Yellow	12	12.88 lbs 5.8423 kg	9.6" 0.244m	9.6" 0.244m	10.0" 0.254m
5702 70-0060-0836-4 0 21200 03952 2	4" x 36 yds 5.4 mil (0.14mm) – Bulk Black/Yellow	8	12.02 lbs 5.4522 kg	9.6" 0.244m	9.6" 0.244m	10.0" 0.254m

Matting Accessories

3M™ Matting Seaming Tape Kit Brown



Vinyl tape used as part of a joining system to make larger sized mats. May be used with any 3M™ matting.

Learn More:

- MSDS (United States)
- 3M™ Matting Seaming Tape – Data Sheet (PDF 17.3 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
61-5000-0518-8 0 48011 08148 4	2" x 10' Brown 3 oz tube of adhesive	10	9.0000 lbs 4.0823 kg	12.9" 0.328m	11.3" 0.287m	8.7" 0.221m

3M™ Edging Adhesive



Urethane-based adhesive for use with 3M matting tape and/or edging materials.

Learn More:

- MSDS (United States)
- 3M™ Matting Adhesive – Data Sheet

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
61-5000-4187-8 0 48011 08554 8	140 gms tube 3 oz. tube	12	2.6900 lbs 1.2202 kg	6.1" 0.155m	4.6" 0.117m	7.3" 0.185m

Matting Accessories

3M™ Matting Seaming Tape Roll Brown



Vinyl tape used as part of a joining system to make larger sized mats. May be used with any 3M™ matting.

Learn More:

- MSDS (United States)
- 3M™ Matting Seaming Tape – Data Sheet (PDF 17.3 K)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
61-5000-4563-0 0 48011 09457 6	2" x 100' Brown	5	17.0800 lbs 7.7474 kg	8.7" 0.221m	8.7" 0.221m	14.6" 0.371m

3M™ Safety-Walk™ Tread Primer 901



Solvent-based adhesive prepares rough or porous surfaces before application of slip-resistant tape and treads. One quart covers approximately 35 square feet.

Learn More:

- MSDS (United States)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
901 70-0705-4945-9 0 48011 19339 2	1 Quart	1	2.3000 lbs 1.0433 kg	4.9" 0.124m	4.9" 0.124m	6.1" 0.155m

Matting Accessories

3M™ Safety-Walk™ Edge Sealing Compound 902



Liquid, solvent-based sealer protects exposed edges of slip-resistant tapes and treads from excessive moisture or liquids. One 5-ounce tube with convenient tube applicator seals approximately 75 to 100 linear feet.

Learn More:

- [MSDS \(United States\)](#)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
902	5 oz tube		0.8200 lbs	8.0"	8.4"	6.6"
70-0705-4946-7			0.3719 kg	0.203m	0.213m	0.168m
0 48011 19340 8		1				

3M™ Safety-Walk™ Rubber Hand Roller 903



Helps provide a firm bond when applying slip-resistant tapes and treads.


Learn More:

- [MSDS \(United States\)](#)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
903			0.4550 lbs	9.9"	6.1"	2.0"
70-0705-4947-5			0.2064 kg	0.251m	0.156m	0.051m
0 48011 19341 5		1				




Safety-Walk™ Cushion Matting 3270, 3270E



Spring-coiled vinyl foam compresses uniformly and continually, providing greater comfort and less fatigue. Available in 3 foot and 4 foot widths by 2 to 30 foot lengths in 1-foot increments.

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
3270						
3270	3' x 5'		10.0000 lbs	37.9"	7.8"	7.8"
70-0711-5725-2	Black		4.5359 kg	0.963m	0.198m	0.198m
0 48011 34819 3	Without edging	1				
3270	4' x 6'		10.0000 lbs	49.9"	7.8"	7.8"
70-0711-5726-0	Black		4.5359 kg	1.267m	0.198m	0.198m
0 48011 34820 9	Without edging	1				
3270	3' x 10'		18.7700 lbs	37.9"	10.3"	10.3"
70-0711-5727-8	Black		8.5139 kg	0.963m	0.262m	0.262m
0 48011 34821 6	Without edging	1				
3270	4' x 10'		10.0000 lbs	49.8"	9.8"	9.8"
70-0711-5728-6	Black		4.5359 kg	1.265m	0.249m	0.249m
0 48011 34822 3	Without edging	1				
3270	3' x 20'		18.7700 lbs	18.2"	13.5"	13.5"
70-0711-5729-4	Black		8.5139 kg	0.462m	0.343m	0.343m
0 48011 34823 0	Without edging	1				
3270	4' x 20'		120.0000 lbs	50.2"	13.9"	13.9"
70-0711-5730-2	Black		54.4311 kg	1.275m	0.353m	0.353m
0 48011 34824 7	Without edging	1				
3270E						
3270	3' x 5'		18.6000 lbs	37.9"	7.8"	7.8"
70-0711-5732-8	Black		8.4368 kg	0.963m	0.198m	0.198m
0 48011 34826 1	With edging	1				
3270	4' x 6'		29.8000 lbs	49.9"	7.8"	7.8"
70-0711-5733-6	Black		13.5171 kg	1.267m	0.198m	0.198m
0 48011 34827 8	With edging	1				
3270	3' x 10'		37.2000 lbs	37.9"	10.3"	10.3"
70-0711-5734-4	Black		16.8736 kg	0.963m	0.262m	0.262m
0 48011 34828 5	With edging	1				
3270	4' x 10'		49.6000 lbs	49.8"	9.8"	9.8"
70-0711-5735-1	Black		22.4982 kg	1.265m	0.249m	0.249m
0 48011 34829 2	With edging	1				
3270	3' x 20'		74.4000 lbs	38.2"	13.5"	13.5"
70-0711-5736-9	Black		33.7473 kg	0.970m	0.343m	0.343m
0 48011 34830 8	With edging	1				
3270	4' x 20'		99.2000 lbs	50.2"	13.9"	13.9"
70-0711-5737-7	Black		44.9964 kg	1.275m	0.353m	0.353m
0 48011 34831 5	With edging	1				

Safety-Walk™ Cushion Matting 5100



Rigid vinyl Z-web construction provides firm support and allows cart traffic for a multi-functional work area. Available in 3 foot widths by 2 to 30 foot lengths in 1-foot increments. Glued on edging is available.

Learn More:

- 5100 - 3M™ Safety-Walk™ Cushion Matting 5100 - Data Sheet (PDF 18.9 K)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
5100 61-5000-3624-1 0 48011 05978 0	3' x 5' Quarry Tile Red	1	25.9000 lbs 11.7480 kg	37.8" 0.960m	10.2" 0.259m	10.2" 0.259m
5100 70-0706-4181-9 0 48011 20229 2	3' x 5' Ebony	1	25.9000 lbs 11.7480 kg	37.8" 0.960m	10.2" 0.259m	10.2" 0.259m
5100 61-5000-3625-8 0 48011 05979 7	3' x 10' Quarry Tile Red	1	46.6000 lbs 21.1374 kg	10.3" 0.262m	10.3" 0.262m	37.9" 0.963m
5100 70-0706-4183-5 0 48011 20231 5	3' x 10' Ebony	1	46.6000 lbs 21.1374 kg	37.8" 0.960m	10.2" 0.259m	10.2" 0.259m
5100 61-5000-3626-6 0 48011 05980 3	3' x 20' Quarry Tile Red	1	63.0000 lbs 28.5763 kg	38.1" 0.968m	14.7" 0.373m	14.7" 0.373m
5100 70-0706-4185-0 0 48011 20233 9	3' x 20' Ebony	1	63.0000 lbs 28.5763 kg	38.1" 0.968m	14.7" 0.373m	14.7" 0.373m



Safety-Walk™ Cushion Matting 5250E, 5250YE



Textured top surface provides a high coefficient of friction to increase the security of footing. Solid top allows debris to stay on top for easy cleaning/mopping. Special grease and oil resistant coating keeps map resilient over time providing continuing comfort.

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
5250YE						
5250YE 70-0713-1020-8 0 48011 55917 9	3' x 5' Black Safety-yellow edging	1	10.0000 lbs 4.5359 kg	37.9" 0.963m	7.8" 0.198m	7.8" 0.198m
5250YE 70-0713-1037-2 0 48011 55922 3	3' x 10' Black Safety-yellow edging	1	10.0000 lbs 4.5359 kg	10.0" 0.254m	10.0" 0.254m	10.0" 0.254m
5250YE 70-0713-1038-0 0 48011 55923 0	3' x 20' Black Safety-yellow edging	1	10.0000 lbs 4.5359 kg	10.0" 0.254m	10.0" 0.254m	10.0" 0.254m
5250YE 70-0713-1035-6 0 48011 55920 9	4' x 6' Black Safety-yellow edging	1	10.0000 lbs 4.5359 kg	10.0" 0.254m	10.0" 0.254m	10.0" 0.254m
5250YE 70-0713-1039-8 0 48011 55924 7	4' x 10' Black Safety-yellow edging	1	10.0000 lbs 4.5359 kg	10.0" 0.254m	10.0" 0.254m	10.0" 0.254m
5250YE 70-0713-1040-6 0 48011 55925 4	4' x 20' Black Safety-yellow edging	1	10.0000 lbs 4.5359 kg	10.0" 0.254m	10.0" 0.254m	10.0" 0.254m
5250E						
5250E 70-0713-1065-3 0 48011 55944 5	2' x 3' Black Integral edging	1	10.0000 lbs 4.5359 kg	10.0" 0.254m	10.0" 0.254m	10.0" 0.254m
5250E 70-0713-1061-2 0 48011 55940 7	3' x 5' Black Integral edging	1	10.0000 lbs 4.5359 kg	10.0" 0.254m	10.0" 0.254m	10.0" 0.254m
5250E 70-0713-1062-0 0 48011 55941 4	3' x 10' Black Integral edging	1	10.0000 lbs 4.5359 kg	10.0" 0.254m	10.0" 0.254m	10.0" 0.254m
5250E 70-0713-1063-8 0 48011 55942 1	3' x 20' Black Integral edging	1	10.0000 lbs 4.5359 kg	10.0" 0.254m	10.0" 0.254m	10.0" 0.254m
5250E 70-0713-1064-6 0 48011 55943 8	4' x 6' Black Integral edging	1	10.0000 lbs 4.5359 kg	10.0" 0.254m	10.0" 0.254m	10.0" 0.254m
5250E 70-0713-1033-1 0 48011 55918 6	4' x 10' Black Integral edging	1	10.0000 lbs 4.5359 kg	10.0" 0.254m	10.0" 0.254m	10.0" 0.254m
5250E 70-0713-1034-9 0 48011 55919 3	4' x 20' Black Integral edging	1	10.0000 lbs 4.5359 kg	10.0" 0.254m	10.0" 0.254m	10.0" 0.254m



Safety-Walk™ Cushion Matting 5270E, 5270YE



Open-coiled vinyl design allows liquid to pass through to increase the security of footing. Special grease and oil resistant coating keeps mat resilient over time providing continuing comfort. Recommended for wet or dry environments.

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
5270YE						
5270YE	3' x 5'		10.0000 lbs	10.0"	10.0"	10.0"
70-0713-1042-2	Black		4.5359 kg	0.254m	0.254m	0.254m
0 48011 55927 8	Safety-yellow edging	1				
5270YE	3' x 10'		10.0000 lbs	10.0"	10.0"	10.0"
70-0713-1044-8	Black		4.5359 kg	0.254m	0.254m	0.254m
0 48011 55929 2	Safety-yellow edging	1				
5270YE	3' x 20'		10.0000 lbs	10.0"	10.0"	10.0"
70-0713-1045-5	Black		4.5359 kg	0.254m	0.254m	0.254m
0 48011 55930 8	Safety-yellow edging	1				
5270YE	4' x 6'		10.0000 lbs	10.0"	10.0"	10.0"
70-0713-1046-3	Black		4.5359 kg	0.254m	0.254m	0.254m
0 48011 55931 5	Safety-yellow edging	1				
5270YE	4' x 10'		10.0000 lbs	10.0"	10.0"	10.0"
70-0713-1047-1	Black		4.5359 kg	0.254m	0.254m	0.254m
0 48011 55932 2	Safety-yellow edging	1				
5270YE	4' x 20'		10.0000 lbs	10.0"	10.0"	10.0"
70-0713-1048-9	Black		4.5359 kg	0.254m	0.254m	0.254m
0 48011 55933 9	Safety-yellow edging	1				
5270E						
5270E	2' x 3'		10.0000 lbs	10.0"	10.0"	10.0"
70-0713-1070-3	Black		4.5359 kg	0.254m	0.254m	0.254m
0 48011 55949 0	Integral edging	1				
5270E	3' x 5'		10.0000 lbs	10.0"	10.0"	10.0"
70-0713-1066-1	Black		4.5359 kg	0.254m	0.254m	0.254m
0 48011 55945 2	Integral edging	1				
5270E	3' x 10'		10.0000 lbs	10.0"	10.0"	10.0"
70-0713-1068-7	Black		4.5359 kg	0.254m	0.254m	0.254m
0 48011 55947 6	Integral edging	1				
5270E	3' x 20'		10.0000 lbs	10.0"	10.0"	10.0"
70-0713-1069-5	Black		4.5359 kg	0.254m	0.254m	0.254m
0 48011 55948 3	Integral edging	1				
5270E	4' x 6'		10.0000 lbs	10.0"	10.0"	10.0"
70-0713-1067-9	Black		4.5359 kg	0.254m	0.254m	0.254m
0 48011 55946 9	Integral edging	1				
5270E	4' x 10'		10.0000 lbs	10.0"	10.0"	10.0"
70-0713-1041-4	Black		4.5359 kg	0.254m	0.254m	0.254m
0 48011 55926 1	Integral edging	1				
5270E	4' x 20'		10.0000 lbs	10.0"	10.0"	10.0"
70-0713-1036-4	Black		4.5359 kg	0.254m	0.254m	0.254m
0 48011 55921 6	Integral edging	1				

Safety-Walk™ Slip-Resistant Coarse Tapes & Treads 700 Series



Heavy duty industrial application slip-resistant tape.

Learn More:

- MSDS (United States)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
710						
710 70-0711-2720-6 0 48011 34729 5	6" x 24" Black	25	9.0800 lbs 4.1186 kg	25.4" 0.645m	6.6" 0.168m	3.1" 0.079m
710 70-0711-2721-4 0 48011 34730 1	4" x 30' Black	1	4.0500 lbs 1.8370 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
710 70-0711-2722-2 0 48011 34731 8	6" x 30' Black	1	6.0700 lbs 2.7533 kg	7.6" 0.193m	7.6" 0.193m	7.0" 0.178m
710 70-0711-2723-0 0 48011 34732 5	12" x 30' Black	1	12.1400 lbs 5.5066 kg	12.7" 0.323m	7.6" 0.193m	7.9" 0.201m
710 70-0711-2724-8 0 48011 34733 2	18" x 30' Black	1	18.2100 lbs 8.2599 kg	19.4" 0.493m	7.6" 0.193m	7.6" 0.193m
710 70-0711-2725-5 0 48011 34734 9	24" x 30' Black	1	24.2800 lbs 11.0132 kg	25.0" 0.635m	7.6" 0.193m	7.6" 0.193m



Safety-Walk™ Slip Resistant General Purpose Tapes & Treads 600 Series



A mineral-coated, slip resistant material ideal for use on smooth or flat surfaces.

Features:

- Highly durable surface, conforms to irregular surfaces and around edges..
- Low-profile design to reduce trip hazards.
- Pressure sensitive adhesive, covered by a removable protective liner is easy to apply.

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack	lbs	Length	Width	Height
		Case Qty.	kg			
610						
610 70-0705-4348-6 0 48011 19217 3	0.75" x 24" Black	50	1.3200 lbs 0.5987 kg	24.5" 0.622m	5.0" 0.127m	0.7" 0.018m
610 70-0705-4350-2 0 48011 19219 7	0.75" x 60' Black	4	3.7500 lbs 1.7010 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
610 70-0705-4351-0 0 48011 19220 3	1" x 60' Black	4	3.95 lbs 1.7917 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
610 70-0705-4352-8 0 48011 19221 0	2" x 60' Black	2	3.85 lbs 1.7463 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
610 70-0705-4435-1 0 48011 19223 9	4" x 60' Black	1	3.9500 lbs 1.7917 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
610 70-0705-4347-8 0 48011 19216 6	5.5" x 5.5" Black	50	2.1100 lbs 0.9571 kg	6.0" 0.152m	6.0" 0.152m	3.0" 0.076m
610 70-0705-4349-4 0 48011 19218 5	6" x 24" Black	50	8.7 lbs 3.9463 kg	25.4" 0.645m	6.6" 0.168m	3.1" 0.079m
610 70-0705-4436-9 0 48011 19224 6	6" x 60' Black	1	5.5500 lbs 2.5174 kg	7.5" 0.191m	7.5" 0.191m	7.1" 0.180m
610 70-0705-4437-7 0 48011 19235 2	12" x 60' Black	1	10.3000 lbs 4.6720 kg	12.7" 0.323m	7.6" 0.193m	7.9" 0.201m
610 70-0705-4444-3 0 48011 19238 8	18" x 60' Black	1	16.4000 lbs 7.4389 kg	19.4" 0.493m	7.6" 0.193m	7.6" 0.193m
610 70-0705-4438-5 0 48011 19236 4	24" x 60' Black	1	19.1000 lbs 8.6636 kg	25.0" 0.635m	7.6" 0.193m	7.6" 0.193m
610 70-0705-4445-0 0 48011 19239 5	36" x 60' Black	1	34.0160 lbs 15.4294 kg	37.9" 0.963m	7.6" 0.193m	7.9" 0.201m
610 70-0705-4439-3 0 48011 19237 1	48" x 60' Black	1	42.9000 lbs 19.4591 kg	49.9" 1.267m	7.8" 0.198m	7.8" 0.198m



Safety-Walk™ Slip Resistant General Purpose Tapes & Treads 600 Series

Product Number 3M Order Code UPC Code	Description	Packaging	Gross Weight	Case Dimensions		
		Inner Unit Pack		Length	Width	Height
		Case Qty.				
620-B						
620-B 70-0709-7561-3 0 48011 26417 7	1" x 60' Clear	4	3.5000 lbs 1.5876 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
620-B 70-0709-7563-9 0 48011 26419 1	2" x 60' Clear	2	3.3000 lbs 1.4969 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
620-B 70-0709-7562-1 0 48011 26418 4	4" x 60' Clear	1	4.0000 lbs 1.8144 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
630-B						
630-B 70-0709-7566-2 0 48011 26422 1	1" x 60' Safety Yellow	4	3.5000 lbs 1.5876 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
630-B 70-0709-7565-4 0 48011 26421 4	2" x 60' Safety Yellow	2	3.3000 lbs 1.4969 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
630-B 70-0709-7564-7 0 48011 26420 7	4" x 60' Safety Yellow	1	4.0000 lbs 1.8144 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
660-B						
660-B 70-0709-7569-6 0 48011 26425 2	1" x 60' Brown	4	3.5000 lbs 1.5876 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
660-B 70-0709-7568-8 0 48011 26424 5	2" x 60' Brown	2	3.3000 lbs 1.4969 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
660-B 70-0709-7567-0 0 48011 26423 8	4" x 60' Brown	1	4.0000 lbs 1.8144 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m



Safety-Walk™ Slip-Resistant Medium Conformable Tapes & Treads 500 Series



A mineral-coated, slip resistant material ideal for use on diamond grade safety plates, steps and other irregular surfaces.

Learn More:

- MSDS (United States)

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
510						
510 70-0705-4862-6 0 48011 19278 4	5.5" x 5.5" Black	50	2.1100 lbs 0.9571 kg	6.0" 0.152m	6.0" 0.152m	3.0" 0.076m
510 70-0705-4863-4 0 48011 19279 1	6" x 24" Black	50	10.0000 lbs 4.5359 kg	25.3" 0.643m	6.5" 0.165m	3.0" 0.076m
510 70-0705-4864-2 0 48011 19280 7	2" x 60' Black	2	4.5 lbs 2.0412 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
510 70-0705-4865-9 0 48011 19281 4	4" x 60 ft Black	1	4.2500 lbs 1.9278 kg	7.6" 0.193m	7.6" 0.193m	5.6" 0.142m
510 70-0705-4866-7 0 48011 19282 1	6" x 60' Black	1	6.5500 lbs 2.9710 kg	7.6" 0.193m	7.4" 0.188m	7.0" 0.178m
510 70-0705-4867-5 0 48011 19283 8	12" x 60' Black	1	12.9500 lbs 5.8740 kg	12.4" 0.315m	7.2" 0.183m	7.7" 0.196m
510 70-0705-4868-3 0 48011 19284 5	18" x 60' Black	1	16.4000 lbs 7.4389 kg	19.4" 0.493m	7.6" 0.193m	7.6" 0.193m
510 70-0705-4869-1 0 48011 19285 2	24" x 60' Black	1	21.7000 lbs 9.8430 kg	25.0" 0.635m	7.6" 0.193m	7.6" 0.193m
530						
530 70-0705-4871-7 0 48011 19287 6	6" x 24" Safety Yellow	50	10.0000 lbs 4.5359 kg	25.3" 0.643m	6.5" 0.165m	3.0" 0.076m
530 70-0705-4874-1 0 48011 19288 3	2" x 60' Safety Yellow	2	3.5000 lbs 1.5876 kg	8.4" 0.213m	8.4" 0.213m	5.6" 0.142m
530 70-0705-4875-8 0 48011 19289 0	4" x 60' Safety Yellow	1	3.5000 lbs 1.5876 kg	8.4" 0.213m	8.4" 0.213m	5.6" 0.142m
530 70-0705-4876-6 0 48011 19290 6	6" x 60' Safety Yellow	1	5.2000 lbs 2.3587 kg	8.4" 0.213m	8.4" 0.213m	7.0" 0.178m

Safety-Walk™ Slip-Resistant Medium Resilient Tapes & Treads 300 Series



Features a resilient, non-mineral, slip-resistant material. For locker rooms and recreational/athletic equipment, boats and docks, interior stairwells, entryways and lobbies.

Features:

- Soft surface is suitable for bare feet.
- Available in custom sizes and colors, and with custom adhesives.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions		
				Length	Width	Height
310						
310 70-0705-4879-0 0 48011 19293 7	1" x 60' Black	4	4.0000 lbs 1.8144 kg	8.4" 0.213m	8.4" 0.213m	5.6" 0.142m
310 70-0705-4880-8 0 48011 19294 4	2" x 60' Black	2	3.9000 lbs 1.7690 kg	8.4" 0.213m	8.4" 0.213m	5.6" 0.142m
310 70-0705-4882-4 0 48011 19296 8	4" x 60' Black	1	3.8500 lbs 1.7463 kg	8.4" 0.213m	8.4" 0.213m	5.6" 0.142m
310 70-0705-4878-2 0 48011 19292 0	6" x 24" Black	50	8.1420 lbs 3.6931 kg	25.4" 0.645m	6.6" 0.168m	3.9" 0.099m
310 70-0705-4884-0 0 48011 19298 2	12" x 60' Black	1	11.4000 lbs 5.1710 kg	12.7" 0.323m	8.4" 0.213m	8.8" 0.224m
310 70-0705-4885-7 0 48011 19299 9	18" x 60' Black	1	18.2000 lbs 8.2554 kg	19.0" 0.483m	8.4" 0.213m	8.4" 0.213m
310 70-0705-4886-5 0 48011 19300 2	24" x 60' Black	1	24.1000 lbs 10.9316 kg	25.0" 0.635m	8.4" 0.213m	8.4" 0.213m
310 70-0705-4887-3 0 48011 19301 9	36" x 60' Black	1	36.1000 lbs 16.3747 kg	37.9" 0.963m	8.4" 0.213m	8.4" 0.213m
310 70-0705-4888-1 0 48011 19302 6	48" x 60' Black	1	47.6000 lbs 21.5910 kg	49.9" 1.267m	8.4" 0.213m	8.4" 0.213m
310 70-0705-4883-2 0 48011 19297 5	6" x 60' Black	1	6.2000 lbs 2.8123 kg	8.4" 0.213m	8.4" 0.213m	7.0" 0.178m



Safety-Walk™ Slip-Resistant Medium Resilient Tapes & Treads 300 Series

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
370						
370	2" x 60'		3.9000 lbs	8.4"	8.4"	5.6"
70-0705-4919-4	Gray		1.7690 kg	0.213m	0.213m	0.142m
0 48011 19323 1		2				
370	4" x 60'		3.9000 lbs	8.4"	8.4"	5.6"
70-0705-4918-6	Gray		1.7690 kg	0.213m	0.213m	0.142m
0 48011 19322 4		1				
370	6" x 24"		10.0000 lbs	25.3"	6.5"	3.8"
70-0705-4916-0	Gray		4.5359 kg	0.643m	0.165m	0.097m
0 48011 19320 0		50				
370	6" x 60'		5.8000 lbs	8.4"	8.4"	7.0"
70-0705-4920-2	Gray		2.6308 kg	0.213m	0.213m	0.178m
0 48011 19324 3		1				
370	12" x 60'		11.4000 lbs	12.7"	8.4"	8.8"
70-0705-4921-0	Gray		5.1710 kg	0.323m	0.213m	0.224m
0 48011 19325 5		1				
370	18" x 60'		18.2000 lbs	19.0"	8.4"	8.4"
70-0705-4922-8	Gray		8.2554 kg	0.483m	0.213m	0.213m
0 48011 19326 2		1				
370	24" x 60'		23.1500 lbs	25.0"	8.4"	8.4"
70-0705-4923-6	Gray		10.5007 kg	0.635m	0.213m	0.213m
0 48011 19327 9		1				
370	36" x 60'		36.1000 lbs	37.9"	8.4"	8.4"
70-0705-4924-4	Gray		16.3747 kg	0.963m	0.213m	0.213m
0 48011 19328 6		1				



Safety-Walk™ Slip-Resilient Tapes & Treads 200 Series



A high-friction resilient textured material. Consists of a fine-textured resilient surface. Reverse surface is coated with a pressure-sensitive adhesive covered with a removable protective liner.

Learn More:

- 3M™ Stay-In-Place Matting Tape - Data Sheet (PDF 129.4 K)

Product Number	Description	Packaging	Gross Weight	Case Dimensions		
3M Order Code		Inner Unit Pack	lbs	Length	Width	Height
UPC Code		Case Qty.	kg			
220						
220	1" x 60'		3.5000 lbs	7.6"	7.6"	5.6"
70-0705-4898-0	Clear		1.5876 kg	0.193m	0.193m	0.142m
0 48011 19303 3		4				
220	2" x 60'		3.3000 lbs	7.6"	7.6"	5.6"
70-0705-4899-8	Clear		1.4969 kg	0.193m	0.193m	0.142m
0 48011 19304 0		2				
220	12" x 60'		9.7000 lbs	12.7"	7.6"	7.9"
70-0705-4910-3	Clear		4.3998 kg	0.323m	0.193m	0.201m
0 48011 19305 7		1				
280						
280	1" x 60'		3.5000 lbs	7.6"	7.6"	5.6"
70-0705-4911-1	White		1.5876 kg	0.193m	0.193m	0.142m
0 48011 19315 6		4				
280	2" x 60'		3.3000 lbs	7.6"	7.6"	5.6"
70-0705-4912-9	White		1.4969 kg	0.193m	0.193m	0.142m
0 48011 19316 3		2				
280	4" x 60'		3.2900 lbs	7.6"	7.6"	5.6"
70-0705-4913-7	White		1.4923 kg	0.193m	0.193m	0.142m
0 48011 19317 0		1				
280	6" x 60'		4.9000 lbs	7.6"	7.6"	7.0"
70-0705-4914-5	White		2.2226 kg	0.193m	0.193m	0.178m
0 48011 19318 7		1				
280	12" x 60'		9.7000 lbs	12.7"	7.6"	7.9"
70-0705-4915-2	White		4.3998 kg	0.323m	0.193m	0.201m
0 48011 19319 4		1				


Safety-Walk™ Stay-In Place Matting Tape



Matting tapes help keep vinyl-backed indoor entrance matting from moving in normal use situations, yet they are repositionable enough that the matting can be picked up for cleaning, moving, etc.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
Smooth Floors 130						
130 70-0709-8381-5 0 48011 26062 9	2" x 10'	6	2.2000 lbs 0.9979 kg	7.6" 0.193m	6.9" 0.175m	4.1" 0.104m
130 70-0709-8382-3 0 48011 26063 6	2" x 40'	6	4.5000 lbs 2.0412 kg	9.3" 0.236m	6.9" 0.175m	5.0" 0.127m
Carpeted Floors 140						
140 70-0709-8383-1 0 48011 26064 3	2" x 10'	6	3.2000 lbs 1.4515 kg	8.5" 0.216m	6.9" 0.175m	4.7" 0.119m
140 70-0709-8384-9 0 48011 26065 0	2" x 40'	6	5.4000 lbs 2.4494 kg	11.9" 0.302m	6.9" 0.175m	6.2" 0.157m
Industrial Matting Tape 200						
200 70-0709-8568-7 0 48011 26344 1	4" x 20'	1	1.5000 lbs 0.6804 kg	8.6" 0.218m	8.5" 0.216m	4.9" 0.124m

Safety-Walk™ Tub and Shower Products



Improve traction in the tub and shower. This fine-textured, slip-resistant material provides increased safety and comfort in light traffic barefoot areas.

Product Number 3M Order Code UPC Code	Description	Packaging Inner Unit Pack Case Qty.	Gross Weight lbs kg	Case Dimensions Length Width Height		
7705 61-5000-1205-1 0 48011 08216 0	0.75" x 17" White	400	7.2900 lbs 3.3067 kg	18.8" 0.478m	6.5" 0.165m	4.3" 0.109m
7707 61-5000-1209-3 0 48011 08220 7	0.75" x 17" Clear	400	7.2900 lbs 3.3067 kg	18.8" 0.478m	6.5" 0.165m	4.3" 0.109m